

## Headquarters

11555 Medlock Bridge Rd, #100 Johns Creek, GA 30097, USA T: +1.888.658.1221; F:+1.678.619.2020 Manufacturing site

410 Forest Avenue Sheboygan Falls, WI 53085, USA T: +1.920.234.2322 F:+1.678.619.2020

## **PRODUCT SPECIFICATION**

Product Name

Product Code

P5836

CAS Number

H<sub>3</sub>C

CH<sub>3</sub>

Molecular formula

CH<sub>3</sub>

CH<sub>3</sub>

Einear formula

Molecular weight

Boiling point

Bis(diethylamino)chlorophosphine

P5836

CAS Number

685-83-6

C<sub>8</sub>H<sub>20</sub>CIN<sub>2</sub>P

[(C<sub>2</sub>H<sub>5</sub>)<sub>2</sub>N]<sub>2</sub>PCI

Molecular weight

55-57C

TEST	SPECIFICATION
Assay (purity)	96%
Purity method	by titration
Appearance	colorless liquid
Titration	%P=96.5-103.5
Titration type	with AgNO3

For available packaging options or alternative purify grades please contact our technical services.

The offered information is intended to be used by technically qualified personnel at their discretion and risk. The currentSpecification sheet may be available at ereztech.com. Purchaser must determine the suitability of the product for its particularuse.