

SAFETY DATA SHEET

Section 1. Identification

Product Name:	Bis(isopropylcyclopentadienyl) tungsten dihydride
Product Type:	Liquid
CAS Number:	64561-25-7
Product Number:	W1257
Product Manufacturer:	Ereztech LLC 11555 Medlock Bridge Road, Suite 100 Johns Creek, GA 30097
Product Information:	(888) 658-1221
<u>In case of an emergency:</u>	(888) 658-1221 (for spill, leak, fire or exposure) *** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Emergency Overview

Appearance/Odor: Dark orange liquid, odor not determined.

Classification: FLAMMABLE LIQUIDS; - Category 3, H226
SUBSTANCE AND MIXTURES WHICH, IN CONTACT WITH WATER,
EMIT FLAMMABLE GASES; -Category 3, H261
SKIN CORROSION/IRRITATION; - Category 2, H315
SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A, H319
SPECIFIC ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY
TRACT IRRITATION; - Category 3, H335

Signal word : WARNING

Hazard statements : H226: Flammable liquid and vapor.
H261: In contact with water releases flammable gas.
H315: Causes skin irritation.
H319: Causes serious eye irritation.
H335: May cause respiratory irritation.

Hazard pictograms :



Bis(isopropylcyclopentadienyl) Tungsten Dihydride

Safety Data Sheet

Section 2. Hazards Identification

Precautionary statements

Prevention :

P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P223: Keep away from any possible contact with water, because of violent reaction and possible flash fire.
P231 + P232: Handle under inert gas. Protect from moisture.
P233: Keep container tightly closed.
P240: Ground/bond container and receiving equipment.
P241: Use explosion-proof electrical/ventilating/lighting/handling equipment.
P242: Use only non-sparking tools.
P243: Take precautionary measures against static discharge.
P261: Avoid breathing fumes/gas/mist/vapor/spray.
P264: Wash skin thoroughly after handling.
P271: Use only outdoors or in a well-ventilated area.
P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response :

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.
P303 + P361 + P353: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present. Continue rinsing.
P312: Call a POISON CENTER or doctor/physician if you feel unwell.
P332 + P313: If skin irritation occurs: Get medical advice/attention.
P335 + P334: Brush off loose particles from skin and immerse in cool water/wrap in wet bandages.
P337 + P313: If eye irritation persists: Get medical advice/attention.

Storage :

P362: Take off contaminated clothing and wash before reuse.
P370 + P378: In case of fire: Use alcohol-resistant foam, dry chemical or carbon dioxide for extinction. DO NOT USE WATER.
P402 + P404: Store in a dry place. Store in a closed container.
P403 + + P233 + P235: Store in a well ventilated place. Keep container tightly closed. Keep cool.

Disposal :

P405: Store locked up.
P501: Dispose of contents/ container to an approved wasted disposal plant.

Bis(isopropylcyclopentadienyl) Tungsten Dihydride

Safety Data Sheet

Section 2. Hazards Identification

GHS label elements

General: None.
OSHA/HCS status: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Hazards not otherwise classified: None known.

Section 3. Composition/Information on Ingredients

Substances

Formula : (C₃H₇C₅H₄)₂WH₂
Molecular weight : 400.22 g/mol
CAS-No. : 64561-25-7

Ingredient Name	%	CAS Number
Bis (isopropylcyclopentadienyl) tungsten dihydride	100	64561-25-7

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

Eye Contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue rinsing. Get immediate medical attention.

Skin Contact: Wash off contaminated skin with soap and plenty of water. Get immediate medical attention.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion: Call a physician or POISON CONTROL CENTER immediately. Rinse mouth. Do NOT induce vomiting. Remove dentures if any. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position

Bis(isopropylcyclopentadienyl) Tungsten Dihydride

Safety Data Sheet

Section 4. First Aid Measures

and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Consult a physician.

Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

Eye Contact: Symptoms may include stinging, tearing, redness, swelling and blurred vision.

Inhalation: May be irritating to respiratory system. Chronic exposure may result in permanent lung damage.

Skin Contact: None specified.

Ingestion: None specified.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician: Treat symptomatically.

Specific Treatments: No specific treatment.

Protection of First Responders: No action taken shall be taken involving any personal risk without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire Fighting Measures

General Hazards: Reacts violently with water to produce flammable/explosive gases.

Suitable Extinguishing Media: Use sand, dry chemical or carbon dioxide (CO₂).

Unsuitable Extinguishing Media: Do not use water as an extinguisher, as this product reacts violently with water to produce combustible/explosive gases.

Unusual Fire and Explosion Product reacts violently with air/moisture/water to produce flammable/explosive gases.

Product of Combustion: Decomposition products may include carbon oxides and metal oxide fumes.

Protection of Firefighters: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

Bis(isopropylcyclopentadienyl) Tungsten Dihydride

Safety Data Sheet

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

- For Non-emergency Personnel:** No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid inhalation of vapors or mist. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment.
- For Emergency Responders:** If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".
- Environmental Precautions:** Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for Containment

- Small Spill:** Keep away from ignition sources. Absorb with an inert dry liquid binding material (sand, diatomite, acid binders, universal binders) and place in an appropriate waste disposal container. Do not flush spill area with water or aqueous cleaning solution. Dispose of via a licensed waste disposal contractor.
- Large Spill:** Keep away from ignition sources. Contain and collect spillage with non-combustible, dry absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in dry container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Minimize exposure to air/water/moisture. Do not flush spill area with water or aqueous cleaning product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and Storage

- Precautions:** Handle under dry protective gas. Store in cool/dry place in tightly closed container. Keep container tightly sealed. Avoid contact with skin and eyes. Avoid inhalation of vapors or mist. Avoid prolonged exposure. Provide adequate ventilation.

Bis(isopropylcyclopentadienyl) Tungsten Dihydride

Safety Data Sheet

Section 7. Handling and Storage

Protective Measures:

Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Use explosion-proof electrical/ventilating/lighting/handling equipment. Use only non-sparking tools and equipment. Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

General Occupational Hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Safe Storage Conditions:

Store under dry/inert gas. Keep away from heat, sparks and open flames. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (oxidizing agents, water/moisture, air) and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

Occupational Exposure Limits:

List	Components	CAS-No.	Type	Value
ACGIH	Tungsten and compounds	64561-25-7	10-STEL	5 mg/ m ³ (metal)
		64561-25-7	3-STEL	1 mg/ m ³ (soluble compounds)
		64561-25-7	10-STEL	5 mg/ m ³ (insoluble compounds)

Engineering Controls:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.

Bis(isopropylcyclopentadienyl) Tungsten Dihydride

Safety Data Sheet

Section 8. Exposure Controls/Personal Protection

Environmental Exposure Controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures

Hygiene Measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale gases/fumes/vapors. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection

Hand Protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Bis(isopropylcyclopentadienyl) Tungsten Dihydride

Safety Data Sheet

Section 8. Exposure Controls/Personal Protection

Full contact

Material: Neoprene or nitrile rubber.

Other Skin Protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Physical State:

Liquid.

Color:

Dark orange.

Odor:

No data available.

Odor Threshold:

No data available.

pH:

No data available.

Melting Point:

No data available.

Boiling Point:

122 - 125 °C (251 - 257 °F).

Flash Point:

No data available.

Auto-ignition temperature:

No data available.

Specific Gravity:

No data available.

Vapor Pressure:

No data available.

Vapor Density:

No data available.

Water Solubility:

Reacts violently

Evaporation Rate:

No data available.

Viscosity:

No data available.

VOC Content:

No data available.

VOCs are calculated following the requirements under 40 CFR, Part 59, Subpart C for Consumer Products and Subpart D for Architectural Coatings.

Section 10. Stability and Reactivity

Reactivity:

Reacts violently with water.

Bis(isopropylcyclopentadienyl) Tungsten Dihydride

Safety Data Sheet

Section 10. Stability and Reactivity

Chemical Stability:	Stable at normal ambient temperature and pressure and under recommended storage conditions.
Conditions to Avoid:	Keep away from heat and sources of ignition.
Incompatible Materials:	Air, water/moisture and oxidizing agents.
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: carbon oxides and metal oxide fumes. In the event of a fire: see section 5.
Possibility of Hazardous Reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.

Section 11. Toxicological Information

Information on Toxicological Effects

Acute Toxicity	: No specific data available.
Irritation/Corrosion	: No specific data available. Causes skin irritation. Causes serious eye irritation.
Sensitization	: No specific data available.
Germ Cell Mutagenicity	: No effects known.
Carcinogenicity	
IARC	: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.
NTP	: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.
OSHA	: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.
Reproductive Toxicity	: This product is not expected to cause reproductive or developmental effects.
Teratogenicity	: No specific data available.
Specific Target Organ Toxicity (single exposure)	: Respiratory tract irritation.
Specific Target Organ Toxicity (repeated exposure)	: Chronic exposure to tungsten compounds may result in permanent lung damage.

Bis(isopropylcyclopentadienyl) Tungsten Dihydride

Safety Data Sheet

Section 11. Toxicological Information

Aspiration Hazard	: No specific data available.
Information on the likely routes of exposure	: No specific data available.
Additional Information	: None

Section 12. Ecological Information

Numerical Measures of Toxicity

Toxicity to Fish	: No specific data available.
Toxicity to daphnia and other aquatic invertebrates	: No specific data available.
Toxicity to algae	: No specific data available.

Persistence and Degradability

Biodegradability	: No specific data available.
Bioaccumulative potential	: No specific data available.
Mobility in soil	: No specific data available.
Other Adverse Effects	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13. Disposal Considerations

Waste Treatment Methods

Product	Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.
Contaminated packaging	Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT EXPOSE SUCH CONTAINERS TO AIR, MOISTURE, WATER AS FLAMMABLE/EXPLOSIVE GASES MAY BE GENERATED. DO NOT EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Bis(isopropylcyclopentadienyl) Tungsten Dihydride

Safety Data Sheet

Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	UN 3398	UN 3398	UN 3398
UN Proper Shipping Name	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE (Bis(isopropylcyclopentadienyl) tungstendihydride)	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE (Bis(isopropylcyclopentadienyl) tungstendihydride)	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE (Bis(isopropylcyclopentadienyl) tungstendihydride)
Transport Hazard Classes	4.3	4.3	4.3
Packing Group	III	III	III
Environmental Hazards	-	-	-
Additional Information	Warning: Substances which, in contact with water, emit flammable gases.	Warning: Substances which, in contact with water, emit flammable gases.	Warning: Substances which, in contact with water, emit flammable gases.

Special Precautions for User : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code : Not applicable.

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act):

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

None known.

Massachusetts Right To Know Components

No components are subject to Massachusetts Right to Know Act.

Bis(isopropylcyclopentadienyl) Tungsten Dihydride Safety Data Sheet

Section 15. Regulatory Information

Pennsylvania Right To Know Components

Bis(isopropylcyclopentadienyl) tungsten(IV) dihydride	CAS-No. 64561-25-7	Revision Date
---	-----------------------	---------------

New Jersey Right To Know Components

Bis(isopropylcyclopentadienyl) tungsten(IV) dihydride	CAS-No. 64561-25-7	Revision Date
---	-----------------------	---------------

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Label for Supply



Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Bis(isopropylcyclopentadienyl) Tungsten Dihydride

Safety Data Sheet

Section 16. Other Information

HMIS Rating

Health Hazard	: 1
Chronic Health Hazard	:
Flammability	: 2
Physical Hazard	: 2

History

Date of printing	: 10/4/15
Date of issue/Date of Revision	: 10/4/15
Date of previous issue	: None

References : None available

Abbreviations and Acronyms

ACGIH: American Conference of Governmental Industrial Hygienists
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DOT: US Department of Transportation
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
HMIS: Hazardous Materials Identification System
IARC: International Agency For Research on Cancer
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
IMDG: International Maritime Code for Dangerous Goods
NFPA: National Fire Protection Association
NIOSH: National Institute of Occupational Safety and Health
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration
SARA: Superfund Amendments and Reauthorization Act
VOC: Volatile Organic Compound

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.