



SAFETY DATA SHEET

Section 1. Identification

Product Name: Aluminum bromide
Product Type: Solid
CAS Number: 7727-15-3
Product Number: AL7153
Recommended Use: Laboratory chemicals, synthesis of substances.
Product Manufacturer: Ereztech LLC
11555 Medlock Bridge Road, Suite 100
Johns Creek, GA 30097
Product Information: (888) 658-1221
In Case of an Emergency: CHEMTREC: 1-800-424-9300 (USA);
+1 703-527-3887 (International); CCN836180
*** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Appearance/Odor: White to light yellow to beige crystals or powder, pungent/stinging odor.
Classification: CORROSIVE TO METALS – Category 1, H290
ACUTE TOXICITY, ORAL – Category 4, H302
SKIN CORROSION/IRRITATION – Category 1B, H314
SERIOUS EYE DAMAGE/EYE IRRITATION – Category 1, H318

GHS Label Elements

Hazard Pictograms:



Signal Word: DANGER
Hazard Statements: H290: May be corrosive to metals.
H302: Harmful if swallowed.
H314: Causes severe skin burns and eye damage.
H318: Causes serious eye damage.

Aluminum bromide

Safety Data Sheet

Section 2. Hazards Identification

Precautionary Statements

Prevention:

P234: Keep only in original packaging.
P260: Do not breathe dusts, aerosols, vapors or gases.
P264 + P265: Wash hands and exposed skin thoroughly after handling. Do not touch eyes.
P270: Do not eat, drink or smoke when using this product.
P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P301 + P317: IF SWALLOWED: Get medical help.
P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302 + P361 + P354: IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.
P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P354 + P338: IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P316: Get emergency medical help immediately.
P330: Rinse mouth.
P363: Wash contaminated clothing before reuse.
P390: Absorb spillage to prevent material-damage.
P405: Store locked up.

Storage:

P406: Store in a corrosion resistant container with a resistant inner liner.

Disposal:

P501: Dispose of contents/container in accordance with federal, state and local regulations.

OSHA/HCS Status:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Hazards Not Otherwise Classified (HNOC):

Reacts violently with water.

Section 3. Composition/Information on Ingredients

Substance Type:

Mono-constituent.

Synonyms:

Aluminic bromide; Aluminum(III) bromide; Aluminum tribromide.

Formula:

AlBr_3

Molecular Weight:

266.69 g/mol.

EC-No. :

231-779-7

Aluminum bromide

Safety Data Sheet

Section 3. Composition/Information on Ingredients

Component Name	%	CAS Number
Aluminum bromide	≥ 98	7727-15-3

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

- General Advice:** Move out of dangerous area. Get emergency medical help immediately. Show this safety data sheet to the doctor in attendance. If unconscious, place in recovery position and get medical help immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Eye Contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Rinse for a minimum of 15 minutes. Check for and remove any contact lenses after initial rinse period and continue rinsing for an additional 15 minutes. Keep eyes wide open during rinsing process. Get emergency medical help immediately.
- Skin Contact:** Remove all contaminated clothing and shoes. Wash off contaminated skin with plenty of water for a minimum of 15 minutes. Thoroughly clean and dry contaminated clothing before reuse. Destroy/discard contaminated shoes. In the event of complaints or symptoms, avoid further exposure. Get emergency medical help immediately.
- Inhalation:** Remove person to fresh air and keep comfortable for breathing. Rescuer should wear a mask or self-contained breathing apparatus if it is suspected that fumes are still present. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Do not use the mouth-to-mouth method of resuscitation if victim ingested or inhaled the product; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get emergency medical help immediately.
- Ingestion:** Get emergency medical help immediately. Rinse mouth, and then give water to drink (two glasses at most). Do NOT induce vomiting. Remove dentures if any. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If person is not breathing, if breathing is irregular or if respiratory arrest occurs, see the "Inhalation" first aid measures noted above.

Aluminum bromide

Safety Data Sheet

Section 4. First Aid Measures

Most Important Symptoms/Effects, Acute and Delayed Potential Acute Health Effects

- Eye Contact:** Product causes serious eye damage. Symptoms may include watering, redness, pain, swelling of the eyelids, inability to keep eye open, blurred vision and temporary/permanent loss of vision.
- Skin Contact:** Skin contact with this product may be expected to cause (severe) chemical burns. Symptoms may include reddening of skin, a burning or itching sensation, pain, blistering and tissue necrosis.
- Inhalation:** Product is extremely corrosive to mucous membranes and tissues of the upper respiratory tract. Symptoms may include a burning sensation, coughing, coughing up blood (hemoptysis), wheezing, laryngitis, shortness of breath/ difficulty in breathing (dyspnea), blueness (cyanosis) of lips and skin, nausea, headaches, disorientation, general weakness and loss of consciousness.
- Ingestion:** Ingestion may be expected to result in burns of the mouth and throat and potential perforation of the esophagus and stomach. Symptoms may include pain when swallowing (odynophagia), difficulty swallowing (dysphagia), fever, nausea, recurrent vomiting (emesis) and vomiting of blood (hematemesis). Severe burns which may be accompanied by perforation of the esophagus and stomach may present additional symptoms of abdominal pain/rigidity, chest and/or back pain.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

- Notes to Physician:** Treat symptomatically.
- Specific Treatments:** No specific treatment.
- Protection of First Responders:** No action taken shall be taken involving any personal risk without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

Section 5. Fire Fighting Measures

- General Hazards:** Product reacts violently with water to release a toxic/corrosive gas.
- Suitable Extinguishing Media:** THE MOST EFFECTIVE FIRE EXTINGUISHING AGENT IS DRY CHEMICAL POWDER PRESSURIZED WITH NITROGEN. Carbon dioxide (CO₂) may also be used. For large fires, flood fire area with large quantities of water to control the fire, to suppress fumes, vapors and gases and to cool heat-affected containers to prevent explosive ruptures of containers.
- Unsuitable Extinguishing Media:** FOR SMALL FIRES, DO NOT USE FOAM OR WATER DIRECTLY ON PRODUCT.

Aluminum bromide

Safety Data Sheet

Section 5. Fire Fighting Measures

**Unusual Fire and
Explosion Hazards:**

None identified.

Product of Combustion:

Hydrogen bromide and aluminum oxides.
Irritating/toxic/corrosive fumes may be generated during exposure to elevated temperatures or open flame.

Protection of Firefighters:

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Prevent contact with skin or eyes. Prevent the formation and inhalation of sprays, mists, vapors and gases.

Move containers from fire area if process can be accomplished without risk to firefighters. To reduce the possibility of explosion, use a water spray or fog to reduce direct vapors and to cool unopened containers.

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Prevent the formation and inhalation of dust, aerosols, vapors and gases. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment.

For Emergency Responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency Personnel".

Environmental Precautions:

Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

General:

Move containers from spill area if safe to do so. Prevent the formation and inhalation of dusts, aerosols, vapors and gases. Dispose of collected spillage in accordance with federal, state and local regulations. Contaminated absorbent material may pose the same hazard as the spilled product.

Aluminum bromide

Safety Data Sheet

Section 6. Accidental Release Measures

Methods for Containment

General:

Move containers from spill area if safe to do so. Prevent the formation and inhalation of dusts, aerosols, vapors and gases. Dispose of collected spillage in accordance with federal, state and local regulations. Contaminated binding material may pose the same hazard as the spilled product.

Small Spill:

Collect spillage with a dry, binding material (e.g. dry sand, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal.

Large Spill:

Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with a dry, binding material (e.g. dry sand, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal.

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and Storage

Precautions:

Product reacts violently with water to release toxic/corrosive gases; handle under a dry, inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep container tightly sealed. Prevent contact with skin, eyes and clothing. Prevent the formation and inhalation of dusts, aerosols, vapors and gases. Do not ingest. Avoid prolonged exposure. Ensure adequate ventilation.

Protective Measures:

Put on appropriate personal protective equipment (see Section 8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

General Occupational Hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Safe Storage Conditions:

Product reacts violently with water to release toxic/corrosive gases; store under an inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen and a temperature range of 2 – 8 °C is recommended.

Aluminum bromide

Safety Data Sheet

Section 7. Handling and Storage

Safe Storage Conditions (cont.):

Do not store in metal containers; store in "Corrosives" area in original container protected from direct sunlight in a dry and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

Occupational Exposure Limits

Components	CAS-No.	List	Type	Value
Aluminum, soluble salts	-	ACGIH	TLV	2 mg/m ³ Al TWA
		NIOSH	REL	2 mg/m ³ Al TWA
		OSHA	PEL	2 mg/m ³ Al TWA

Engineering Controls:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.

Environmental Exposure Controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures

Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts, aerosols, vapors or gases. Prevent contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to dusts or aerosols.

Aluminum bromide

Safety Data Sheet

Section 8. Exposure Controls/Personal Protection

Eye/Face Protection (cont.):

If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection

Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. For full contact, wear Neoprene or nitrile rubber gloves.

Other Skin Protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Physical State:

Solid (powder or crystals).

Color:

White to light yellow to beige.

Odor:

Pungent/stinging.

Odor Threshold:

No data available.

Aluminum bromide

Safety Data Sheet

Section 9. Physical and Chemical Properties

pH:	Not data available.
Melting Point:	94 – 98 °C (201 – 208 °F).
Boiling Point:	265 °C (509 °F) @ 760 mmHg.
Flash Point:	No data available.
Flammability:	Not combustible.
Auto-ignition Temperature:	No data available.
Density:	3.205 g/cm ³ @ 25 °C (77 °F) - lit.
Vapor Pressure:	1 mmHg @ 81 °C (178 °F).
Vapor Density:	No data available.
Water Solubility:	Product reacts violently with water to release toxic/corrosive gases at room temperature (20 °C (68 °F)).
Evaporation Rate:	Not applicable.
Viscosity:	Not applicable.

Section 10. Stability and Reactivity

Reactivity:	Product reacts violently with water to release toxic/corrosive gases.
Chemical Stability:	Product is stable when stored under a dry, inert atmosphere and away from heat. Nitrogen containing less than 5 ppm each moisture and air and a temperature range of 2 – 8 °C is recommended.
Conditions to Avoid:	Exposure to water/moisture, extremes of temperature, direct sunlight and incompatible materials.
Incompatible Materials:	Metals, water, protic solvents (acids, alcohols, etc.), strong oxidizing agents, alkalis, dichloromethane, sodium, potassium.
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: hydrogen bromide and aluminum oxides. Irritating and toxic/corrosive fumes may be generated during exposure to elevated temperatures or open flame. In the event of a fire: see Section 5.
Possibility of Hazardous Reactions:	Under normal conditions of storage and use noted above, hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of storage or use.

Aluminum bromide

Safety Data Sheet

Section 11. Toxicological Information

Information on Toxicological Effects

Acute Toxicity:

Product is corrosive to mucous membranes and may be expected to be harmful if inhaled or ingested.

Component	CAS No	Result	Species	Dose	Exposure
Aluminum bromide	7727-15-3	LD50 Oral	Rat	1,598 mg/kg	-
		LD50 IP	Rat	815 mg/kg	-

Irritation/Corrosion:

No specific data available. Product causes thermal and/or chemical burns to the skin, eyes and exposed mucous membranes.

Sensitization:

No specific data available.

Germ Cell Mutagenicity:

No specific data available.

Carcinogenicity

ACGIH

No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.

IARC

No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP

No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.

OSHA

No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.

Reproductive Toxicity:

No specific data available.

Teratogenicity:

No specific data available.

Specific Target Organ Toxicity: (Single Exposure)

Respiratory tract irritation/damage through thermal and chemical burns.

Specific Target Organ Toxicity: (Repeated Exposure)

No specific data available.

Aspiration Hazard:

No specific data available.

Information on the Likely Routes of Exposure:

Common routes of exposure: inhalation, dermal (failure to use skin protection), eye (failure to use safety eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking or eating after handling product without washing hands or using hand protection)).

Additional Information:

To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

Aluminum bromide

Safety Data Sheet

Section 12. Ecological Information

Ecotoxicity:	The environmental impact of this product on the environment has not been tested.
Numerical Measures of Toxicity:	No specific data available.
<u>Persistence and Degradability</u>	
Biodegradability:	Not applicable as product does not contain any organic content.
Bioaccumulative Potential:	No specific data available.
Mobility in Soil:	Product is likely to be mobile in the environment based on its water solubility/reaction.
Results of PBT and vPvB Assessment:	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
Endocrine Disrupting Properties:	No specific data available.
Other Adverse Effects:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13. Disposal Considerations

Waste Treatment Methods

Product:	Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.
Contaminated Packaging:	Empty containers retain product residue (dusts, aerosols, vapors, gases) and can be dangerous. Dispose of as unused product.

Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	UN1725	UN1725	UN1725
UN Proper Shipping Name	Aluminum bromide, anhydrous	ALUMINUM BROMIDE, ANHYDROUS	Aluminum bromide, anhydrous
Transport Hazard Classes	8	8	8
Packing Group	II	II	II
Environmental Hazards	-	-	-
Additional Information	-	EMS-No: F-A, S-B	-

Aluminum bromide

Safety Data Sheet

Section 14. Transport Information

Special Precautions for User: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory Information

Toxic Substance Control Act (TSCA)

This product is listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory).

This product as supplied is not subject to the TSCA Significant New Use Rule.

This product as supplied is not subject to TSCA 12(b) export notification requirements.

SARA 302 Components

This product does not contain any components which are subject to the reporting requirements of SARA Title III, Section 302 EHS TPQ.

SARA 304 Components

This product does not contain any components which are subject to the reporting requirements of SARA Title III, Section 304 RQ.

SARA 311/312 Hazards

Reactivity Hazard (Corrosive to metals), Acute Health Hazard (Acute toxicity, oral; Skin corrosion or irritation; Serious eye damage or eye irritation).

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Water Act

Not applicable.

Clean Air Act

Not applicable.

CERCLA Reportable Quantity

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US Department of Homeland Security (DHS)

This product does not contain any DHS chemicals.

US Department of Transportation (DOT)

Component	Reportable Quantity	DOT Marine Pollutant	DOT Severe Marine Pollutant
Aluminum bromide	No	No	No

Aluminum bromide

Safety Data Sheet

Section 15. Regulatory Information

US State Right-to-Know Listings

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Aluminum bromide	-	X	X	-	-

"X" – Listed.

US State Chemicals of High Concern Listings

Component	Maine	Vermont	Washington
Aluminum bromide	-	-	-


"X" – Listed.

California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	2

Aluminum bromide

Safety Data Sheet

Section 16. Other Information

History

Date of Issue/Date of Revision: 5/19/2025.

Date of Previous Issue: None.

References: None available.

Abbreviations and Acronyms

ACGIH	: American Conference of Governmental Industrial Hygienists.
AIHA	: American Industrial Hygiene Association.
ATE	: Acute Toxicity Estimate (per Chapter 3.1 of GHS 10 standard).
BEI	: Biological Exposure Indices (ACGIH).
CAS	: Chemical Abstracts Service (division of the American Chemical Society).
CHRIS	: Chemical Hazards Response Information System (US DOT).
CLP	: Classification, Labeling and Packaging (European Union (EU)).
DOT	: US Department of Transportation.
EC-No.	: The EC Inventory (EINECS, ELINCS and the NLP-list is the source of the seven digit EC number, an identifier of substances commercially available with the EU (European Union)).
EINECS	: European Inventory of Existing Commercial Chemical Substances.
EHS	: Extremely Hazardous Substance.
ELINCS	: European List of Notified Chemical Substances.
GHS	: Globally Harmonized System of Classification and Labeling of Chemicals.
HAP	: Hazardous Air Pollutants (Clean Air Act).
HMIS	: Hazardous Materials Identification System.
HNOC	: Hazards Not Otherwise Classified.
IARC	: International Agency for Research on Cancer.
IATA	: International Air Transport Association.
IATA-DGR	: Dangerous Goods Regulations by the "International Air Transport Association" (IATA).
IDLH	: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and Safety (NIOSH)).
IMDG	: International Maritime Code for Dangerous Goods.
IP	: Intraperitoneal.
IV	: Intravenous.
NFPA	: National Fire Protection Association.
NIOSH	: National Institute of Occupational Safety and Health.
NSRL	: No Significant Risk Levels.
NTP	: National Toxicology Program.
ODS	: Ozone Depleting Substances (US Clean Air Act).
OECD	: Organization for Economic Co-Operation and Development.
OEL	: Occupational Exposure Limit.
OSHA	: Occupational Safety and Health Administration.
PBT	: Persistent Bioaccumulative and Toxic.
PEL	: Permissible Exposure Limits.

Aluminum bromide

Safety Data Sheet

Section 16. Other Information

Abbreviations and Acronyms (cont.)

REL	: Recommended Exposure Limits.
RQ	: Reportable Quantity.
SARA	: Superfund Amendments and Reauthorization Act.
STEL (ST)	: Short Term Exposure Limit (ACGIH/NIOSH)
STOT	: Specific Target Organ Toxicity.
TLV	: Threshold Limit Values (ACGIH).
TPQ	: Threshold Planning Quantity.
TWA	: Time Weighted Average.
VOC	: Volatile Organic Compound.
vPvB	: Very Persistent and Very Bioaccumulative.
WEEL	: Workplace Environmental Exposure Level (AIHA).

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

— B R I D G I N G C H E M I C A L G A P S —