



11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: [info@ereztech.com](mailto:info@ereztech.com) W: <https://ereztech.com>

**EREZTECH LLC**

# SAFETY DATA SHEET

## Section 1. Identification

**Product Name:** [Arsenic\(III\) oxide](#)  
**Product Type:** Solid  
**CAS Number:** 1327-53-3  
**Product Number:** AS7533  
**Product Manufacturer:** Ereztech LLC  
11555 Medlock Bridge Road, Suite 100  
Johns Creek, GA 30097  
**Product Information:** (888) 658-1221  
**In Case of an Emergency:** CHEMTREC: 1-800-424-9300 (USA);  
+1 703-527-3887 (International); CCN836180  
\*\*\* Contact manufacturer for all non-emergency calls.

## Section 2. Hazards Identification

**Appearance/Odor:** White powder, odorless.  
**Classification:** ACUTE TOXICITY; ORAL - Category 2, H300  
SKIN CORROSION/IRRITATION - Category 1B, H314  
CARCINOGENICITY - Category 1A, H350  
HAZARDOUS TO THE AQUATIC ENVIRONMENT, CHRONIC TOXICITY – Category 1 H410

### GHS Label Elements

**Signal Word:** DANGER  
**Hazard Statements:** H300: Fatal if swallowed.  
H314: Causes severe skin burns and eye damage.  
H350: May cause cancer.  
H410: Very toxic to aquatic life with long lasting effects.

### **Hazard Pictograms:**



### Precautionary Statements

**Prevention:** P201: Obtain special instructions before use.

# Arsenic(III) oxide

## Safety Data Sheet

### Section 2. Hazards Identification

<b>Prevention (cont.):</b>	P202: Do not handle until all safety precautions have been read and understood. P260: Do not breathe dust/aerosols/fumes/gases/vapors. P264: Wash skin thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P273: Avoid release to the environment. P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.
<b>Response:</b>	P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present. Continue rinsing. P308 + P313: IF exposed or concerned: Get medical advice/attention. P330: Rinse mouth. P363: Wash contaminated clothing before reuse. P391: Collect spillage. P405: Store locked up.
<b>Storage:</b>	P501: Dispose of contents/ container to an approved waste disposal plant.
<b>Disposal:</b>	
<b>OSHA/HCS Status:</b>	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
<b>Hazards Not Otherwise Classified [HNOC]:</b>	None identified.

### Section 3. Composition/Information on Ingredients

<b>Synonyms</b>	:Arsenic trioxide; Diarsenic oxide; Diarsenic trioxide; Arsentrioxide.
<b>Formula</b>	:As <sub>2</sub> O <sub>3</sub>
<b>Molecular Weight</b>	:197.84 g/mol

Ingredient Name	%	CAS Number
<a href="#">Arsenic(III) oxide</a>	≥ 99	1327-53-3

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Arsenic(III) oxide

## Safety Data Sheet

### Section 4. First Aid Measures

#### Description of Necessary First Aid Measures

- General Advice:** Move out of dangerous area. Call a POISON CENTER or doctor/physician immediately. Show this safety data sheet to the doctor in attendance. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Eye Contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Rinse for a minimum of 15 minutes. Check for and remove any contact lenses after initial rinse period and continue rinsing for an additional 15 minutes. Keep eyes wide open during rinsing process. Call a POISON CENTER or doctor/physician immediately.
- Skin Contact:** Remove all contaminated clothing and shoes. Wash off contaminated skin with soap and plenty of water for a minimum of 15 minutes. Thoroughly clean and dry contaminated clothing before reuse. Destroy/discard contaminated shoes. In the event of complaints or symptoms, avoid further exposure. Call a POISON CENTER or doctor/physician immediately.
- Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Rescuer should wear a mask or self-contained breathing apparatus if it is suspected that fumes are still present. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Call a POISON CENTER or doctor/physician immediately. In the case of inhalation of decomposition products from a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Ingestion:** Call a physician or POISON CONTROL CENTER immediately. Rinse mouth, then give water to drink (two glasses at most). Do NOT induce vomiting. Remove dentures if any. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- In exceptional cases where medical care will not be available within one hour of ingestion, induce vomiting (only in persons who are fully awake and fully conscious) then administer activated charcoal (20 – 40 g in 10% slurry) and consult a physician as quickly as possible.

# Arsenic(III) oxide

## Safety Data Sheet

### Section 4. First Aid Measures

#### Most Important Symptoms/Effects, Acute and Delayed Potential Acute Health Effects

- Eye Contact:** Causes serious eye damage. Symptoms may include watering, redness, pain, swelling of the eyelids, inability to keep eye open, blurred vision and temporary/permanent loss of vision.
- Inhalation:** Product is extremely corrosive to mucous membranes and tissues of the upper respiratory tract. Symptoms may include a burning sensation, coughing, coughing up blood (hemoptysis), wheezing, laryngitis, shortness of breath/difficulty in breathing (dyspnea), blueness (cyanosis) of lips and skin, nausea, headaches, disorientation, general weakness and loss of consciousness.
- Skin Contact:** Skin contact with this product may be expected to cause (severe) chemical burns. Symptoms may include reddening of skin, a burning or itching sensation, pain, blistering and tissue necrosis.
- Ingestion:** Product is fatal if ingested. Ingestion may be expected to result in burns of the mouth and throat and potential perforation of the esophagus and stomach. Symptoms may include pain when swallowing (odynophagia), difficulty swallowing (dysphagia), fever, nausea, recurrent vomiting (emesis) and vomiting of blood (hematemesis). Severe burns which may be accompanied by perforation of the esophagus and stomach may present additional symptoms of abdominal pain/rigidity, chest and/or back pain.
- Skin Contact:** Skin contact with this product may be expected to cause (severe) chemical burns. Symptoms may include reddening of skin, a burning or itching sensation, pain, blistering and tissue necrosis.

#### Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

- Notes to Physician:** Treat symptomatically.
- Specific Treatments:** No specific treatment.
- Protection of First Responders:** No action taken shall be taken involving any personal risk without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

### Section 5. Fire Fighting Measures

- General Hazards:** Ambient fire may produce irritating, corrosive and/or harmful/toxic gases.
- Suitable Extinguishing Media:** Use water spray, alcohol resistant foam, dry chemical or carbon dioxide (CO<sub>2</sub>).
- Unsuitable Extinguishing Media:** Water jet.

# Arsenic(III) oxide

## Safety Data Sheet

### Section 5. Fire Fighting Measures

**Unusual Fire and Explosion Hazards:**

Irritating and potentially toxic gases and vapors (arsenic oxides) will be released during combustion.

**Product of Combustion:**

Arsenic oxides.

**Protection of Firefighters:**

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode. Avoid contact with skin and eyes. Do not breathe dust, aerosols, vapors or fumes.

### Section 6. Accidental Release Measures

#### Personal Precautions, Protective Equipment and Emergency Procedures

**For Non-Emergency Personnel:**

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Prevent further leakage or spillage if safe to do so. Avoid the generation and inhalation of dusts and aerosols. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment.

**For Emergency Responders:**

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency Personnel".

**Environmental Precautions:**

Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods for Containment

**General:**

Move containers from spill area if safe to do so. Avoid the formation and inhalation of dusts and aerosols. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.



# Arsenic(III) oxide

## Safety Data Sheet

### Section 6. Accidental Release Measures

- Small Spill:** Contain and collect spillage with an inert binding material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in a dry, sealed container for disposal according to local regulations (see Section 13).
- Large Spill:** Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with an inert binding material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13).
- Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### Section 7. Handling and Storage

- Precautions:** Use only under a chemical fume hood. Obtain special instructions before use. Avoid all contact with skin, eyes and clothing. Avoid the formation and the inhalation of dusts and aerosols. Do not ingest. Provide adequate ventilation.
- Protective Measures:** Put on appropriate personal protective equipment (see Section 8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- General Occupational Hygiene:** Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Safe Storage Conditions:** Store in original container in a dry, cool and well-ventilated area, away from incompatible materials (oxidizing agents, moisture/water) and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

### Section 8. Exposure Controls/Personal Protection

- Introductory Remarks:** These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application.

# Arsenic(III) oxide

## Safety Data Sheet

### Section 8. Exposure Controls/Personal Protection

#### Introductory Remarks (cont.):

While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

#### Occupational Exposure Limits

List	Components	CAS-No.	Type	Value
OSHA Z1	Arsenic(III) oxide	1327-53-3	PEL	0.01 mg/m <sup>3</sup>
ACGIH	Arsenic(III) oxide	1327-53-3	TLV	0.01 mg/m <sup>3</sup> (TWA) Confirmed carcinogen
NIOSH	Arsenic(III) oxide	1327-53-3	C	0.002 mg/m <sup>3</sup>
			IDLH	5.0 mg/m <sup>3</sup>

#### Engineering Controls:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.

#### Environmental Exposure Controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### Individual Protection Measures

##### Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts or aerosols. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

##### Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, or gases. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

##### Skin Protection

##### Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

# Arsenic(III) oxide

## Safety Data Sheet

### Section 8. Exposure Controls/Personal Protection

#### Hand Protection (cont.):

Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. For full contact, wear gloves made from Neoprene or nitrile rubber.

#### Other Skin Protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Section 9. Physical and Chemical Properties

#### Physical State:

Solid, powder.

#### Color:

White to light gray.

#### Odor:

Odorless.

#### Odor Threshold:

No data available.

#### pH:

No data available.

#### Melting Point:

313 °C (595 °F).

#### Boiling Point:

460 °C (860 °F) @ 1,013 hPa.

#### Flash Point:

Not applicable.

#### Flammability:

Product is not flammable.



# Arsenic(III) oxide

## Safety Data Sheet

### Section 9. Physical and Chemical Properties

<b>Relative Density:</b>	3.87 @ 22.3 °C (72.1 °F) – OECD Test Guideline 109.
<b>Vapor Pressure:</b>	0.000001 hPa @ 66 °C (151 °F).
<b>Vapor Density:</b>	No data available.
<b>Water Solubility:</b>	17.8 g/l @ 20 °C (68 °F) – OECD Test Guideline 105.

### Section 10. Stability and Reactivity

<b>Reactivity:</b>	No additional data available.
<b>Chemical Stability:</b>	Stable at normal ambient temperature and pressure and under recommended storage conditions.
<b>Possibility of Hazardous Reactions:</b>	Risk of explosion with: aluminum, magnesium, zinc. Violent reactions possible with: halogens, nitrates, chlorates, mercury.
<b>Conditions to Avoid:</b>	Heat.
<b>Incompatible Materials:</b>	Strong oxidizing agents, metals, halogens.
<b>Hazardous Decomposition Products:</b>	Arsenic oxides, corrosive vapors.
<b>Possibility of Hazardous Reactions:</b>	Under normal conditions of storage and use, hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of storage or use.

### Section 11. Toxicological Information

#### Information on Toxicological Effects

**Acute Toxicity** : Oral: fatal if ingested.

Component	CAS No	Result	Species	Dose	Exposure
Arsenic(III) oxide	1327-53-3	LD50 Oral	Rat	20 mg/kg	-

**Irritation/Corrosion** : Product causes severe skin burns, eye damage and is extremely destructive to mucous membranes and the tissues of the upper respiratory tract. Ingestion of the product causes severe swelling, corrosion of mucous membranes accompanied by a high risk of perforation of the esophagus and stomach.

**Sensitization** : No specific data available.

**Germ Cell Mutagenicity** : No effects known.

#### Carcinogenicity

**IARC** : Group 1: Carcinogenic to humans (Arsenic(III) oxide).

# Arsenic(III) oxide

## Safety Data Sheet

### Section 11. Toxicological Information

#### Carcinogenity (cont.)

- ACGIH** : No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.
- NTP** : Product is a known carcinogen (Arsenic(III) oxide).
- OSHA** : No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.

#### Reproductive Toxicity

: No specific data available.

#### Teratogenicity

: No specific data available.

#### Specific Target Organ Toxicity (Single Exposure)

: Respiratory system, CNS (Central Nervous System).

#### Specific Target Organ Toxicity (Repeated Exposure)

: Prolonged or repeat exposure may result in damage to the liver, kidneys, bone marrow and blood forming system.

#### Aspiration Hazard

: No specific data available.

#### Information on the Likely Routes of Exposure

: Common routes of exposure: inhalation (failure to prevent dust formation), dermal (failure to use skin protection), eye (failure to use safety eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking after handling product without washing hands or using hand protection)).

#### Additional Information

: Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract, eyes and skin.

To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

### Section 12. Ecological Information

#### Aquatic Toxicity

- : Product is very toxic to aquatic life with long lasting effects. Product contains the following substances which are hazardous for the environment:

Component	CAS No	Test	Species	Dose	Exposure
Arsenic(III) oxide	1327-53-3	LC50 Fish	Pimephales promelas (fathead minnow)	12.6 mg/l	96 h
	1327-53-3	EC50	Daphnia magna (water flea)	0.038 mg/l	24 h

# Arsenic(III) oxide

## Safety Data Sheet

### Section 12. Ecological Information

#### Persistence and Degradability

- Biodegradability** : Methods for determining biological degradability are not applicable to inorganic compounds.
- Bioaccumulative Potential** : Log Pow – 18.1
- Bioconcentration Factor** : Lepomis cyanellus - 236.
- Mobility in Soil** : Product is likely to be mobile due to its water solubility.
- Other Adverse Effects** : This substance is hazardous to the environment and produces long lasting and harmful effects on aquatic life. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### Section 13. Disposal Considerations

- Product** : Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.
- Contaminated Packaging** : Empty containers retain product residue (dusts and/or vapors) and can be dangerous. Dispose of in the same manner as unused product.

### Section 14. Transport Information

	<b>DOT</b>	<b>IMDG</b>	<b>IATA</b>
UN Number	UN 1561	UN 1561	UN 1561
UN Proper Shipping Name	Arsenic trioxide	ARSENIC TRIOXIDE	Arsenic trioxide
Transport Hazard Classes	6.1	6.1	6.1
Packing Group	II	II	II
Environmental Hazards	Yes	Yes	Yes
Additional Information	-	EMS No: F-A, S-A	-

- Special Precautions for User** : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
- Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code** : Not applicable.

# Arsenic(III) oxide

## Safety Data Sheet

### Section 15. Regulatory Information

#### TSCA (Toxic Substance Control Act):

This product is listed in the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory).

#### SARA 302 Components

Product is subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

	CAS-No.	Threshold Value (%)
Arsenic trioxide	1327-53-3	0.1

#### SARA 311/312 Hazards

Acute Health Hazard (Fatal if ingested; Skin corrosion or irritation; Serious eye damage or eye irritation; Carcinogenicity).

#### Massachusetts Right to Know Components

	CAS-No.	Revision Date
Arsenic trioxide	1327-53-3	-

#### Pennsylvania Right to Know Components

	CAS-No.	Revision Date
Arsenic trioxide	1327-53-3	-

#### New Jersey Right to Know Components

	CAS-No.	Revision Date
Arsenic trioxide	1327-53-3	-


#### California Proposition 65 Components

This product contains the following chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Component	CAS No	California Prop. 65	Dose	Category
Arsenic(III) oxide	1327-53-3	Carcinogen	0.06 µg/day	Developmental
	1327-53-3	Developmental	10 µ/day	Carcinogen

### Section 16. Other Information

#### National Fire Protection Association (USA)



# Arsenic(III) oxide

## Safety Data Sheet

### Section 16. Other Information

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### HMIS Rating

<b>HEALTH</b>	<b>4</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

#### History

**Date of Issue/Date of Revision** : 9/26/2022

**Date of Previous Issue** : None

**References** : None available

#### Abbreviations and Acronyms

ACGIH: American Conference of Governmental Industrial Hygienists.

ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service (division of the American Chemical Society).

DOT: US Department of Transportation.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System.

HNOC: Hazards Not Otherwise Classified.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA).

IDLH: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and Safety (NIOSH)).

IMDG: International Maritime Code for Dangerous Goods.

NFPA: National Fire Protection Association.

NIOSH: National Institute of Occupational Safety and Health.

NTP: National Toxicology Program.

OECD: Organization for Economic Co-Operation and Development.

OEL: Occupational Exposure Limit.

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limits.

REL: Recommended Exposure Limits.

SARA: Superfund Amendments and Reauthorization Act.



# Arsenic(III) oxide

## Safety Data Sheet

### Section 16. Other Information

#### **Abbreviations and Acronyms (cont.)**

STEL: Short Term Exposure Limit (ACGIH)

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limit Values (ACGIH).

TWA: Time Weighted Average.

VOC: Volatile Organic Compound.

#### **Disclaimer**

**The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.**

**Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.**

