

11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

SAFETY DATA SHEET

Section 1. Identification

Product Name: 2,2,6,6-Tetramethyl-3,5-heptanedione

Product Type: Liquid
CAS Number: 1118-71-4

Product Number: C8714

Recommended Use: Laboratory chemicals, synthesis of substances.

Product Manufacturer: Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

Product Information: (888) 658-1221

In Case of an Emergency: CHEMTREC: 1-800-424-9300 (USA);

+1 703-527-3887 (International); CCN836180
*** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Appearance/Odor: Colorless to light yellow liquid, odor not determined.

Classification: FLAMMABLE LIQUIDS - Category 4, H227
ACUTE TOXICITY, ORAL - Category 4, H302

SKIN CORROSION/IRRITATION - Category 2, H315

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2, H319 SPECIFIC ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY

TRACT IRRITATION - Category 3, H335

GHS Label Elements

Hazard Pictograms:



Signal Word: WARNING

Hazard Statements: H227: Combustible liquid.

H302: Harmful if swallowed. H315: Causes skin irritation. H319: Causes eye irritation.

H335: May cause respiratory irritation.

Section 2. Hazards Identification

Precautionary Statements

Prevention: P210: Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P261: Avoid breathing sprays/mists/vapors/gases.

P264 + P265: Wash hands and exposed skin thoroughly after

handling. Do not touch eyes.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or with adequate ventilation.

P280: Wear protective gloves/protective clothing/eye protection/

face protection/hearing protection.

P301 + P317: IF SWALLOWED: Get medical help. Response:

P302 + P352: IF ON SKIN: Wash with plenty of water.

P304 + P340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P319: Get medical help if you feel unwell.

P330: Rinse mouth.

P332 + P317: If skin irritation occurs: Get medical help.

P337 + P317: If eye irritation persists: Get medical help.

P362 + P364: Take off contaminated clothing and wash it before

reuse.

P370 + P378: In case of fire: Use water spray, alcohol-resistant

foam, dry chemical or carbon dioxide for extinction.

P403 + P233: Store in a well ventilated place. Keep container Storage:

tightly closed.

P405: Store locked up.

P501: Dispose of contents/ container in accordance with federal, Disposal:

state and local regulations.

This material is considered hazardous by the OSHA Hazard **OSHA/HCS Status:**

Communication Standard (29 CFR 1910.1200).

None identified.

Hazards Not Otherwise Classified (HNOC):

Section 3. Composition/Information on Ingredients

: Mono-constituent. **Substance Type**

: Dipivaloylmethane; 2,2,6,6-Tetramethylheptane-3,5-dione. **Synonyms**

Formula $: C_{11}H_{20}O_2$

: 184.28 g/mol. **Molecular Weight EC No** : 214-268-3

Ereztech C8714 Page 2 of 14 Revision: 1.00

Section 3. Composition/Information on Ingredients

Component Name	%	CAS Number
2,2,6,6-Tetramethyl-3,5-heptanedione	≥ 98	1118-71-4

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice: Move out of dangerous area. If unconscious, place in recovery position and get

medical help immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical help if symptoms develop or if you feel unwell. Show this safety data sheet to the doctor in attendance.

Eye Contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower eyelids. Check for and remove any contact lenses if easy to do. Continue

rinsing. Get medical help if eye irritation develops and persists.

Skin Contact: Take off contaminated clothing and shoes immediately. Wash off contaminated

skin with plenty of water. Get medical help if irritation develops and persists, if

symptoms develop or if you feel unwell.

Inhalation: Remove person to fresh air and keep comfortable for breathing. If not

breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person

espiration of oxygen by trained personner. It may be dangerous to the per-

providing aid to give mouth-to-mouth resuscitation. Get medical help if

symptoms develop or if you feel unwell.

Ingestion: Get emergency medical help immediately. Rinse mouth, and then give water to

drink (two glasses at most). Do NOT induce vomiting. Remove dentures if any. If vomiting occurs, the head should be kept low so that vomit does not enter the

lungs. Never give anything by mouth to an unconscious person.

Most Important Symptoms/Effects, Acute and Delayed Potential Acute Health Effects

Eye Contact: Symptoms may include stinging, tearing, redness, swelling and blurred vision.

Inhalation: Product may be irritating to respiratory system. Symptoms may include

coughing, sneezing with phlegm production, sore throat, nausea, headache,

vomiting.

Skin Contact: Symptoms may include an itching or burning sensation, reddening, swelling and

blistering with tissue necrosis.

Ingestion: Product is harmful if swallowed. Symptoms may include cramping, localized

pain, headache, nausea and vomiting.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician: Treat symptomatically.

<u>Freztech C8714</u> Page 3 of 14 Revision: 1.00

Section 4. First Aid Measures

Specific Treatments: No specific treatment.

Protection of First Responders: No action taken shall be taken involving any personal risk

> without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

Section 5. Fire Fighting Measures

Combustible liquid. If product is heated or involved in a fire, General Hazards:

> a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Fire may produce

irritating and/or potentially harmful gases.

THE MOST EFFECTIVE FIRE EXTINGUISHING AGENT IS DRY **Suitable Extinguishing Media:**

CHEMICAL POWDER PRESSURIZED WITH NITROGEN. For small fires a water spray (fog), vermiculite, sand, dry chemical or carbon dioxide (CO2) may also be used. For large fires, large quantities of water (flooding) may be applied as a spray

or a mist to control the fire and cool affected containers.

Unsuitable Extinguishing Media: Do not use water jet as an extinguisher as it may scatter and

spread the fire.

Unusual Fire and Product forms explosive mixtures with air on intense heating. **Explosion Hazards:**

A range starting at approximately 15 Kelvin below the flash

point is to be considered as critical.

Decomposition products include carbon oxides (CO_x). **Product of Combustion:**

Irritating and potentially harmful fumes and organic acid vapors may be generated during exposure to elevated

temperatures or open flame.

Promptly isolate the scene by removing all persons from the **Protection of Firefighters:**

> vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Avoid the formation and

inhalation of sprays, mists, vapors and gases.

Eliminate all local and distant ignition sources. Move containers from fire area if process can be accomplished without risk to firefighters. To reduce the possibility of explosion, use a water spray or fog to reduce direct vapors and to cool unopened containers. Do not cut, grind, drill or weld on or near product containers (even empty) of this

product because an explosion may result.

Section 5. Fire Fighting Measures

Protection of Firefighters (cont.):

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid the formation and inhalation of sprays, mists, vapors and gases. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment.

For Emergency Responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency Personnel".

Environmental Precautions:

Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for Containment

General:

Eliminate all local and distant ignition sources. Move containers from spill area if safe to do so. Contaminated absorbent material may pose the same hazard as the spilled product. Dispose of collected spillage in accordance with federal, state and local regulations (see Section 13).

Small Spill:

Collect spillage with a dry, non-combustible, absorbent material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal.

Large Spill:

Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with a dry, non-combustible, absorbent material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal.

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and Storage

Precautions: Handle under a dry, inert gas. Nitrogen with less than 5 ppm

> each of moisture and oxygen is recommended. Keep away from all sources of ignition – NO SMOKING. Keep container tightly sealed. Avoid contact with skin, eyes and clothing.

Avoid the formation and inhalation of sprays, mists, vapors and

gases. Do not ingest. Ensure adequate ventilation.

Protective Measures: Put on appropriate personal protective equipment (see Section

> 8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be

hazardous. Do not reuse container.

General Occupational Hygiene: Eating, drinking and smoking should be prohibited in areas

> where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective

> equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Safe Storage Conditions: Store under an inert gas. Nitrogen with less than 5 ppm each

of moisture and oxygen is recommended. Keep away from all sources of ignition – NO SMOKING. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use.

Store locked up.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks: These recommendations provide general guidance for handling

this product. Because work environments and material handling practices vary, safety procedures should be developed for each

intended application. While developing safe handling

procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should

be handled in accordance with Section 13.

Product contains no substances with occupational exposure **Occupational Exposure Limits:**

limit values.

Engineering Controls: Properly operating chemical fume hood designed for hazardous

chemicals and having an average face velocity of at least 100

feet per minute. Provide an eyewash/shower station.

Section 8. Exposure Controls/Personal Protection

Environmental Exposure Controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures

Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Avoid the formation and inhalation of sprays, mist, vapors and gases. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, vapors or gases. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection

Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

Section 8. Exposure Controls/Personal Protection

Hand Protection (cont.): Dispose of contaminated gloves after use in accordance with

> applicable laws and good laboratory practices. Wash and dry hands. For full contact, wear Neoprene or nitrile rubber gloves.

Other Skin Protection: Appropriate footwear and any additional skin protection

measures should be selected based on the task being

performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static, flame retardant protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots

and gloves.

Respiratory Protection: Where risk assessment shows air-purifying respirators are

> appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator

cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Liquid. **Physical State:**

Colorless to light yellow. Color:

No data available. Odor: No data available. pH: **Freezing Point:** No data available.

72 - 73 °C (162 - 163 °F) @ 8 hPa. **Boiling Point:**

67 °C (153 °F) - closed cup. Flash Point:

No data available. **Auto-ignition temperature:**

Density: 0.883 g/cm3 @ 25 °C (77 °F) – lit.

No data available. **Vapor Pressure:** No data available. Vapor Density: Water Solubility: No data available.

Section 10. Stability and Reactivity

Reactivity: No specific data available.

Ereztech C8714 Page 8 of 14 Revision: 1.00

Section 10. Stability and Reactivity

Chemical Stability: This product is stable when stored under a dry, inert

atmosphere and away from heat. Nitrogen containing less

than 5 ppm each moisture and air is recommended.

Exposure to sources of ignition (heat, flames, sparks, Conditions to Avoid:

electrostatic discharges), extremes of temperature and

direct sunlight.

Incompatible Materials: Strong oxidizing agents, halogens.

Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous

> decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: irritating and potentially harmful fumes, organic acid vapors and carbon oxides (CO_X). In the

event of a fire: see section 5.

Under normal conditions of storage and use, hazardous **Possibility of Hazardous Reactions:** reactions will not occur. Hazardous reactions or instability

may occur under certain conditions of storage or use.

Section 11. Toxicological Information

Information on Toxicological Effects

Acute Toxicity

: Product is harmful if swallowed. ATEmix (oral) - 500

mg/kg.

Irritation/Corrosion

: No specific data available. Product causes skin and eye

irritation.

Sensitization

: No specific data available.

Germ Cell Mutagenicity

: No specific data available.

Carcinogenicity

ACGIH : No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by ACGIH.

: No component of this product present at levels greater **IARC**

than 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

: No component of this product present at levels greater **NTP**

than 0.1% is identified as probable, possible or

confirmed human carcinogen by NTP.

: No component of this product present at levels greater **OSHA**

than 0.1% is identified as probable, possible or

confirmed human carcinogen by OSHA.

Reproductive Toxicity : No specific data available.

Page 9 of 14 Ereztech C8714 Revision: 1.00 Date of Issue: 10/15/2024

Section 11. Toxicological Information

Teratogenicity

Specific Target Organ Toxicity

(Single Exposure)

Specific Target Organ Toxicity (Repeated Exposure)

Aspiration Hazard

Information on the Likely Routes of Exposure

Additional Information

: No specific data available.

: Respiratory tract irritation.

: No specific data available.

: No specific data available.

: Common routes of exposure: inhalation, dermal (failure to use skin protection), eye (failure to use safety eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking or eating after handling product without washing hands or using hand protection).

: To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

Section 12. Ecological Information

Numerical Measures of Toxicity

Persistence and Degradability

Biodegradability

Bioaccumulative Potential

Mobility in Soil

Results of PBT and vPvB Assessment

: No specific data available.

: PBT/vPvB assessment not available as chemical safety

assessment not required/not conducted.

Endocrine Disrupting Properties

Other Adverse Effects

: No specific data available.

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13. Disposal Considerations

Waste Treatment Methods

Product

: Dispose of in accordance with local, state, and federal (use national and local for EU) regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before

disposing of any chemicals.

Contaminated Packaging

: Empty containers retain product residue (liquids, vapors and gases) and can be dangerous.

Ereztech C8714 Page 10 of 14 Revision: 1.00

Section 13. Disposal Considerations

Contaminated Packaging (cont.)

: Dispose of as unused product. DO NOT EXPOSE OPENED/EMPTY CONTAINERS TO MOISTURE/WATER, HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	NA1993	Not regulated	Not regulated
UN Proper Shipping Name	Combustible liquid, n.o.s. (2,2,6,6- tetramethyl-3,5- heptandedione)	-	-
Transport Hazard Classes	3	-	-
Packing Group	III	-	-
Environmental Hazards	A-	-	-
Additional Information		-	-

Special Precautions for User

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable - this cargo is not intended to be carried in bulk.

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act):

This product is listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory).

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Section 15. Regulatory Information

SARA 311/312 Hazards

Fire Hazard (Combustible liquid), Acute Health Hazard (Acute toxicity (oral); Skin corrosion or irritation; Serious eye damage or eye irritation; Specific Target Organ Toxicity (STOT), single exposure: respiratory irritation).

Massachusetts Right to Know Components

No components are subject to Massachusetts Right to Know Act.

Pennsylvania Right to Know Components

No components are subject to Pennsylvania Right to Know Act.

New Jersey Right to Know Components

No components are subject to New Jersey Right to Know Act.

California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16. Other Information National Fire Protection Association (U.S.A.) Flammability Instability/Reactivity Special

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright © 2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating



Section 16. Other Information

History

Date of Issue/Date of Revision : 10/15/2024.

Date of Previous Issue : None.

References: None available

Abbreviations and Acronyms

ACGIH : American Conference of Governmental Industrial Hygienists.

ATE : Acute Toxicity Estimate (per Chapter 3.1 of GHS 10 standard).

CAS : Chemical Abstracts Service (division of the American Chemical Society).

CLP : Classification, Labeling and Packaging (European Union (EU)).

DOT : US Department of Transportation.

EC No : The EC Inventory (EINECS, ELINCS and the NLP-list is the source of the seven digit

EC number, an identifier of substances commercially available with the EU (European

Union).

EINECS : European Inventory of Existing Commercial Chemical Substances.

ELINCS : European List of Notified Chemical Substances.

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS : Hazardous Materials Identification System.

HNOC : Hazards Not Otherwise Classified.

IARC : International Agency for Research on Cancer.

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulations by the "International Air Transport Association"

(IATA).

IDLH : Immediately Dangerous to Life or Health (US National Institute for Occupation Health

and Safety (NIOSH)).

IMDG : International Maritime Code for Dangerous Goods.

NFPA : National Fire Protection Association.

NIOSH : National Institute of Occupational Safety and Health.

NTP : National Toxicology Program.

OECD : Organization for Economic Co-Operation and Development.

OEL : Occupational Exposure Limit.

OSHA : Occupational Safety and Health Administration.

PBT : Persistent Bioaccumulative and Toxic.

PEL : Permissible Exposure Limits.
REL : Recommended Exposure Limits.

SARA : Superfund Amendments and Reauthorization Act.

STEL (ST) : Short Term Exposure Limit (ACGIH/NIOSH)

STOT : Specific Target Organ Toxicity. TLV : Threshold Limit Values (ACGIH).

TWA : Time Weighted Average.
VOC : Volatile Organic Compound.

vPvB : Very Persistent and Very Bioaccumulative.

Section 16. Other Information

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



<u>Freztech C8714</u> Page 14 of 14 Revision: 1.00