

EREZTECH LLC 11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA T: +1.888.658.1221 F: 1.678.619.2020 E: <u>info@ereztech.com</u> W: <u>https://ereztech.com</u>

SAFETY DATA SHEET

Section 1. Identification

Product Name:	Bis[bis(trimethylsilyl)amido]iron(II)
Product Type:	Solid
CAS Number:	133984-08-4
Product Number:	FE4084
Recommended Use:	Laboratory chemicals, synthesis of substances.
Uses Advised Against:	This product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by Ereztech LLC.
Product Manufacturer:	Ereztech LLC 11555 Medlock Bridge Road, Suite 100 Johns Creek, GA 30097
Product Information:	(888) 658-1221
In Case of an Emergency:	CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International); CCN836180 *** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Appearance/Odor:	Green crystals, odor not determined.
Classification:	FLAMMABLE SOLIDS - Category 1, H228
	PYROPHORIC SOLIDS - Category 1, H250
	SUBSTANCE AND MIXTURES, WHICH IN CONTACT WITH WATER,
	EMIT FLAMMABLE GASES - Category 1, H260
	SKIN CORROSION/IRRITATION - Category 1B, H314
	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1, H318
GHS Label Elements	
Hazard Pictograms:	

Signal Word:



DANGER

Ereztech FE4084

Page 1 of 15

Revision: 1.10 Date of Issue: 12/30/2024

Section 2. Hazards Identification		
Hazard Statements:	H228: Flammable solid.	
	H250: Catches fire spontaneously if exposed to air.	
	H260: In contact with water releases flammable gases which may	
	ignite spontaneously.	
	H314: Causes severe skin burns and eye damage.	
	H318: Causes serious eye damage.	
Precautionary Statements		
Prevention:	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
	P222: Do not allow contact with air.	
	P223: Do not allow contact with water.	
	P231 + P232: Handle and store contents under inert gas. Protect from moisture.	
	P233: Keep container tightly closed.	
	P240: Ground and bond container and receiving equipment.	
	P241: Use explosion-proof electrical/ventilating/lighting/handling	
	equipment.	
	P260: Do not breathe dusts, aerosols, vapors or gases.	
	P264 + P265: Wash hands and exposed skin thoroughly after	
	handling. Do not touch eyes.	
	P280: Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
Response:	P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT	
Kesponse.	induce vomiting.	
	P302 + P335 + P334: IF ON SKIN: Brush off loose particles from	
	skin and immerse in cool water.	
	P302 + P361 + P354: IF ON SKIN: Take off immediately all	
	contaminated clothing. Immediately rinse with water for several minutes.	
	P305 + P354 + P338: IF IN EYES: Immediately rinse with water	
	for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
	P316: Get emergency medical help immediately.	
	P363: Wash contaminated clothing before reuse.	
	P370 + P378: In case of fire: Use dry chemical or carbon dioxide to extinguish. DO NOT USE WATER.	
Storage:	P402 + P404: Store in a dry place. Store in a closed container.	
-	P405: Store locked up.	
Disposal:	P501: Dispose of contents/container in accordance with federal, state and local regulations.	
OSHA/HCS Status:	This material is considered hazardous by the OSHA Hazard	
	Communication Standard (29 CFR 1910.1200).	

Section 2. Hazards Identification

Hazards Not Otherwise Classified (HNOC): Reacts violently with water.

Section 3. Composition/Information on Ingredients

Substance Type:	Mono-constituent.		
Synonyms:	Silanamine,1,1,1-trimethyl-N-(1 (HMDS)2.	Silanamine,1,1,1-trimethyl-N-(trimethylsilyl)-, iron complex; Fe (HMDS)2.	
Formula:	$C_{24}H_{72}Fe_2N_4Si_8$		
Molecular Weight:	753.24 g/mol.		
Component Name		%	CAS Number

	70	
Bis[bis(trimethylsilyl)amido]iron(11)	≥ 99	133984-08-4

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures			
Description of Nece	essary First Aid Measures		
General Advice:	Move out of dangerous area. Get emergency medical help immediately. Show this safety data sheet to the doctor in attendance. If unconscious, place in recovery position and get medical help immediately. Maintain an open airway.		
	Loosen tight clothing such as a collar, tie, belt or waistband.		
Eye Contact:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Rinse for a minimum of 15 minutes. Check for and remove any contact lenses after initial rinse period and continue rinsing for an additional 15 minutes. Keep eyes wide open during rinsing process. Get emergency medical help immediately.		
Skin Contact:	Remove all contaminated clothing and shoes. Wash off contaminated skin with plenty of water for a minimum of 15 minutes. Thoroughly clean and dry contaminated clothing before reuse. Destroy/discard contaminated shoes. In the event of complaints or symptoms, avoid further exposure. Get emergency medical help immediately.		
Inhalation:	Remove person to fresh air and keep comfortable for breathing. Rescuer should wear a mask or self-contained breathing apparatus if it is suspected that fumes are still present. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.		

E	Bis[bis(trimethylsilyl)amido]iron(II) Safety Data Sheet	

Section 4. First Aid Measures			
Inhalation (cont.):	Do not use the mouth-to-mouth method of resuscitation if victim ingested or inhaled the product; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get emergency medical help immediately.		
Ingestion:	Do NOT induce vomiting. Rinse mouth. Remove dentures if any. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If person is not breathing, if breathing is irregular or if respiratory arrest occurs, see the Inhalation first aid measures noted above. Get emergency medical help immediately.		
Most Important Sym	ptoms/Effects, Acute and Delayed Potential Acute Health Effects		
Eye Contact:	Product causes serious eye damage. Symptoms may include watering, redness, pain, swelling of the eyelids, inability to keep eye open, blurred vison and temporary/permanent loss of vision.		
Inhalation:	Product is extremely corrosive to mucous membranes and tissues of the upper respiratory tract. Symptoms may include a burning sensation, coughing, coughing up blood (hemoptysis), wheezing, laryngitis, shortness of breath/ difficulty in breathing (dyspnea), blueness (cyanosis) of lips and skin, nausea, headaches, disorientation, general weakness and loss of consciousness.		
Skin Contact:	Skin contact with this product may be expected to cause (severe) chemical burns. Symptoms may include reddening of skin, a burning or itching sensation, pain, blistering and tissue necrosis.		
Ingestion:	Ingestion may be expected to result in burns of the mouth and throat and		
	potential perforation of the esophagus and stomach. Symptoms may include pain when swallowing (odynophagia), difficulty swallowing (dysphagia), fever, nausea, recurrent vomiting (emesis) and vomiting of blood (hematemesis). Severe burns which may be accompanied by perforation of the esophagus and stomach may present additional symptoms of abdominal pain/rigidity, chest and/or back pain.		
Indication of Immedi	ate Medical Attention and Special Treatment Needed, If Necessary		
Notes to Physician:	Treat symptomatically		

Notes to Physician:	Treat symptomatically.
Specific Treatments:	No specific treatment.
Protection of First Responders:	No action taken shall be taken involving any personal risk without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

Section 5. Fire Fighting Measures			
General Hazards:	Product is pyrophoric and also reacts violently with water to release flammable gases which may ignite spontaneously.		
Suitable Extinguishing Media:	THE MOST EFFECTIVE FIRE EXTINGUISHING AGENT IS DRY CHEMICAL POWDER PRESSURIZED WITH NITROGEN. Carbon dioxide (CO_2) may also be used. CAUTION: REIGNITION MAY OCCUR.		
Unsuitable Extinguishing Media:	DO NOT USE FOAM or WATER as extinguishing agents as product reacts violently to release flammable gases which may ignite spontaneously.		
Unusual Fire and Explosion Hazards:	In case of fire, reignition of the product may occur after the fire has been extinguished. Product runoff to sewer may create a fire or explosion hazard. Vapor/air mixtures of this product may become explosive above flash point. Vapors released when product is exposed to air/moisture/water are heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to an ignition source and flashback. Under fire conditions, the product container will experience a pressure increase which may cause the container to burst, with the risk of a subsequent explosion.		
Products of Combustion:	Carbon oxides (CO_x) , nitrogen oxides (NO_x) , silicon oxides (SiO_x) and iron oxide fumes. Irritating fumes and organic acid vapors may be generated during exposure to elevated temperatures or open flame.		
Protection of Firefighters:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Prevent the formation and inhalation of dusts, aerosols, vapors and gases. Eliminate all local and distant ignition sources. Move containers from fire area if process can be accomplished without risk to firefighters. To reduce the possibility of explosion, use a water spray or fog to reduce direct vapors and to cool unopened containers. Do not cut, grind, drill or weld on or near product containers (even empty) of this product because an explosion may result. Fire-fighters should wear appropriate protection equipment and		
	self-contained breathing apparatus (SCBA) with a full face- piece operated in a positive pressure mode.		

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas.
For Non-Emergency Personnel:	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Do not touch or walk through spilled material. Prevent the formation and inhalation of dusts, aerosols, vapors and gases. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment.
For Emergency Responders:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency Personnel".
Environmental Precautions:	Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for Containment	
General:	Product is pyrophoric and also reacts violently with water to release flammable gases which may ignite spontaneously. Spilled material will likely give off smoke and fumes. Ignition may occur immediately. Eliminate all local and distant ignition sources. In the event of spontaneous combustion: cover spillage with a dry, extinguishing material (e.g. dry chemical, graphite powder) and allow time for decomposition or for fire to burn out. Move containers from spill area if safe to do so. Avoid allowing the spilled material to get wet or using water to clean up spillages or residues. Use spark-proof tools and explosion-proof equipment.
	Dispose of collected spillage in accordance with federal, state and local regulations. Contaminated extinguishing material may pose the same hazard as the spilled product.
Small Spill:	Collect spillage with a dry, non-combustible, binding material (e.g. dry sand, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal.
Large Spill:	Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with a dry, non-combustible, binding material (e.g. dry sand,
	vermiculite or diatomaceous earth) and place in dry, sealed container for disposal.

Section	7. Handling and Storage	
Precautions:	Product is pyrophoric and also reacts violently with water and protic solvents to release flammable gases which may ignite spontaneously. Handle under an inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep away from air, moisture, water, heat, sparks and open flames. Avoid contact with skin, eyes and clothing. Prevent the formation and inhalation of dusts, aerosols, vapors and gases. Do not ingest. Keep away from sources of ignition – NO SMOKING.	
Protective Measures:	Protect against electrostatic discharges. Use explosion-proof electrical/ventilating/lighting/handling equipment. Use non- sparking tools and equipment. Put on appropriate personal protective equipment (see Section 8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.	
General Occupational Hygiene:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.	
Safe Storage Conditions:	Product is pyrophoric and also reacts violently with water to release flammable gases which may ignite spontaneously. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Store refrigerated at $2 - 8$ °C. Keep away from all sources of ignition – NO SMOKING. Store in original container protected from direct sunlight in a dry and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.	
Section 8 Exposure Controls/Personal Protection		

Section 8. Exposure Controls/Personal Protection

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

Section 8.	Exposure	Controls/Personal	Protection
------------	----------	-------------------	------------

Occupational Exposure Limits:	Product contains no substances with occupational exposure limit values.
Engineering Controls:	Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.
Environmental Exposure Controls:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual Protection Measures	
Hygiene Measures:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts, aerosols, vapors or gases. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/Face Protection:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to dusts, aerosols, vapors or gases. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.
Skin Protection	
Hand Protection:	When handling pyrophoric substances, flame/chemical-resistant gloves complying with an approved standard should be worn at all times if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breaktbrough for any glove material may be different

retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

Section 8. Exposure Controls/Personal Protection Hand Protection (cont.): Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. For full contact, use Neoprene or nitrile rubber. **Other Skin Protection:** Appropriate footwear (closed toed) and a flame-retardant lab coat or apron should be worn when handling pyrophoric substances. When there is a risk of ignition from static electricity discharges, wear anti-static, flame retardant protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. **Respiratory Protection:** Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Physical State:	Solid (crystals).
Color:	Green.
Odor:	No data available.
Odor Threshold:	No data available.
pH:	No data available.
Melting Point:	No data available.
Boiling Point:	No data available.
Flash Point:	No data available.
Flammability:	Pyrophoric and category 1 flammable solid. Contact with water releases flammable gases which may ignite spontaneously.
Auto-ignition temperature:	No data available.
Specific Gravity:	No data available.
Vapor Pressure:	No data available.
Vapor Density:	No data available.
Water Solubility:	Reacts violently, may ignite upon contact.

Section 10	Stability and Reactivity
Reactivity:	Product is pyrophoric and also reacts violently with water and protic solvents such as alcohols and acids to release flammable gases which may ignite spontaneously.
Chemical Stability:	This product is stable when stored under a dry, inert atmosphere and away from heat. Nitrogen containing less than 5 ppm each moisture and air and a temperature range of 2 – 8 °C is recommended.
Conditions to Avoid:	Exposure to air/water/moisture, sources of ignition (heat, flames, sparks, electrostatic discharges), extremes of temperature and direct sunlight.
Incompatible Materials:	Air, water, protic solvents, strong oxidizing agents.
Hazardous Decomposition Products:	Hazardous decomposition products formed under fire conditions: carbon oxides (CO_X) , nitrogen oxides (NO_X) , silicon oxides (SiO_X) and iron oxide fumes. Irritating fumes and organic acid vapors may be generated during exposure to elevated temperatures or open flame. In the event of a fire: see Section 5.
Possibility of Hazardous Reactions:	Under normal conditions of storage and use noted above, hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of storage or use. Product is pyrophoric and reacts with air to spontaneously ignite. In contact with water, product
	releases extremely flammable gases which may ignite
	spontaneously.

Section 11. Toxicological Information

Information on Toxicological Effects	
Acute Toxicity	: No specific data available.
Irritation/Corrosion	 No specific data available. Exposure will cause thermal and/or chemical burns to the skin, eyes and exposed mucous membranes.
Sensitization	: No specific data available.
Germ Cell Mutagenicity	: No specific data available.
Carcinogenicity	
ACGIH	 No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.
IARC	 No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
Ereztech FE4084	Page 10 of 15Revision: 1.10Defendence10 (00) (000)

Date of Issue: 12/30/2024

Section 11. Toxicological Information

Carcinogenicity		
NTP	:	No component of this product present at levels growthan 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.
OSHA	:	No component of this product present at levels gro than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.
Reproductive Toxicity	:	No specific data available.
Teratogenicity	:	No specific data available.
Specific Target Organ Toxicity (Single Exposure)	:	No specific data available.
Specific Target Organ Toxicity (Repeated Exposure)	:	No specific data available.
Aspiration Hazard	:	No specific data available.
Information on the Likely Routes of Exposure	:	Common routes of exposure: inhalation (failure to prevent dust formation), dermal (failure to use ski protection), eye (failure to use safety eyewear). Le common: ingestion (failure to employ recommend

Additional Information

- reater
- reater

- 0 cin _ess ded hygiene measures (e.g. smoking after handling product without washing hands or using hand protection).
- : To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

Section 12. **Ecological Information**

- Numerical Measures of Toxicity Persistence and Degradability
 - **Biodegradability**
 - **Bioaccumulative Potential**
 - **Mobility in Soil**
 - **Results of PBT and vPvB Assessment**

Endocrine Disrupting Properties Other Adverse Effects

- : No specific data available.
- : No specific data available.
- No specific data available. :
- : No specific data available.
- : PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
- : No specific data available.
- : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13. Disposal Considerations

Waste Treatment Methods Product:

Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.

Contaminated Packaging:

Empty containers retain product residue (dusts, aerosols, vapors, gases) and can be dangerous. Dispose of as unused product. DO NOT EXPOSE OPENED/EMPTY CONTAINERS TO AIR, MOISTURE/WATER, HEAT, FLAME, SPARKS, STATIC DISCHARGES, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Section 14. Transport Information

	DOT	IMDG	ΙΑΤΑ
UN Number	UN3393	UN3393	UN3393
UN Proper Shipping Name	Organometallic substance, solid, pyrophoric, water- reactive (Bis[bis(trimethylsilyl) amido]iron(II))	ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC, WATER- REACTIVE (Bis[bis(trimethylsilyl) amido]iron(II))	Organometallic substance, solid, pyrophoric, water- reactive (Bis[bis(trimethylsilyl) amido]iron(II))
Transport Hazard Classes	4.2 (4.3)	4.2 (4.3)	4.2 (4.3)
Packing Group	DGINGCI	IEMICAL	GAPS —
Environmental Hazards	-	-	-
Additional Information	-	EMS-No: F-G, S-M	IATA Passenger: Not permitted for transport.

Special Precautions for User

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act)

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only.

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act) (cont.)

This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA 302 Components

This product does not contain any components which are subject to the reporting requirements of SARA Title III, Section 302 EHS TPQ.

SARA 304 Components

This product does not contain any components which are subject to the reporting requirements of SARA Title III, Section 304 RQ.

SARA 311/312 Hazards

Fire Hazard (Flammable solid; Pyrophoric solid); Reactivity Hazard (In contact with water emits flammable gas which may ignite spontaneously); Acute Health Hazard (Skin corrosion or irritation; Serious eye damage or eye irritation).

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Water Act

This product does not contain any chemicals regulated under the Clean Water Act.

Clean Air Act

This product does not contain any chemicals regulated under the Clean Air Act.

CERCLA Reportable Quantity

This product does not contain any chemical components with known CAS numbers with a CERCLA Reportable Quantity.

US State Right-to-Know Listings

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Bis[bis(trimethylsilyl)- amido]iron(II)	-	-	-	-	-

"X" – Listed.

US State Chemicals of High Concern Listings

Component	Maine	Vermont	Washington
Bis[bis(trimethylsilyl)- amido]iron(II)	-	-	-

"X" – Listed.

California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright © 2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating				
HEALTH	3			
FLAMMABI				
History	ue/Date of Revision : 12/30/2024.			
Date of Iss	ue/Date of Revision : 12/30/2024.			
Date of Pre	vious Issue : 1/17/2022.			
References	: None available.			
Abbreviation	ns and Acronyms			
ACGIH	: American Conference of Governmental Industrial Hygienists.			
AIHA	: American Industrial Hygiene Association.			
ATE	Acute Toxicity Estimate (per Chapter 3.1 of GHS 10 standard).			
BEI	Biological Exposure Indices (ACGIH).			
CAS	Chemical Abstracts Service (division of the American Chemical Society).			
CLP	Classification, Labeling and Packaging (European Union (EU)).			
DOT	: US Department of Transportation.			
EC-No.	: The EC Inventory (EINECS, ELINCS and the NLP-list is the source of the seven digit			
	EC number, an identifier of substances commercially available with the EU (European			
	Union).			
EINECS	: European Inventory of Existing Commercial Chemical Substances.			
EHS	: Extremely Hazardous Substance.			
ELINCS	: European List of Notified Chemical Substances.			

Section 16. Other Information

Abbreviations and Acronyms (cont.)

	13	
GHS	:	Globally Harmonized System of Classification and Labeling of Chemicals.
HAP	:	Hazardous Air Pollutants (Clean Air Act).
HMIS	:	Hazardous Materials Identification System.
HNOC	:	Hazards Not Otherwise Classified.
IARC	:	International Agency for Research on Cancer.
ΙΑΤΑ	:	International Air Transport Association.
IATA-DGR	:	Dangerous Goods Regulations by the "International Air Transport Association"
		(IATA).
IDLH	:	Immediately Dangerous to Life or Health (US National Institute for Occupation Health
		and Safety (NIOSH)).
IMDG	:	International Maritime Code for Dangerous Goods.
IP	:	Intraperitoneal.
IV	:	Intravenous.
NFPA	:	National Fire Protection Association.
NIOSH	:	National Institute of Occupational Safety and Health.
NSRL	:	No Significant Risk Levels.
NTP	:	National Toxicology Program.
ODS	:	Ozone Depleting Substances (US Clean Air Act).
OECD	:	Organization for Economic Co-Operation and Development.
OEL	:	Occupational Exposure Limit.
OSHA	-	Occupational Safety and Health Administration.
PBT	:	Persistent Bioaccumulative and Toxic.
PEL	:	Permissible Exposure Limits.
REL	:	Recommended Exposure Limits.
RQ	2	Reportable Quantity.
SARA	1	Superfund Amendments and Reauthorization Act.
STEL (ST)	:	Short Term Exposure Limit (ACGIH/NIOSH)
STOT	:	Specific Target Organ Toxicity.
TLV	:	Threshold Limit Values (ACGIH).
TPQ	:	Threshold Planning Quantity.
TWA	:	Time Weighted Average.
VOC	:	Volatile Organic Compound.
vPvB	:	Very Persistent and Very Bioaccumulative.
WEEL	:	Workplace Environmental Exposure Level (AIHA).

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.