

11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

SAFETY DATA SHEET

Section 1. Identification

Product Name: Diethylgermanium dichloride

Product Type: Liquid

CAS Number: 13314-52-8
Product Number: GE4528

Recommended Use: Laboratory chemicals, synthesis of substances.

Uses Advised Against: This product is being supplied under the TSCA R&D Exemption (40

CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless

appropriate consent is granted in writing by Ereztech LLC.

Product Manufacturer: Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

Product Information: (888) 658-1221

In Case of an Emergency: CHEMTREC: 1-800-424-9300 (USA);

+1 703-527-3887 (International); CCN836180
*** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Appearance/Odor: Colorless liquid, pungent odor.

Classification: FLAMMABLE LIQUIDS – Category 4, H227

ACUTE TOXICITY, ORAL – Category 4, H302 ACUTE TOXICITY, DERMAL – Category 4, H312

SERIOUS EYE DAMAGE/IRRITATION - Category 2, H319 ACUTE TOXICITY, INHALATION - Category 4, H332

SPECIFIC ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY

TRACT IRRITATION – Category 3, H335

GHS Label Elements
Hazard Pictograms:



Section 2. Hazards Identification

Signal Word: WARNING

Hazard Statements: H227: Combustible liquid.

H302 + H312 + H332: Harmful if swallowed, in contact with skin

or if inhaled.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

Precautionary Statements

Prevention: P210: Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P261: Avoid breathing sprays/mists/vapors/gases.

P264 + P265: Wash hands and exposed skin thoroughly after

handling. Do not touch eyes.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or with adequate ventilation.

P280: Wear protective gloves/protective clothing/eye protection/

face protection/hearing protection.

P301 + P317: IF SWALLOWED: Get medical help. Response:

P302 + P352: IF ON SKIN: Wash with plenty of water.

P304 + P340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P317: Get medical help.

P319: Get medical help if you feel unwell.

P330: Rinse mouth.

P337 + P317: If eye irritation persists: Get medical help.

P362 + P364: Take off contaminated clothing and wash it before

P370 + P378: In case of fire: Use dry chemical, carbon dioxide or

alcohol-resistant foam to extinguish. DO NOT USE WATER.

P403 + P233: Store in a well-ventilated place. Keep container

tightly closed.

P405: Store locked up.

Disposal: P501: Dispose of contents/container in accordance with federal,

state and local regulations.

None. General:

This material is considered hazardous by the OSHA Hazard OSHA/HCS Status:

Communication Standard (29 CFR 1910.1200).

None identified **Hazards Not Otherwise**

Classified (HNOC):

Storage:

Section 3. Composition/Information on Ingredients

Mono-constituent. Substance Type:

Dichlorodiethylgermane; Diethyldichlorogermane; **Synonyms:**

Dichloro(diethyl)germane; GeEt2Cl2.

Formula: C₄H₁₀Cl₂Ge **Molecular Weight:** 201.67 236-344-5 EC-No.:

Component Name	%	CAS Number
<u>Diethylgermanium dichloride</u>	≥ 98	13314-52-8

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice: Move out of dangerous area. If exposed or concerned, get medical help. Show

this safety data sheet to the doctor in attendance. If unconscious, place in recovery position and get medical help immediately. Maintain an open airway.

Loosen tight clothing such as a collar, tie, belt or waistband.

Eye Contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower eyelids. Check for and remove any contact lenses if easy to do. Continue

rinsing. Get medical help if irritation develops and persists, if symptoms develop

or if you feel unwell.

Skin Contact: Take off contaminated clothing and shoes immediately. Wash off contaminated

skin with plenty of water. Get medical help.

Inhalation: Get medical help. Rescuer should wear a mask or self-contained breathing

> apparatus if it is suspected that mists, fumes or gases are still present. Remove person to fresh air and keep comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Do not use the mouth-to-mouth method of resuscitation if victim ingested or inhaled the product; give artificial respiration

with the aid of a pocket mask equipped with a one-way valve or other proper

respiratory medical devices.

Ingestion: Get medical help. Rinse mouth, and then give water to drink (two glasses at

> most). Do NOT induce vomiting. Remove dentures if any. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If person is not breathing, if breathing is irregular or if respiratory arrest occurs, see the "Inhalation" first aid

measures noted above.

Section 4. First Aid Measures

Most Important Symptoms/Effects, Acute and Delayed Potential Acute Health Effects

Eye Contact: Symptoms may include stinging, tearing, redness, swelling and blurred vision.

Inhalation: Product is harmful if inhaled and may be irritating to respiratory system.

Symptoms may include coughing, sneezing with phlegm production, sore throat,

nausea, headache, vomiting.

Product is harmful in contact with skin. Symptoms may include an itching or Skin Contact:

burning sensation, reddening, swelling and blistering with tissue necrosis.

Ingestion: Product is harmful if ingested and may be expected to be irritating to mucous

membranes. Symptoms may include cramping, localized pain, headache, nausea

and vomiting.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Treat symptomatically. **Notes to Physician: Specific Treatments:** No specific treatment.

No action taken shall be taken involving any personal risk **Protection of First Responders:**

without suitable training. It may be dangerous to the person

providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

Section 5. Fire Fighting Measures

Product is a combustible liquid. **General Hazards:**

THE MOST EFFECTIVE FIRE EXTINGUISHING AGENT IS DRY **Suitable Extinguishing Media:**

CHEMICAL POWDER PRESSURIZED WITH NITROGEN.

Carbon dioxide (CO₂) and alcohol-resistant foam may also be

used.

Unsuitable Extinguishing Media: Do not use water. In the presence of water/moisture, the

product hydrolyzes to release hydrogen chloride.

If product is involved in a fire, irritating and potentially **Unusual Fire and Explosion**

Hazards:

harmful fumes and organic acid vapors may develop when product is exposed to elevated temperatures, water or flames.

Product of Combustion: Carbon oxides (CO_x), phosgene, hydrogen chloride and

> germanium oxides. Irritating and potentially harmful fumes and organic acid vapors may be generated during exposure to

elevated temperatures or open flame.

Protection of Firefighters: Promptly isolate the scene by removing all persons from the

> vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Avoid the formation and

inhalation of sprays, mists, vapors and gases.

Section 5. Fire Fighting Measures

Protection of Firefighters:

Move containers from fire area if process can be accomplished without risk to firefighters.

To reduce the possibility of explosion, use a water spray or fog to reduce direct vapors and to cool unopened containers.

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full facepiece operated in a positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid the formation and inhalation of sprays, mists, vapors and gases. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment.

For Emergency Responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency Personnel".

Environmental Precautions:

Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for Containment

General:

Move containers from spill area if safe to do so. Avoid the formation and inhalation of sprays, mists, vapors and gases. Dispose of collected spillage in accordance with federal, state and local regulations. Contaminated absorbent material may

pose the same hazard as the spilled product.

Collect spillage with a dry, absorbent material (e.g. dry sand, **Small Spill:**

vermiculite or diatomaceous earth) and place in dry, sealed

container for disposal.

Large Spill: Approach release from upwind. Prevent entry into sewers,

> water courses, basements or confined areas. Contain and collect spillage with a dry, absorbent material (e.g. dry sand, vermiculite or diatomaceous earth) and place in dry, sealed

container for disposal.

Section 6. Accidental Release Measures

Large Spill:

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and Storage

Precautions:

Product reacts with water to release hydrogen chloride; handle under a dry, inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep container tightly sealed. Avoid contact with skin, eyes and clothing. Avoid the formation and inhalation of sprays, mists, vapors and gases. Do not ingest. Avoid prolonged exposure. Ensure adequate ventilation.

Protective Measures:

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

General Occupational Hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Safe Storage Conditions:

Product reacts with water to release hydrogen chloride; store under an inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Store in original container protected from direct sunlight in a dry and wellventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

Revision: 1.00 Ereztech GE4528 Page 6 of 15

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits: Product, as supplied, does not contain any hazardous materials

with occupational exposure limits established by the region

specific regulatory bodies.

Engineering Controls: Properly operating chemical fume hood designed for

hazardous/flammable chemicals and having an average face

velocity of at least 100 feet per minute. Provide an

eyewash/shower station.

Environmental Exposure Controls: Emissions from ventilation or work process equipment should

be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the

levels.

Individual Protection Measures

Hygiene Measures:

lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale gases/fumes/vapors. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection

Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

Exposure Controls/Personal Protection Section 8.

Hand Protection (cont.): Gloves must be inspected prior to use. Use proper glove

> removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. For full contact,

wear Neoprene or nitrile rubber gloves.

Other Skin Protection: Appropriate footwear and any additional skin protection

measures should be selected based on the task being

performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity discharges, wear anti-static, flame retardant protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls,

boots and gloves.

Respiratory Protection: Where risk assessment shows air-purifying respirators are

> appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator

cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU).

Physical and Chemical Properties Section 9.

Physical State: Liquid. Color: Colorless.

Acrid, similar to hydrogen chloride. Odor:

Odor Threshold: Not determined. Not determined. pH: **Melting Point:** Not determined.

175 °C. (347 °F) @760 mmHg. **Boiling Point:** 62 °C. (143.6 °F) - closed cup. Flash Point:

Not determined. **Auto-ignition temperature: Specific Gravity:** 1.3720 g/ml. Not determined. **Vapor Pressure:** Not determined. Vapor Density:

Water Solubility: Insoluble, reacts to release hydrogen chloride.

Evaporation Rate: Not determined.

Section 9. Physical and Chemical Properties

Viscosity: Not determined.

Section 10. Stability and Reactivity

Product reacts with water to release hydrogen chloride. Reactivity:

This product is stable when stored under a dry, inert **Chemical Stability:**

atmosphere and away from heat. Nitrogen containing less

than 5 ppm each moisture and air is recommended.

Conditions to Avoid: Exposure to water/moisture, open flames, hot surfaces,

static discharges and other ignition sources.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous

> decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: carbon oxides (CO_x), hydrogen chloride and

germanium oxides.

Possibility of Hazardous Reactions:

Under normal conditions of storage and use, hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of storage or use.

Section 11. Toxicological Information

Information on Toxicological Effects

Acute Toxicity

Component	CAS No	Result	Species	Dose	Exposure
Diethylgermanium dichloride	994-28-5	LD50 Oral	ATE	500 mg/kg	-
		LD50 Dermal	ATE	1,100 mg/kg	-
		LC50 (Dust/mist)	ATE	1.5 mg/l	-

Irritation/Corrosion: No specific data is available. Product is irritating to eyes

and mucous membranes due to the release of hydrogen

chloride in the presence of moisture/water.

Sensitization: No specific data available.

No specific data available. **Germ Cell Mutagenicity:**

Carcinogenicity

ACGIH No component of this product present at levels greater

than 0.1% is identified as probable, possible or confirmed

human carcinogen by ACGIH.

Section 11. Toxicological Information

Carcinogenicity (cont.)

No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

NTP No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by NTP.

OSHA No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by OSHA.

Reproductive Toxicity:

Teratogenicity:

No specific data available.

No specific data available.

Respiratory tract irritation.

(Single Exposure)

Specific Target Organ Toxicity:

(Repeated Exposure)
Aspiration Hazard:

Information on the Likely:

Routes of Exposure

No specific data available.

No specific data available.

Common routes of exposure: inhalation, dermal (failure to use skin protection), eye (failure to use safety eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking or eating after handling product without washing hands or using

hand protection).

Additional Information: To the best of our knowledge, the chemical, physical

and toxicological properties of this product have not

been thoroughly investigated.

Section 12. Ecological Information

Ecotoxicity: Product may cause long-term adverse effects in the

aquatic environment.

Numerical Measures of Toxicity: No specific data available.

Persistence and Degradability

Biodegradability: No specific data available.

Bioaccumulative Potential: No specific data available.

Mobility in Soil: No specific data available.

Results of PBT and vPvB Assessment: PBT/vPvB assessment not available as chemical safety

assessment not required/not conducted.

Endocrine Disrupting Properties: No specific data available.

Ereztech GE4528 Page 10 of 15 Revision: 1.00
Date of Issue: 4/23/2025

Section 12. Ecological Information

Other Adverse Effects: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Section 13. Disposal Considerations

Waste Treatment Methods

Product: Dispose of in accordance with local, state, and federal

regulations. Refer to 40 CFR 260-299 for complete waste

disposal regulations. Consult your local, state, or federal agency

before disposing of any chemicals.

Contaminated Packaging: Empty containers retain product residue (liquid and/or vapor)

and can be dangerous. Dispose of as unused product. DO NOT EXPOSE OPENED/EMPTY CONTAINERS TO MOISTURE/WATER, HEAT, FLAME, SPARKS, STATIC DISCHARGES, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE

INJURY OR DEATH.

Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	Not regulated*	Not regulated	Not regulated
UN Proper Shipping Name		-	
Transport Hazard Classes	GING CH	EMICAL	GAPS —
Packing Group	-	-	-
Environmental Hazards	-	-	-
Additional Information	-	-	-

^{*} According to 49 CFR §173.150(f)(1), this material should be classified as NA1993, Combustible Liquid, NOS if it is shipped in bulk within areas covered by DOT regulations.

Special Precautions for User: Transport within user's

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an

accident or spillage.

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act):

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA 302 Components

This product does not contain any components which are subject to the reporting requirements of SARA Title III, Section 302 EHS TPQ.

SARA 304 Components

This product does not contain any components which are subject to the reporting requirements of SARA Title III, Section 304 RQ.

SARA 311/312 Hazards

Fire Hazard (Flammable liquid); Acute Health Hazard (Acute toxicity – ingestion, dermal, inhalation; Skin corrosion or irritation; Serious eye damage or eye irritation; Specific Target Organ Toxicity (STOT), single exposure: respiratory irritation).

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Not applicable.

Clean Water Act

Not applicable.

CERCLA Reportable Quantity

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US Department of Homeland Security (DHS)

This product does not contain any DHS chemicals.

US Department of Transportation (DOT)

Component	Reportable Quantity	DOT Marine Pollutant	DOT Severe Marine Pollutant
Diethylgermanium dichloride	No	No	No

Section 15. Regulatory Information

US State Right-to-Know Listings

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Diethylgermanium dichloride	-	-	-	-	-

[&]quot;X" - Listed.

US State Chemicals of High Concern Listings

Component	Maine	Vermont	Washington
Diethylgermanium dichloride	-	-	-

[&]quot;X" - Listed.

California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety. Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Ereztech GE4528 Page 13 of 15 Revision: 1.00

Section 16. Other Information

HMIS Rating



History

Date of Issue/Date of Revision : 4/23/2025.

Date of Previous Issue : None.

: None available References

Abbreviations and Acronyms

ACGIH : American Conference of Governmental Industrial Hygienists.

AIHA American Industrial Hygiene Association.

ATE : Acute Toxicity Estimate (per Chapter 3.1 of GHS 10 standard).

: Biological Exposure Indices (ACGIH). BEI

CAS : Chemical Abstracts Service (division of the American Chemical Society).

: Chemical Hazards Response Information System (US DOT). CHRIS CLP : Classification, Labeling and Packaging (European Union (EU)).

DOT : US Department of Transportation.

: The EC Inventory (EINECS, ELINCS and the NLP-list is the source of the seven digit FC-No.

EC number, an identifier of substances commercially available with the EU (European

Union).

: European Inventory of Existing Commercial Chemical Substances. **EINECS**

Extremely Hazardous Substance. EHS

: European List of Notified Chemical Substances. **ELINCS**

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

HAP : Hazardous Air Pollutants (Clean Air Act). : Hazardous Materials Identification System. **HMIS**

HNOC : Hazards Not Otherwise Classified.

International Agency for Research on Cancer. IARC

: International Air Transport Association. IATA

IATA-DGR Dangerous Goods Regulations by the "International Air Transport Association"

(IATA).

IDLH : Immediately Dangerous to Life or Health (US National Institute for Occupation Health

and Safety (NIOSH)).

International Maritime Code for Dangerous Goods. **IMDG**

IΡ Intraperitoneal. Intravenous. IV

National Fire Protection Association. **NFPA**

NIOSH National Institute of Occupational Safety and Health.

NSRL No Significant Risk Levels. National Toxicology Program. NTP

Ozone Depleting Substances (US Clean Air Act). ODS

Organization for Economic Co-Operation and Development. OECD

Section 16. Other Information

Abbreviations and Acronyms (cont.)

OEL : Occupational Exposure Limit.

OSHA : Occupational Safety and Health Administration.

PBT : Persistent Bioaccumulative and Toxic.

PEL : Permissible Exposure Limits.
REL : Recommended Exposure Limits.

RQ : Reportable Quantity.

SARA : Superfund Amendments and Reauthorization Act.

STEL (ST) : Short Term Exposure Limit (ACGIH/NIOSH)

STOT : Specific Target Organ Toxicity.
TLV : Threshold Limit Values (ACGIH).
TPQ : Threshold Planning Quantity.
TWA : Time Weighted Average.
VOC : Volatile Organic Compound.

vPvB : Very Persistent and Very Bioaccumulative.

WEEL : Workplace Environmental Exposure Level (AIHA).

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Ereztech GE4528 Page 15 of 15 Revision: 1.00