

EREZTECH LLC 11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA T: +1.888.658.1221 F: 1.678.619.2020 E: info@ereztech.com W: https://ereztech.com

SAFETY DATA SHEET

Section 1. Identification

Product Name:	Dimethylgermanium dichloride
Product Type:	Liquid
CAS Number:	1529-48-2
Product Number:	GE9482
Product Manufacturer:	Ereztech LLC 11555 Medlock Bridge Road, Suite 100 Johns Creek, GA 30097
Product Information:	(888) 658-1221
In Case of an Emergency:	CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International); CCN836180 *** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Appearance/Odor: Classification:

GHS Label Elements Hazard Pictograms: Clear, straw colored liquid, hydrogen chloride like odor. FLAMMABLE LIQUIDS - Category 3, H226 SKIN CORROSION/IRRITATION - Category 1B, H314 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1, H318



Signal Word: Hazard Statements:

Precautionary Statements Prevention:

DANGER

H226: Flammable liquid and vapor.

- H314: Causes severe skin burns and eye damage.
- H318: Causes serious eye damage.

P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

P233: Keep container tightly closed.

Sect	ion 2. Hazards Identification
Prevention (cont.):	 P240: Ground/Bond container and receiving equipment. P241: Use explosion-proof electrical/ventilating/lighting/handling equipment. P242: Use only non-sparking tools. P243: Take precautionary measures against static discharge. P260: Avoid breathing vapors, sprays, gases or mists. P264: Wash skin thoroughly after handling. P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response: Storage:	 P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician. P363: Wash contaminated clothing before reuse. P370 + P378: In case of fire: Use alcohol-resistant foam, dry chemical or carbon dioxide for extinction. DO NOT USE WATER. P403 + P235: Store in a well ventilated place. Keep cool. P405: Store locked up.
Disposal:	P501: Dispose of contents/ container to an approved wasted disposal plant.
OSHA/HCS Status:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Hazards Not Otherwise Classified (HNOC):	Reacts with water to release hydrogen chloride.

Section 3. Composition/Information on Ingredients

Substances

Formula Molecular Weight CAS-No.	: C ₂ H ₆ Cl ₂ Ge : 173.57 g/mol : 1529-48-2		
Ingredient Name		%	CAS Number
Dimethylgermanium dichloride		≥ 95	1529-48-2

Section 3. Composition/Information on Ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice:	Move out of dangerous area. Call a POISON CENTER or doctor/physician immediately. Show this safety data sheet to the doctor in attendance. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Eye Contact:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Rinse for a minimum of 15 minutes. Check for and remove any

- lower eyelids. Rinse for a minimum of 15 minutes. Check for and remove any contact lenses after initial rinse period and continue rinsing for an additional 15 minutes. Keep eyes wide open during rinsing process. Call a POISON CENTER or doctor/physician immediately.
- Skin Contact: Remove all contaminated clothing and shoes. Wash off contaminated skin with soap and plenty of water. Call a POISON CENTER or doctor/physician immediately.
- Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Call a POISON CENTER or doctor/physician immediately.
- Ingestion: Do NOT induce vomiting. Rinse mouth. Remove dentures if any. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician immediately.

Most Important Symptoms/Effects, Acute and Delayed Potential Acute Health Effects

- Eye Contact: Causes serious eye damage. Symptoms may include watering, redness, pain, swelling of the eyelids, inability to keep eye open, blurred vison and temporary/permanent loss of vision.
- Inhalation: Product is extremely corrosive to mucous membranes and tissues of the upper respiratory tract. Symptoms may include a burning sensation, coughing, coughing up blood (hemoptysis), wheezing, laryngitis, shortness of breath/difficulty in breathing (dyspnea), blueness (cyanosis) of lips and skin, nausea, headaches, disorientation, general weakness and loss of consciousness.

Section 4. First Aid Measures

Skin Contact: Skin contact with this product may be expected to cause (severe) chemical burns. Symptoms may include reddening of skin, a burning or itching sensation, pain, blistering and tissue necrosis.

Ingestion: Ingestion may be expected to result in burns of the mouth and throat and potential perforation of the esophagus and stomach. Symptoms may include pain when swallowing (odynophagia), difficulty swallowing (dysphagia), fever, nausea, recurrent vomiting (emesis) and vomiting of blood (hematemesis). Severe burns which may be accompanied by perforation of the esophagus and stomach may present additional symptoms of abdominal pain/rigidity, chest and/or back pain.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician:

Treat symptomatically.

Specific Treatments:

Protection of First Responders:

No specific treatment.

No action taken shall be taken involving any personal risk without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

Section	5. Fire Fighting Measures
General Hazards:	Flammable liquid and vapor. If product is involved in a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Product releases hydrogen chloride when exposed to water/moist air.
Suitable Extinguishing Media:	THE MOST EFFECTIVE FIRE EXTINGUISHING AGENT IS DRY CHEMICAL POWDER PRESSURIZED WITH NITROGEN. Vermiculite, sand, dry chemical or carbon dioxide (CO ₂) may also be used. Water spray may be used to cool sealed containers.
Unsuitable Extinguishing Media:	Do not use water (fog, spray or jet). Product reacts with water to release a toxic and corrosive gas (hydrogen chloride).
Unusual Fire and Explosion Hazards:	Vapor/air mixtures are explosive above flash point. Product runoff to sewer may create a fire or explosion hazard. Vapors/gases released under fire conditions are heavier than air and may spread long distances along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to an ignition source and flashback.

Section 5. Fire Fighting Measures		
Product of Combustion:	Products of complete combustion are carbon dioxide (CO ₂), hydrogen chloride and germanium oxide.	
Protection of Firefighters:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Avoid breathing dusts, aerosols, vapors and gases.	
	Eliminate all local and distant ignition sources. Move containers from fire area if process can be accomplished without risk to firefighters. To reduce the possibility of explosion, use a water spray or fog to reduce direct vapors and to cool unopened containers. Do not cut, grind, drill or weld on or near product containers (even empty) of this product because an explosion may result.	
	Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.	

Section 6. Accidental Release Measures

Personal Precautions, Protective Eq	uipment and Emergency Procedures
For Non-Emergency Personnel:	No action shall be taken involving any personal risk or without
	suitable training. Evacuate surrounding areas. Eliminate all
	ignition sources (no smoking, flares, sparks, or flames in immediate area). Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid inhalation of sprays, vapors, gases, aerosols or mists. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment.
For Emergency Responders:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency Personnel".
Environmental Precautions:	Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Section 6. Accidental Release Measures

Methods for Containment	
General:	Eliminate all local and distant ignition sources. Move containers from spill area if safe to do so. Avoid allowing the spilled material to get wet or using water to clean up spillages or residues. Use spark-proof tools and explosion-proof equipment.
Small Spill:	Contain and collect spillage with non-combustible, dry absorbent material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor.
Large Spill:	Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, dry absorbent material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and
	Section 13 for waste disposal.

Section 7. Handling and Storage

Product is moisture sensitive; handle under a dry, inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep away from all sources of ignition – NO SMOKING. Keep container tightly sealed. Avoid contact with skin, eyes and clothing. Avoid the formation and inhalation of sprays, mists, vapors and gases. Do not ingest. Avoid prolonged exposure. Ensure adequate ventilation.

Protect against electrostatic charges. Use explosion-proof electrical/ventilating/lighting/handling equipment. Use only non-sparking tools and equipment. Put on appropriate personal protective equipment (see Section 8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Precautions:

Protective Measures:

Section 7. Handling and Storage

General Occupational Hygiene:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Safe Storage Conditions:	Product is moisture sensitive; store under an inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep away from all sources of ignition – NO SMOKING. Store in original container protected from direct sunlight in a dry and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

Section 8. Exposure Controls/Personal Protection		
Introductory Remarks:	These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.	
Occupational Exposure Limits:	Product contains no substances with occupational exposure limit values.	
Engineering Controls:	Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.	
Environmental Exposure Controls:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	
Individual Protection Measures		
Hygiene Measures:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately.	



Section 8. Exposure Controls/Personal Protection

Respiratory Protection (cont.):

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Physical State:	Liquid.
Color:	Clear, straw colored.
Odor:	Characteristic, hydrogen chloride like.
pH:	No data available.
Freezing Point:	-22 °C (-7.6 °F).
Boiling Point:	124.0 °C (255.2 °F).
Flash Point:	32 °C (89.6 °F).
Auto-ignition temperature:	No data available.
Specific Gravity:	1.488 g/ml @ 26 °C.
Vapor Pressure:	No data available.
Vapor Density:	>1 (Air = 1).
Water Solubility:	Reacts with water to liberate hydrogen chloride.
Viscosity:	No data available.
Volatile %:	No data available.
VOC Content:	No data available.

VOCs are calculated following the requirements under 40 CFR, Part 59, Subpart C for Consumer Products and Subpart D for Architectural Coatings.

Section 10. Stability and Reactivity

Reactivity:	This product reacts with moist air, water and compounds containing active hydrogen such as alcohols and acids to release hydrogen chloride.
Chemical Stability:	This product is stable when stored under a dry, inert atmosphere and away from heat. Nitrogen containing less than 5 ppm each moisture and air is recommended. This product is not sensitive to impact.
Conditions to Avoid:	Keep away from air, moisture, direct sunlight, heat and sources of ignition.
Incompatible Materials:	Air, water, compounds containing active hydrogen such as alcohols and acids and strong oxidizing compounds.

Section 10.	Stability and Reactivity
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: carbon oxides (CO_X), hydrogen chloride and germanium oxide fumes. In the event of a fire: see section 5.
Possibility of Hazardous Reactions:	Under normal conditions of storage and use noted above, hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of storage or use. In contact with water, product releases hydrogen chloride.

Section 11.	Toxicological Information
nformation on Toxicological Effects	
Acute Toxicity	: No specific data available.
Irritation/Corrosion	: No specific data available. Product may be expected to cause chemical burns to the skin, eyes and exposed mucous membranes.
Sensitization	: No specific data available.
Germ Cell Mutagenicity	: No effects known.
Carcinogenity	
IARC	: No component of this product present at levels greater
	than 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.
NTP	: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.
OSHA	: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.
Reproductive Toxicity	: This product is not expected to cause reproductive or developmental effects.
Teratogenicity	: No specific data available.
Specific Target Organ Toxicity (Single Exposure)	: Respiratory tract irritation/damage through chemical burns.

Section 11.	Toxicological Information
Specific Target Organ Toxicity (Repeated Exposure)	: No specific data available.
Aspiration Hazard	: No specific data available.
Information on the Likely Routes of Exposure	: Common routes of exposure: inhalation, dermal (failure to use skin protection), eye (failure to use safety eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking or eating after handling product without washing hands or using hand protection).
Additional Information	: To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

Section 12. Ecological Information

Numerical Measures of Toxicity		
Toxicity to Fish	: No specific data available.	
Toxicity to Daphnia and Other Aquatic Invertebrates	: No specific data available.	
Toxicity to Algae	: No specific data available.	
Persistence and Degradability		
Biodegradability	: No specific data available.	
Bioaccumulative Potential	: No specific data available.	
Mobility in Soil	: No specific data available.	
Other Adverse Effects	 An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. 	

Section 13. Disposal Considerations

Waste Treatment Methods		
Product	Dispose of in accordance with local, state regulations. Refer to 40 CFR 260-299 fo disposal regulations. Consult your local, s before disposing of any chemicals.	r complete waste
Contaminated Packaging	Empty containers retain product residue (liquids, aerosols, vapors) and can be dangerous. Dispose of as unused product DO NOT EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEA	
Fraztach GE9182	Page 11 of 14	Revision: 1.20

	DOT	IMDG	ΙΑΤΑ
UN Number	UN 2920	UN 2920	UN 2920
UN Proper Shipping	Corrosive liquids,	CORROSIVE LIQUIDS,	Corrosive liquids,
Name	flammable, n.o.s.	FLAMMABLE, N.O.S.	flammable, n.o.s.
	(Dimethylgermanium	(Dimethylgermanium	(Dimethylgermanium
	dichloride)	dichloride)	dichloride)
Transport Hazard	8 (3)	8 (3)	8 (3)
Classes			
Packing Group	II	II	II
Environmental	-	-	-
Hazards			
Additional	_	EMS-No: F-E, S-C	_
Information			

Special Precautions for User

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code : Not applicable.

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act):

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard (Flammable liquid), Acute Health Hazard (Skin corrosion or irritation; serious eye damage or eye irritation).

Massachusetts Right to Know Components

No components are subject to Massachusetts Right to Know Act.

Section 15. Regulatory Information

Pennsylvania Right to Know Components

No components are subject to Pennsylvania Right to Know Act.

New Jersey Right to Know Components

No components are subject to New Jersey Right to Know Act.

California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright © 1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright © 2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating			
HEALTH	3		
FLAMMABILITY	2		
PHYSICAL HAZARD	0		
<u>History</u>			
Date of Printing		:	4/23/2020
Date of Issue/Date of Revision		:	4/23/2020
Date of Previous Issue		:	1/13/2020

Section 16. Other Information

References

: None available.

Abbreviations and Acronyms

ACGIH: American Conference of Governmental Industrial Hygienists.

ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service (division of the American Chemical Society).

DOT: US Department of Transportation.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System.

HNOC: Hazards Not Otherwise Classified.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA). IDLH: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and Safety (NIOSH)).

IMDG: International Maritime Code for Dangerous Goods.

NFPA: National Fire Protection Association.

NIOSH: National Institute of Occupational Safety and Health.

NTP: National Toxicology Program.

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limits.

REL: Recommended Exposure Limits.

SARA: Superfund Amendments and Reauthorization Act.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limit Values (ACGIH).

TWA: Time Weighted Average.

VOC: Volatile Organic Compound.

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.