

EREZTECH LLC 11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA T: +1.888.658.1221 F: 1.678.619.2020 E: info@ereztech.com W: http://ereztech.com

# SAFETY DATA SHEET

# Section 1. Identification

Product Name: Product Type: CAS Number: Product Number:	Hafnium(IV) n-butoxide Liquid 22411-22-9. HF1229
Product Manufacturer:	Ereztech LLC 11555 Medlock Bridge Road, Suite 100 Johns Creek, GA 30097
Product Information:	(888) 658-1221
In case of an emergency:	(888) 658-1221 (for spill, leak, fire or exposure) *** Contact manufacturer for all non-emergency calls.

## Section 2. Hazards Identification

Energency overview		
Appearance/Odor: Classification:	Colorless liquid, odor not determined. FLAMMABLE LIQUIDS; - Category 3, H226 SENSITIZATION, SKIN; - Category 1, H317 SERIOUS EYE DAMAGE/EYE IRRITATION; - Category 1, H318	
Signal word:	DANGER	
Hazard statements:	<ul><li>H226: Flammable liquid and vapor.</li><li>H317: May cause an allergic skin reaction.</li><li>H318: Causes serious eye damage.</li></ul>	
Hazard pictograms:		

P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

- P233: Keep container tightly closed.
- P240: Ground/Bond container and receiving equipment.
- P241: Use explosion-proof electrical/ventilating/lighting equipment.
- P242: Use only non-sparking tools.

**Prevention:** 

**Precautionary statements** 

**Emergency Overview** 

S	ection 2. Hazards Identification
<b>Response:</b>	<ul> <li>P243: Take precautionary measures against static discharge.</li> <li>P261: Avoid breathing fumes/mist/vapors/spray.</li> <li>P272: Contaminated work clothing should not be allowed out of the workplace.</li> <li>P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P302 + P352: IF ON SKIN: Wash with plenty of soap and water.</li> <li>P303 + P353 + P361: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P305 + P351 + P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310: Immediately call a POISON CENTER or doctor/physician.</li> <li>P333 + P313: If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P370 + P378: In case of fire: Use CO<sub>2</sub>, dry chemical or foam for extinction.</li> </ul>
Storage :	P403 + P235: Store in a well-ventilated place. Keep cool.
Disposal :	P501: Dispose of contents/ container to an approved wasted disposal plant.
GHS label elements	
General:	None.
OSHA/HCS status:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Hazards not otherwise	None known.

# Section 3. Composition/Information on Ingredients

#### Substances

classified:

Ingredient Name		%	CAS Number
CAS-No.	: 22411-22-9		
Molecular weight	: 470.94 g/mol		
Formula	: C <sub>16</sub> H <sub>36</sub> HfO <sub>4</sub>		
	n-Butoxy hafnium		
Synonyms	: Tetrabutoxyhafnium(IV)		

Hafnium(IV) n-butoxide 100	
	22411-22-9

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

#### Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First Aid Measures

#### **Description of Necessary First Aid Measures**

- **General Advice:** Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
- **Eye Contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Rinse for a minimum of 15 minutes. Check for and remove any contact lenses after initial rinse period and continue rinsing for an additional 15 minutes. Keep eyes wide open during rinsing process. Consult a physician.
- **Skin Contact:** Remove all contaminated clothing and shoes. Wash off contaminated skin with soap and plenty of water. Get medical attention if irritation develops and persists or if burns occur.
- Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. It may be dangerous to the person providing aid to give mouth-tomouth resuscitation. Call a POISON CENTER or doctor/physician.
- **Ingestion:** Do NOT induce vomiting. Call a physician or POISON CONTROL CENTER immediately. Rinse mouth. Remove dentures if any. Drink plenty of water. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

- **Eye Contact:** May cause immediate or delayed severe eye damage. Symptoms may include stinging, tearing, redness and temporary/permanent loss of vision.
- **Inhalation:** Repeat or continuous exposure to vapor/mists/fumes or spray may cause an allergic reaction in susceptible individuals.
- **Skin Contact:** Repeat exposure may cause an allergic reaction in susceptible individuals. Avoid repeated exposure.

**Ingestion:** No specific data available.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary			
Notes to Physician:	Treat symptomatically.		
Specific Treatments:	No specific treatment.		
Protection of First Responders:	No action taken shall be taken involving any personal risk without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.		

#### See toxicological information (Section 11)

# Section 5. Fire Fighting Measures

General nazarus.	General	Hazards:
------------------	---------	----------

None known.

Suitable Extinguishing Media:	Use sand, dry chemical or carbon dioxide (CO <sub>2</sub> ). Fight larger fires with water spray or alcohol resistant foam.
Unsuitable Extinguishing Media:	Do not use water jet as it may possibly spread the fire.
Unusual Fire and Explosion Hazards:	Unopened containers may become pressurized and rupture during a fire. Use water spray to cool unopened containers. Thermal decomposition can lead to the production of irritating and toxic gases and vapors.
Product of Combustion:	Decomposition products may include carbon oxides and hafnium oxide fumes.
Protection of Firefighters:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

# Section 6. Accidental Release Measures

#### Personal Precautions, Protective Equipment and Emergency Procedures

For Non-emergency Personnel:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Remove all ignition sources. Prevent unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid inhalation of mists/vapors/spray/fumes. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment.
For Emergency Responders:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".
Environmental Precautions:	Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for Containment	
Small Spill:	Keep away from ignition sources. Use an inert dry binding material (sand, diatomite, acid binders, universal binders) on spill, sweep up and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

# Section 6. Accidental Release Measures

#### Large Spill:

Keep away from ignition sources. Contain and collect spillage with non-combustible, dry absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in dry container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Minimize exposure to air/water/moisture. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

#### Section 7. Handling and Storage

Precautions:	Keep away from ignition sources – NO SMOKING. Take measures to prevent build up of electrostatic charge. Store in cool/dry place in tightly closed container. Keep container tightly sealed. Avoid inhalation of vapors or mist. Avoid prolonged exposure. Provide adequate ventilation.
Protective Measures:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapors/fumes/mists/sprays. Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
General Occupational Hygiene:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Safe Storage Conditions:	Keep away from heat, sparks and open flames. Store in original container protected from direct sunlight in a dry, cool and well- ventilated area, away from incompatible materials (strong oxidizing agents) and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

#### Section 8. Exposure Controls/Personal Protection

Introductory Remarks: These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application.

# Section 8. Exposure Controls/Personal Protection

#### **Introductory Remarks (cont.):**

While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

#### **Occupational Exposure Limits:**

	List	Components		CAS-No.	Туре	Value
	ACGIH	Hafnium		7440-58-6	TLV	0.05 mg/m <sup>3</sup> Hf
	NIOSH	Hafnium		7440-58-6	IDLH	50 mg/m <sup>3</sup> Hf
Engineering Controls:		Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.				
E	nvironment	al Exposure Controls:	be checked t environment scrubbers, fil	o ensure they al protection ters or engine	comply with vith vision vith vith vith vith vith vith vith vith	cess equipment should in the requirements of in some cases, fume ications to the process emissions to acceptable
Ir	<mark>idividual Pr</mark>	otection Measures				
H	ygiene Mea	sures:	chemical pro lavatory and soiled and co gases/fumes	ducts, before at the end of ontaminated of /vapors. Avo of stations and	eating, smo the working lothing imme id contact wi	ughly after handling king and using the period. Remove all ediately. Do not inhale ith eyes and skin. Ensure vers are close to the
Eye/Face Protection:		Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.				
Skin Protection						
H	and Protect	ion:	approved sta chemical pro necessary. C manufacture	ndard should ducts if a risk onsidering th	be worn at assessment parameters ng use that th	complying with an all times when handling indicates this is s specified by the glove ne gloves are still

Section 8.	Exposure Controls/Personal Protection
Hand Protection (cont.):	It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.
	Full contact Material: Neoprene or nitrile rubber.
Other Skin Protection:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory Protection:	Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Section 9. Physical and Chemical Properties

Physical State: Color: Odor: Odor Threshold: pH: Melting Point: Boiling Point: Flash Point: Auto-ignition temperature: Specific Gravity: Vapor Pressure: Liquid. Colorless. No data available. No data available. No data available. No data available. 280°C. 35°C. No data available. 1.2376 g/ml. No data available.

Date of Issue: 3/29/16

	Section 9. Physical and Chemical Properties
Vapor Density:	No data available.
Water Solubility:	No data available.
<b>Evaporation Rate</b>	No data available.
Viscosity:	No data available.
VOC Content:	No data available.
VOCs are calculated following	ng the requirements under 40 CFR, Part 59, Subpart C for Consumer Products and Subpart D for Architectural Coatings.
	Section 10. Stability and Reactivity

Reactivity:	No specific data available.	
Chemical Stability:	Stable at normal ambient temperature and pressure and under recommended storage conditions.	
Conditions to Avoid:	Heat, sparks and flames.	
Incompatible Materials:	Strong oxidizing agents.	
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: carbon oxides and lutetium oxide fumes. In the event of a fire: see section 5.	
Possibility of Hazardous Reactions:	Under normal conditions of storage and use, hazardous	

reactions are not expected to occur.

Section 11.	Toxicological Information
Information on Toxicological Effects	
Acute Toxicity	: No specific data available.
Irritation/Corrosion	: No specific data available.
Sensitization Germ Cell Mutagencity	<ul><li>No specific data available.</li><li>No effects known.</li></ul>
Carcinogenity	
IARC	<ul> <li>No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.</li> </ul>
ACGIH	<ul> <li>No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.</li> </ul>
ΝΤΡ	: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.

# Section 11. Toxicological Information

#### **OSHA**

- **Reproductive Toxicity**
- Teratogenicity

Specific Target Organ Toxicity (single exposure)

Specific Target Organ Toxicity (repeat exposure) Aspiration Hazard

Information on the likely routes of exposure Additional Information

- : No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.
- : This product is not expected to cause reproductive or developmental effects.
- : No specific data available.
- : Respiratory tract irritation.
- : No specific data available.
- : No specific data available.
- : No specific data available.
- : To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

## Section 12. Ecological Information

**Numerical Measures of Toxicity** 

- **Toxicity to Fish**
- Toxicity to daphnia and other aquatic invertebrates
- **Toxicity to algae**
- **Persistence and Degradability**
- Biodegradability
- **Bioaccumulative potential**

**Mobility in soil** 

**Other Adverse Effects** 

- : No specific data available.
- : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

#### Section 13. Disposal Considerations

#### Waste Treatment Methods Product

Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.

#### Section 13. Disposal Considerations

Contaminated packaging

Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

## Section 14. Transport Information

	DOT	IMDG	ΙΑΤΑ
UN Number	UN 1993	UN 1993	UN 1993
UN Proper Shipping Name	FLAMMABLE LIQUID,	FLAMMABLE LIQUID,	FLAMMABLE LIQUID,
	N.O.S. (Hafnium(IV)	N.O.S. (Hafnium(IV)	N.O.S. (Hafnium(IV)
	n-butoxide)	n-butoxide)	n-butoxide)
Transport Hazard Classes	3	3	3
Packing Group	III	III	III
Environmental Hazards	-	-	-
Additional Information	-	EMS: F-E, S-E	-

#### **Special Precautions for User**

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

#### Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

# Section 15. Regulatory Information

#### **TSCA (Toxic Substance Control Act):**

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute health hazard, fire hazard.

# Section 15. Regulatory Information

#### Massachusetts Right To Know Components

No components are subject to Massachusetts Right to Know Act.

#### Pennsylvania Right To Know Components

No components are subject to Pennsylvania Right to Know Act.

#### New Jersey Right To Know Components

No components are subject to New Jersey Right to Know Act.

#### **California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# Section 16. Other Information

#### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

# HMIS RatingHealth Hazard: 2Chronic Health Hazard: 0Flammability: 3Physical Hazard: 0

## Section 16. Other Information

#### <u>History</u>

Date of printing	: 3/28/15
Date of issue/Date of Revision	: 3/28/15
Date of previous issue	: None
References	: None available

#### **Abbreviations and Acronyms**

ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) DOT: US Department of Transportation GHS: Globally Harmonized System of Classification and Labeling of Chemicals HMIS: Hazardous Materials Identification System IARC: International Agency For Research on Cancer IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) IMDG: International Maritime Code for Dangerous Goods NFPA: National Fire Protection Association NIOSH: National Institute of Occupational Safety and Health NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration SARA: Superfund Amendments and Reauthorization Act VOC: Volatile Organic Compound

#### **Disclaimer**

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.