

11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

# SAFETY DATA SHEET

## Section 1. Identification

Hafnium isopropoxide isopropanol adduct **Product Name:** 

**Product Type:** Solid

2171-88-5 **CAS Number: Product Number:** HF1995

**Recommended Use:** Laboratory chemicals, synthesis of substances.

This product is being supplied under the TSCA R&D Exemption (40 **Uses Advised Against:** 

> CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless

appropriate consent is granted in writing by Ereztech LLC.

Ereztech LLC **Product Manufacturer:** 

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

**Product Information:** (888) 658-1221

CHEMTREC: 1-800-424-9300 (USA); In Case of an Emergency:

> +1 703-527-3887 (International); CCN836180 \* Contact manufacturer for all non-emergency calls.

## Section 2. Hazards Identification

Appearance/Odor: Colorless or white crystals, odor not determined.

Classification: FLAMMABLE SOLIDS - Category 2, H228

SKIN CORROSION/IRRITATION – Category 2, H315

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2, H319 SPECIFIC ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY

TRACT IRRITATION – Category 3, H335

**GHS Label Elements** 

**Hazard Pictograms:** 



WARNING **Signal Word:** 

## Section 2. Hazards Identification

**Hazard Statements:** H228: Flammable solid.

H315: Causes skin irritation.

H319: Causes serious eye irritation. H335: May cause respiratory irritation.

**Precautionary Statements** 

Response:

**Prevention:** 

P210: Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P240: Ground and bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/handling

equipment.

P261: Avoid breathing dusts, aerosols, vapors and gases.

P264 + P265: Wash hands and exposed skin thoroughly after

handling. Do not touch eyes.

P271: Use only outdoors or with adequate ventilation.

P280: Wear protective gloves/eye protection/ face protection.

P302 + P352: IF ON SKIN: Wash with plenty of water.

P304 + P340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P319: Get medical help if you feel unwell.

P332 + P317: If skin irritation occurs: Get medical help.

P337 + P317: If eye irritation persists: Get medical help.

P362 + P364: Take off contaminated clothing and wash it before

reuse.

P370 + P378: In case of fire: Use dry chemical or carbon dioxide

to extinguish. DO NOT USE FOAM OR WATER.

P403 + P233: Store in a well ventilated place. Keep container Storage:

tightly closed.

P405: Store locked up.

Disposal: P501: Dispose of contents/container in accordance with federal,

state and local regulations.

**OSHA/HCS Status:** This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

**Hazards Not Otherwise** 

Classified (HNOC):

None identified.

## Section 3. Composition/Information on Ingredients

**Substance Type:** Mono-constituent.

Hafnium (IV) isopropoxide monoisopropylate; Hafnium tetra(2-Synonyms:

propanolate); Hafnium isopropoxide.

Page 2 of 15 Revision: 1.00 Ereztech HF1995

## Section 3. Composition/Information on Ingredients

Synonyms (cont.): Hafnium (IV) i-propoxide monoisopropylate; Hafnium tetra-i-

propoxide; Hafnium(IV) i-propoxide mono-i-propylate.

Formula:  $C_{12}H_{28}HfO_4$  **EC-No.**: 625-789-4

Component Name	%	CAS Number
Hafnium isopropoxide isopropanol adduct	≥ 99	2171-99-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First Aid Measures

#### **Description of Necessary First Aid Measures**

General Advice: Move out of dangerous area. If unconscious, place in recovery position and get

medical help immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical help if symptoms develop or if

you feel unwell. Show this safety data sheet to the doctor in attendance.

Eye Contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower eyelids. Check for and remove any contact lenses if easy to do. Continue

rinsing. Get medical help if eye irritation develops and persists.

Skin Contact: Take off contaminated clothing and shoes immediately. Wash off contaminated

skin with plenty of water. Get medical help if irritation develops and persists.

Inhalation: Rescuer should wear a mask or self-contained breathing apparatus if it is

suspected that fumes or gases are still present. Remove person to fresh air and keep comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-

mouth resuscitation. Get medical help if symptoms develop or you feel unwell.

**Ingestion:** Do NOT induce vomiting. Remove dentures if any. If vomiting occurs, the head

should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If person is not breathing, if breathing is irregular or if respiratory arrest occurs, see the "Inhalation" first aid measures

noted above. Get medical help if symptoms develop or you feel unwell.

#### Most Important Symptoms/Effects, Acute and Delayed Potential Acute Health Effects

**Eye Contact:** Symptoms may include stinging, tearing, redness, swelling and blurred vision.

Skin Contact: Symptoms may include an itching or burning sensation, reddening, swelling and

blistering with tissue necrosis.

## Section 4. First Aid Measures

**Inhalation:** Product may be irritating to respiratory system. Symptoms may include

coughing, sneezing with phlegm production, sore throat, nausea, headache,

vomiting.

**Ingestion:** Product may be irritating to mucous membranes. Symptoms may include

cramping, localized pain, headache, nausea and vomiting.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

**Notes to Physician:** Product may cause methemoglobinemia. Treat symptomatically.

**Specific Treatments:** No specific treatment.

**Protection of First Responders:** No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person

providing aid to give mouth-to-mouth resuscitation.

**See Toxicological Information (Section 11)** 

# Section 5. Fire Fighting Measures

General Hazards: None identified.

Suitable Extinguishing Media: Use water spray (fog), dry chemical, carbon dioxide or

appropriate foam.

None identified.

None identified.

**Unsuitable Extinguishing Media:** 

Unusual Fire and Explosion Hazards:

Product of Combustion:

Carbon oxides (CO<sub>X</sub>) and hafnium oxides. Irritating fumes and

organic acid vapors may be generated during exposure to

elevated temperatures or open flame.

Protection of Firefighters: Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Avoid the formation and inhalation of

dusts, aerosols, vapors and gases.

Eliminate all local and distant ignition sources. Move containers from fire area if process can be accomplished without risk to firefighters. To reduce the possibility of explosion, use a water spray or fog to reduce direct vapors and to cool unopened containers. Do not cut, grind, drill or weld on or near product

containers (even empty) of this product because an explosion may result.

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full face-piece

operated in a positive pressure mode.

## Section 6. Accidental Release Measures

#### Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel:

No action shall be taken involving any personal risk or without suitable training. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Take action to prevent static discharges. Use non-sparking tools and equipment. Beware of vapors accumulating in low areas to form explosive concentrations. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid contact with skin, eyes or clothing. Avoid the formation and inhalation of dusts, aerosols, vapors and gases. Provide adequate ventilation or wear respiratory protection. Put on appropriate personal protective equipment.

For Emergency Responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency Personnel".

**Environmental Precautions:** 

Prevent spilled material and firefighting runoff from entering the surrounding environment (soil contact, entry into drains, sewers and waterways). Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for Containment

General:

Eliminate all local and distant ignition sources. Move containers from spill area if safe to do so. Avoid the formation and inhalation of dusts, aerosols, vapors and gases. Avoid allowing the spilled material to get wet or using water to clean up spillages or residues. Use spark-proof tools and explosion-proof equipment. Dispose of collected spillage in accordance with federal, state and local regulations. Contaminated binding material may pose the same hazard as the spilled product.

Small Spill:

Collect spillage with a dry, non-combustible, binding material (e.g. dry sand, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal.

Large Spill:

Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with a dry, non-combustible, binding material (e.g. dry sand, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal.

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and Storage

**Precautions:** 

Product is air and moisture sensitive; handle under a dry, inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep away from all sources of ignition – NO SMOKING. Keep container tightly sealed. Avoid contact with skin, eyes and clothing. Avoid the formation and inhalation of dusts, aerosols, vapors and gases. Do not ingest. Avoid prolonged exposure. Ensure adequate ventilation or wear

respiratory protection.

**Protective Measures:** 

Protect against electrostatic discharges. Use non-sparking tools and explosion-proof electrical/ventilating/lighting/handling equipment. Put on appropriate personal protective equipment (see Section 8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

**General Occupational Hygiene:** 

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Safe Storage Conditions:

Product is air and moisture sensitive; store under an inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep away from all sources of ignition – NO SMOKING. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

## Section 8. Exposure Controls/Personal Protection

**Introductory Remarks:** 

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

## Section 8. Exposure Controls/Personal Protection

#### **Occupational Exposure Limits**

Components	CAS-No.	List	Type	Value
Hafnium isopropoxide isopropanol adduct	2171-88-5	ACGIH	TLV	0.5 mg/m <sup>3</sup> Hf TWA
		NIOSH	REL	0.5 mg/m³ Hf TWA 50 mg/m³ Hf IDLH

**Engineering Controls:** 

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.

**Environmental Exposure Controls:** 

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures
Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Avoid the formation and inhalation of dusts, aerosols, vapors and gases. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/Face Protection:** 

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to dust and aerosols. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection

Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers.

<u>Ereztech HF1995</u> Page 7 of 15 Revision: 1.00 Date of Issue: 10/7/2025

## Section 8. Exposure Controls/Personal Protection

Hand Protection (cont.):

In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemicalresistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. For full contact, use Neoprene or

nitrile rubber.

Other Skin Protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity discharges, wear anti-static, flame retardant protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

**Respiratory Protection:** 

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Section 9. Physical and Chemical Properties

**Physical State:** Solid (crystals). Colorless or white. **Color:** 

Alcohol-like. Odor:

**Odor Threshold:** No data available. No data available. pH: No data available. **Melting Point:** No data available. **Boiling Point:** Flash Point: No data available.

Category 2 flammable solid. Flammability (solid/gas):

No data available. **Auto-ignition Temperature: Specific Gravity:** No data available.

Ereztech HF1995 Page 8 of 15 Revision: 1.00

## Section 9. Physical and Chemical Properties

Vapor Pressure:No data available.Vapor Density:No data available.

Water Solubility: Reacts to release isopropanol.

## Section 10. Stability and Reactivity

Reactivity: This product reacts with water, moisture in the air and

protic solvents to release isopropanol.

Chemical Stability: This product is stable when stored under a dry, inert

atmosphere and away from heat. Nitrogen containing less

than 5 ppm each moisture and air is recommended.

Conditions to Avoid: Exposure to water/moisture, sources of ignition (heat,

flames, sparks, electrostatic discharges), extremes of

temperature and direct sunlight.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products: Hazardous decomposition products formed under fire

conditions: isopropanol, carbon oxides  $(CO_X)$  and hafnium oxide fumes. Irritating fumes and organic acid vapors may be generated during exposure to elevated temperatures or

open flame. In the event of a fire: see Section 5.

Possibility of Hazardous Reactions: Under normal conditions of storage and use noted above,

hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of storage or

use

# Section 11. Toxicological Information

Information on Toxicological Effects

Acute Toxicity: No specific data available.

Irritation/Corrosion: No specific data available. Product causes skin irritation

and serious eye irritation.

Sensitization:

Germ Cell Mutagenicity:

No specific data available.

No specific data available.

Carcinogenicity

Component	CAS No	ACGIH	IARC	NTP	OSHA
Hafnium isopropoxide isopropanol adduct	2171-88-5	Not listed	Not listed	Not listed	Not listed

**Reproductive Toxicity:**No specific data available.

## Section 11. Toxicological Information

**Teratogenicity:** No specific data available.

**Specific Target Organ Toxicity:** Product may cause respiratory tract irritation.

(Single Exposure)

**Specific Target Organ Toxicity:** No specific data available.

(Repeated Exposure)

**Aspiration Hazard:** No specific data available.

Information on the Likely Common routes of exposure: inhalation, dermal (failure

Routes of Exposure: to use skin protection), eye (failure to use safety eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking or eating

after handling product without washing hands or using

hand protection).

Additional Information: To the best of our knowledge, the chemical, physical and

toxicological properties of this product have not been

thoroughly investigated.

# Section 12. Ecological Information

**Ecotoxicity:** The impact of this product on the environment has not

been tested.

Numerical Measures of Toxicity: No specific data available.

Persistence and Degradability

Biodegradability: No specific data available.

Bioaccumulative Potential: No specific data available.

Mobility in Soil: No specific data available.

Results of PBT and vPvB Assessment: PBT/vPvB assessment not available as chemical safety

assessment not required/not conducted.

**Endocrine Disrupting Properties:** No specific data available.

Other Adverse Effects: An environmental hazard cannot be excluded in the event

of unprofessional handling or disposal.

## Section 13. Disposal Considerations

**Waste Treatment Methods** 

**Product:** Dispose of in accordance with local, state, and federal

regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal

agency before disposing of any chemicals.

## Section 13. Disposal Considerations

**Contaminated Packaging:** 

Empty containers retain product residue (liquids, vapors, gases) and can be dangerous. Dispose of as unused containers. DO NOT EXPOSE SUCH CONTAINERS TO AIR, MOISTURE, HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION: THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

## Section 14. Transport Information

	DOT	IMDG	IATA	
UN Number	UN3181	UN3181	UN3181	
UN Proper Shipping Name	Metal salts of organic compounds, flammable, n.o.s. (Hafnium isopropoxide isopropanol adduct)	METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S. (Hafnium isopropoxide isopropanol adduct)	Metal salts of organic compounds, flammable, n.o.s. (Hafnium isopropoxide isopropanol adduct)	
Transport Hazard Classes	4.1	4.1	4.1	
Packing Group	1 111	III	m	
Environmenta I Hazards	-	-		
Additional Information		EMS-No: F-A, S-I	-	

**Special Precautions for User:** 

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

# Section 15. Regulatory Information

#### **Toxic Substance Control Act (TSCA)**

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

This product as supplied is not subject to the TSCA Significant New Use Rule.

This product as supplied is not subject to TSCA 12(b) export notification requirements.

Ereztech HF1995 Page 11 of 15 Revision: 1.00

## Section 15. Regulatory Information

#### **SARA 302 Components**

This product does not contain any components which are subject to the reporting requirements of SARA Title III, Section 302 EHS TPQ.

#### **SARA 304 Components**

This product does not contain any components which are subject to the reporting requirements of SARA Title III, Section 304 RQ.

#### SARA 311/312 Hazards

Fire Hazard (Flammable solid), Acute Health Hazard (Acute toxicity – ingestion; Skin corrosion or irritation; Serious eye damage or eye irritation; Specific Target Organ Toxicity (STOT), single exposure: respiratory irritation).

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **Clean Water Act**

Not applicable.

#### Clean Air Act

Not applicable.

### **CERCLA Reportable Quantity**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### US Department of Homeland Security (DHS)

This product does not contain any DHS chemicals.

#### **US Department of Transportation (DOT)**

Component	Reportable	DOT Marine	DOT Severe Marine
	Quantity	Pollutant	Pollutant
Hafnium isopropoxide isopropanol adduct	No	No	No

#### **US State Right-to-Know Listings**

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Hafnium isopropoxide isopropanol adduct	-	-	-	-	-

<sup>&</sup>quot;X" - Listed.

## Section 15. Regulatory Information

#### **US State Chemicals of High Concern Listings**

Component	Maine	Vermont	Washington
Hafnium isopropoxide isopropanol adduct	-	-	-

<sup>&</sup>quot;X" - Listed.

#### California Proposition 65 Components

This product does not contain any Proposition 65 chemicals.

### Section 16. Other Information

#### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### **HMIS Rating**

HEALTH	2
FLAMMABILITY	2
PHYSICAL HAZARD	0

#### **History**

Date of Issue/Date of Revision: 10/7/2025.

Date of Previous Issue: None.

None available References:

## Section 16. Other Information

### **Abbreviations and Acronyms**

ACGIH American Conference of Governmental Industrial Hygienists.

: American Industrial Hygiene Association. AIHA

ATE Acute Toxicity Estimate (per Chapter 3.1 of GHS 10 standard).

BFI Biological Exposure Indices (ACGIH).

CAS : Chemical Abstracts Service (division of the American Chemical Society).

: Chemical Hazards Response Information System (US DOT). CHRIS CLP Classification, Labeling and Packaging (European Union (EU)).

DOT : US Department of Transportation.

: The EC Inventory (EINECS, ELINCS and the NLP-list is the source of the seven digit EC-No.

EC number, an identifier of substances commercially available with the EU (European

Union).

**EINECS** European Inventory of Existing Commercial Chemical Substances.

EHS Extremely Hazardous Substance.

: European List of Notified Chemical Substances. **ELINCS** 

Globally Harmonized System of Classification and Labeling of Chemicals. GHS

Hazardous Air Pollutants (Clean Air Act). HAP **HMIS** : Hazardous Materials Identification System.

HNOC : Hazards Not Otherwise Classified.

**IARC** : International Agency for Research on Cancer.

IATA International Air Transport Association.

Dangerous Goods Regulations by the "International Air Transport Association" IATA-DGR :

(IATA).

**IDLH** : Immediately Dangerous to Life or Health (US National Institute for Occupation Health

and Safety (NIOSH)).

**IMDG** International Maritime Code for Dangerous Goods.

IΡ Intraperitoneal. IV Intravenous.

National Fire Protection Association. **NFPA** 

NIOSH National Institute of Occupational Safety and Health.

NSRL No Significant Risk Levels. NTP National Toxicology Program.

ODS Ozone Depleting Substances (US Clean Air Act).

: Organization for Economic Co-Operation and Development. OECD

: Occupational Exposure Limit. OEL

Occupational Safety and Health Administration. OSHA

: Persistent Bioaccumulative and Toxic. PBT

PEL Permissible Exposure Limits. REL : Recommended Exposure Limits.

RQ : Reportable Quantity.

SARA Superfund Amendments and Reauthorization Act.

Short Term Exposure Limit (ACGIH/NIOSH) STEL (ST)

Specific Target Organ Toxicity. STOT

## Section 16. Other Information

#### Abbreviations and Acronyms (cont.)

TLV : Threshold Limit Values (ACGIH).TPQ : Threshold Planning Quantity.TWA : Time Weighted Average.VOC : Volatile Organic Compound.

vPvB : Very Persistent and Very Bioaccumulative.

WEEL: Workplace Environmental Exposure Level (AIHA).

#### Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

