

EREZTECH LLC 11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA T: +1.888.658.1221 F: 1.678.619.2020 E: info@ereztech.com W: https://ereztech.com

SAFETY DATA SHEET

Section 1. Identification

Product Name:	Hafnium 2,4-pentanedionate
Product Type:	Solid
CAS Number:	17475-67-1
Product Number:	HF5671
Recommended Use:	Laboratory chemicals, synthesis of substances.
Product Manufacturer:	Ereztech LLC 11555 Medlock Bridge Road, Suite 100 Johns Creek, GA 30097
Product Information:	(888) 658-1221
In Case of an Emergency:	CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International); CCN836180 *** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Appearance/Odor: Classification:

<u>GHS Label Elements</u> Signal Word: Hazard Statements: Off-white solid, odor not determined.

SKIN CORROSION/IRRITATION - Category 2, H315 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A, H319 SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY TRACT IRRITATION – Category 3, H335

WARNING

- H315: Causes skin irritation.
- H319: Causes serious eye irritation.
- H335: May cause respiratory irritation.

Hazard Pictograms:

Precautionary Statements Prevention:

P261: Avoid breathing dusts/aerosols/vapors/gases.P264 + P265: Wash hands and exposed skin thoroughly after handling. Do not touch eyes.

Sect	ion 2. Hazards Identification
Prevention (cont.):	P271: Use only outdoors or with adequate ventilation. P280: Wear protective gloves/eye protection/ face protection.
Response:	 P302 + P352: IF ON SKIN: Wash with plenty of water. P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P319: Get medical help if you feel unwell. P332 + P317: If skin irritation occurs: Get medical help. P337 + P317: If eye irritation persists: Get medical help.
	P362 + P364: Take off contaminated clothing and wash it before reuse.
Storage:	P403 + P233: Store in a well-ventilated place. Keep container tightly closed.P405: Store locked up.
Disposal:	P501: Dispose of contents/container in accordance with federal, state and local regulations.
General:	None.
OSHA/HCS Status:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Hazards Not Otherwise Classified (HNOC):	None identified.

Section 3. Composition/Information on Ingredients

Substance Type Synonyms Formula Molecular Weight	 Mono-constituent Hafnium(IV) 2,4-pentanedionate; Hafnium acetylacetonate; Tetrakis(acetylacetonate)hafnium(IV); Tetrakis(2,4- pentanedionato)hafnium(IV); Hafnium tetrakis[(2E)-4-oxo-2- penten-2-olate]; Hf(acac)₄. C₂₀H₂₈HfO₈ 574.92 g/mol 		Tetrakis(2,4-
Ingredient Name	. 374.72 g/mor	%	CAS Number
Hafnium 2,4-pentanedionate		≥ 97	17475-67-1

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice:	medical help immedias a collar, tie, belt	rous area. If unconscious, place in recovery position and get diately. Maintain an open airway. Loosen tight clothing such or waistband. Get medical help if symptoms develop or if now this safety data sheet to the doctor in attendance.	
Eye Contact:	lower eyelids. Chee	eyes with plenty of water, occasionally lifting the upper and ck for and remove any contact lenses if easy to do. Continue al help if eye irritation develops and persists.	
Skin Contact:	skin with plenty of	ted clothing and shoes immediately. Wash off contaminated water. Get medical help if irritation develops and persists, if or if you feel unwell.	
Inhalation:	breathing, if breath respiration or oxyge providing aid to giv	fresh air and keep comfortable for breathing. If not ing is irregular or if respiratory arrest occurs, provide artificial en by trained personnel. It may be dangerous to the person e mouth-to-mouth resuscitation. Get medical help if or if you feel unwell.	
Ingestion:	occurs, the head sh Never give anything	IOT induce vomiting. Remove dentures if any. If vomiting nould be kept low so that vomit does not enter the lungs. If by mouth to an unconscious person. Get medical help if or if you feel unwell.	
Most Important Sy	mptoms/Effects, Ad	cute and Delayed Potential Acute Health Effects	
Eye Contact:	Symptoms may incl	ude stinging, tearing, redness, swelling and blurred vision.	
Inhalation:	-	tating to respiratory system. Symptoms may include	
	coughing, sneezing vomiting.	with phlegm production, sore throat, nausea, headache,	
Skin Contact:	Symptoms may incl blistering with tissu	ude an itching or burning sensation, reddening, swelling and e necrosis.	
Ingestion:	Product may be expected to be irritating to mucous membranes. Symptoms may include cramping, localized pain, headache, nausea and vomiting.		
Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary			
Notes to Physician:		Treat symptomatically.	
Specific Treatments:		No specific treatment.	
Protection of First	Responders:	No action taken shall be taken involving any personal risk without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.	

See Toxicological Information (Section 11)

Section 5. Firefighting Measures		
General Hazards:	None identified.	
Suitable Extinguishing Media:	Use water spray, sand, dry chemical or carbon dioxide (CO ₂). Fight larger fires with water spray or alcohol resistant foam.	
Unsuitable Extinguishing Media:	None identified.	
Unusual Fire and Explosion Hazards: Product of Combustion:	Unopened containers may become pressurized and rupture during a fire. Use water spray to cool unopened containers. Thermal decomposition can lead to the production of irritating fumes and organic acid vapors. Decomposition products include carbon oxides (CO_X) and hafnium oxide fumes.	
Protection of Firefighters:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Avoid breathing dusts, aerosols, vapors and gases.	
	Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.	

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures				
For Non-Emergency Personnel:	No action shall be taken involving any personal suitable training. Evacuate surrounding areas, unnecessary and unprotected personnel from touch or walk through spilled material. Avoid and inhalation of dusts and aerosols. Provide a ventilation. Wear respiratory protection. Put personal protective equipment.	Prevent entering. Do not the formation adequate		
For Emergency Responders:	If specialized clothing is required to deal with note of any information in Section 8 on suitabl materials. See also the information in "For Nor Personnel".	e and unsuitable		
Environmental Precautions:	Do not allow dispersal of spilled material and o waterways, drains and sewers. Inform the rele if the product has caused environmental pollut waterways, soil or air).	evant authorities		
Methods for Containment				
General:	Move containers from spill area if safe to do so formation and inhalation of dusts and aerosols			
Ereztech HF5671	Page 4 of 13	Revision: 1.30		

	Section 6.	Accidental Release Measures
General (cont.):		Dispose of collected spillage in accordance with federal, state and local regulations. Contaminated absorbent material may pose the same hazard as the spilled product.
Small Spill:		Collect spillage with a dry, binding material (e.g. dry sand, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal.
Large Spill:		Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with a dry, binding material (e.g. dry sand, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal.
		Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section	7. Handling and Storage
Precautions:	Product is moisture sensitive; handle under an inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Store in cool/dry place in tightly closed container. Keep container tightly sealed when not in use. Avoid the formation and inhalation of dusts and aerosols. Do not ingest. Avoid prolonged exposure. Provide adequate ventilation.
Protective Measures:	Put on appropriate personal protective equipment (see Section 8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
General Occupational Hygiene:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Safe Storage Conditions:	Product is moisture sensitive and decomposes slowly when exposed to water or moisture in air. Store under an inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

Occupational Exposure Limits

Engineering Controls:

List	Components	CAS-No.	Туре	Value
ACGIH	Hafnium 2,4-pentanedionate	17475-67-1	TLV	0.5 mg/m ³ as Hf TWA
NIOSH	Hafnium 2,4-pentanedionate	17475-67-1	REL	0.5 mg/m ³ as Hf TWA
OSHA	Hafnium 2,4-pentanedionate	17475-67-1	PEL	0.5 mg/m ³ as Hf TWA

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.

Environmental Exposure Controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures	
Hygiene Measures:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Avoid the formation and inhalation of dusts and aerosols. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/Face Protection:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Section 8. Exposure Controls/Personal Protection

Skin Protection Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemicalresistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. For full contact, wear Neoprene or nitrile rubber gloves.

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Physical State: Color: Odor: Odor Threshold: pH:

Other Skin Protection:

Respiratory Protection:

Solid. Off-white. No date available. No data available. No data available.

Ereztech HF5671

Se	ection 9.	Physical and Chemical Properties
Melting Point:		193 °C (379.4 °F).
Boiling Point:		82 °C (179.6 °F) @ 1 mmHg.
Flash Point:		No data available.
Auto-ignition tempe	erature:	No data available.
Flammability:		No data available.
Relative Density:		No data available.
Vapor Pressure:		No data available.
Vapor Density:		No data available.
Water Solubility:		Insoluble. Decomposes slowly when exposed to water.

Section 10. Stability and Reactivity Product decomposes slowly when exposed to **Reactivity:** water/moisture. This product is stable when stored under a dry, inert **Chemical Stability:** atmosphere and away from heat. Nitrogen containing less than 5 ppm each moisture and air is recommended. Conditions to Avoid: Exposure to moisture/water. Incompatible Materials: Water, compounds containing active hydrogen (alcohols, acids) and strong oxidizing agents. Under normal conditions of storage and use, hazardous **Hazardous Decomposition Products** decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: carbon oxides (CO_x) and hafnium oxide fumes. Irritating fumes and organic acid vapors may be generated during exposure to elevated temperatures or open flame. In the event of a fire: see Section 5. Under normal conditions of storage and use noted above, **Possibility of Hazardous Reactions:** hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of storage or use.

Section 11. Toxicological Information			
Information on Toxicological Effe	<u>cts</u>		
Acute Toxicity	: No specific data available.		
Irritation/Corrosion	: No specific data available. Causes serious eye irritation.	skin irritation and	
Sensitization	: No specific data available.		
Ereztech HF5671	Page 8 of 13	Revision: 1.30	

Section 11.	Toxicological Information	
Germ Cell Mutagenicity	: No specific data available.	
<u>Carcinogenity</u>		
IARC	 No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. 	
ACGIH	 No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH. 	
NTP	 No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP. 	
OSHA	: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.	
Reproductive Toxicity	: No specific data available.	
Teratogenicity	: No specific data available.	
Specific Target Organ Toxicity (Single Exposure)	: Respiratory tract irritation.	
Specific Target Organ Toxicity (Repeat Exposure)	: No specific data available.	
Aspiration Hazard	: No specific data available.	
Information on the Likely Routes of Exposure	: Common routes of exposure: inhalation (failure to prevent dust formation), dermal (failure to use skin protection), eye (failure to use safety eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking after handling product without washing hands or using hand protection).	
Additional Information	: May be harmful if swallowed. To the best of our knowledge, the chemical, physical and toxicological properties of this product have not	

Section 12. Ecological Information

been thoroughly investigated.

Numerical Measures of Toxicity	
Toxicity to Fish	: No specific data available.
Toxicity to Daphnia and other Aquatic Invertebrates	: No specific data available.
Toxicity to Algae	: No specific data available.

Section 12. Ecological Information

Persistence and Degradability

- Biodegradability
- **Bioaccumulative potential**
- Mobility in Soil
- **Other Adverse Effects**

- : No specific data available.
- : No specific data available.
- : No specific data available.
- : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13. Disposal Considerations

Waste Treatment Methods Product

: Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.

Contaminated Packaging

: Empty containers retain product residue (dusts, vapors and gases) and can be dangerous. Dispose of as unused product.

Section 14. Transport Information

	DOT	IMDG	ΙΑΤΑ
UN Number	Not regulated	Not regulated	Not regulated
UN Proper Shipping Name			
Transport Hazard Classes	NG CHE	MICALD	APS_
Packing Group	-	-	-
Environmental Hazards	-	-	-
Additional Information	-	-	-

Special Precautions for User

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code : Not applicable.

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act):

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard (Skin corrosion or irritation; Serious eye damage or eye irritation; Specific Target Organ Toxicity (STOT), single exposure: respiratory irritation).

Massachusetts Right to Know Components

No components are subject to Massachusetts Right to Know Act.

Pennsylvania Right to Know Components

CAS-No. 7440-58-6 **Revision** Date

Hafnium

New Jersey Right to Know Components

No components are subject to New Jersey Right to Know Act.

California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Section 16. Other Information

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright © 2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating

HEALTH 2 FLAMMABILITY 1 **PHYSICAL HAZARD** 0 History Date of issue/Date of Revision : 12/27/2023. : 8/12/2022. Date of previous issue None available References Abbreviations and Acronyms ACGIH: American Conference of Governmental Industrial Hygienists. **ATE:** Acute Toxicity Estimate CAS: Chemical Abstracts Service (division of the American Chemical Society). CLP: Classification, Labeling and Packaging (European Union (EU)). DOT: US Department of Transportation. GHS: Globally Harmonized System of Classification and Labeling of Chemicals. HMIS: Hazardous Materials Identification System. HNOC: Hazards Not Otherwise Classified. IARC: International Agency for Research on Cancer. IATA: International Air Transport Association. IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA). IDLH: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and Safety (NIOSH)). IMDG: International Maritime Code for Dangerous Goods. NFPA: National Fire Protection Association. NIOSH: National Institute of Occupational Safety and Health. NTP: National Toxicology Program. OECD: Organization for Economic Co-Operation and Development. **OEL:** Occupational Exposure Limit.

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limits.

Section 16. Other Information

Abbreviations and Acronyms (cont.)

REL: Recommended Exposure Limits.
SARA: Superfund Amendments and Reauthorization Act.
STEL (ST): Short Term Exposure Limit (ACGIH/NIOSH)
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limit Values (ACGIH).
TWA: Time Weighted Average.
VOC: Volatile Organic Compound.

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

