

11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

# SAFETY DATA SHEET

# Section 1. Identification

Product Name: <u>Bis(tert-butoxy)bis(1-methoxy-2-methyl-2-propoxy)hafnium(IV)</u>

Product Type: Solid

**CAS Number:** 413569-97-8

Product Number: HF9978

Product Manufacturer: Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

**Product Information:** (888) 658-1221

In Case of an Emergency: CHEMTREC: 1-800-424-9300 (USA);

+1 703-527-3887 (International); CCN836180
\*\*\* Contact manufacturer for all non-emergency calls.

### Section 2. Hazards Identification

Appearance/Odor: White solid, odor not determined.

Classification: SKIN CORROSION/IRRITATION - Category 2, H315

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A, H319 SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY TRACT IRRITATION - Category 3, H335

**GHS Label Elements** 

Signal Word: WARNING

Hazard Statements: H315: Causes skin irritation.

H319: Causes serious eye irritation. H335: May cause respiratory irritation.

**Hazard Pictograms:** 



**Precautionary Statements** 

**Prevention:** P261: Avoid breathing dusts/aerosols/vapors/gases.

P264: Wash hands and exposed skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

### Section 2. Hazards Identification

**Prevention (cont.):** P280: Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response: P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at

rest in a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P332 + P313: If skin irritation occurs: Get medical

advice/attention.

P337 + P313: If eye irritation persists: Tet medical

advice/attention.

P362: Take off contaminated clothing and wash before reuse. P403 + P233: Store in a well-ventilated place. Keep container

tightly closed.

P405: Store locked up.

**Disposal:** P501: Dispose of contents/ container to an approved wasted

disposal plant.

General: None.

OSHA/HCS Status: This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Hazards Not Otherwise Classified (HNOC):

None identified.

## Section 3. Composition/Information on Ingredients

#### **Substances**

Storage:

 $\begin{array}{lll} \textbf{Formula} & : C_{18}H_{40}O_6Hf \\ \textbf{Molecular Weight} & : 531.00 \text{ g/mol} \\ \textbf{CAS-No.} & : 413569-97-8 \\ \end{array}$ 

Ingredient Name	%	CAS Number
Bis(tert-butoxy)bis(1-methoxy-2-methyl-2-propoxy)hafnium(IV)	≥ 97	413569-97-8

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First Aid Measures

**Description of Necessary First Aid Measures** 

**General Advice:** Move out of dangerous area. Call a POISON CENTER or doctor/physician

immediately if symptoms develop or if you feel unwell. Show this safety data

sheet to the doctor in attendance.

Immediately flush eyes with plenty of water, occasionally lifting the upper and **Eye Contact:** 

lower eyelids. Check for and remove any contact lenses. Continue rinsing. Seek

medical attention if eye irritation develops and persists.

Take off contaminated clothing and shoes immediately. Wash off contaminated **Skin Contact:** 

skin with soap and plenty of water. Seek medical attention if irritation develops

and persists, if symptoms develop or if you feel unwell.

Remove victim to fresh air and keep at rest in a position comfortable for Inhalation:

> breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a physician or POISON CONTROL CENTER if symptoms develop

or if you feel unwell.

Ingestion: Rinse mouth. Do NOT induce vomiting. Remove dentures if any. If vomiting

> occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a physician or POISON CONTROL CENTER if symptoms develop or if you feel

unwell.

Most Important Symptoms/Effects, Acute and Delayed Potential Acute Health Effects

**Eye Contact:** Symptoms may include stinging, tearing, redness, swelling and blurred vision.

Inhalation: Product may be irritating to respiratory system. Symptoms may include

coughing, sneezing with phlegm production, sore throat, nausea, headache,

vomiting.

**Skin Contact:** Symptoms may include an itching or burning sensation, reddening, swelling and

blistering with tissue necrosis.

Product may be expected to be irritating to mucous membranes. Symptoms may Ingestion:

include cramping, localized pain, headache, nausea and vomiting.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

**Notes to Physician:** Treat symptomatically.

**Specific Treatments:** No specific treatment.

**Protection of First Responders:** No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

Ereztech HF9978 Page 3 of 13 Revision: 1.00

## Section 5. Fire Fighting Measures

General Hazards: None identified.

Suitable Extinguishing Media: Use water spray, sand, dry chemical or carbon dioxide (CO<sub>2</sub>).

Fight larger fires with water spray or alcohol resistant foam.

**Unsuitable Extinguishing Media:** None identified.

Unusual Fire and Explosion
Unopened containers may become pressurized and rupture during a fire. Use water spray to cool unopened containers.

Thermal decomposition can lead to the production of irritating

fumes and organic acid vapors.

**Product of Combustion:** Decomposition products may include carbon oxides  $(CO_X)$  and

hafnium oxide fumes. Irritating fumes and organic acid vapors may be generated during exposure to elevated temperatures

or open flame.

**Protection of Firefighters:** Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in a positive pressure mode.

### Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Remove all ignition sources. Prevent unnecessary and unprotected

personnel from entering. Do not touch or walk through spilled material. Avoid the formation and inhalation of aerosols and

dusts. Provide adequate ventilation. Wear respiratory

protection. Put on appropriate personal protective equipment.

For Emergency Responders: If specialized clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency

Personnel".

**Environmental Precautions:** Do not allow dispersal of spilled material and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

### Section 6. Accidental Release Measures

#### **Methods for Containment**

General: Move containers from spill area if safe to do so. Avoid the

formation and inhalation of dusts and aerosols.

Small Spill: Contain and collect spillage with a dry binding material (e.g.

sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal

contractor.

Large Spill: Approach release from upwind. Prevent entry into sewers,

water courses, basements or confined areas. Contain and collect spillage with a dry binding material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal

contractor. Contaminated absorbent material may pose the

same hazard as the spilled product.

Note: see Section 1 for emergency contact information and

Section 13 for waste disposal.

## Section 7. Handling and Storage

Precautions: Product is air/moisture sensitive; handle under a dry, inert gas.

Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Avoid formation and inhalation of dusts and aerosols. Keep container tightly sealed. Avoid contact with skin, eyes and clothing. Do not ingest. Avoid prolonged

exposure. Ensure adequate ventilation.

Protective Measures: Put on appropriate personal protective equipment (see Section

8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be

hazardous. Do not reuse container.

General Occupational Hygiene: Eating, drinking and smoking should be prohibited in areas

where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective

equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Ereztech HF9978 Page 5 of 13 Revision: 1.00

## Section 7. Handling and Storage

#### Safe Storage Conditions:

Product is air/moisture sensitive; store under an inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Store in original container protected from direct sunlight in a dry and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

## Section 8. Exposure Controls/Personal Protection

#### **Introductory Remarks:**

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

#### **Occupational Exposure Limits:**

List	Components	CAS-No.	Туре	Value
ACGIH	Bis(tert-butoxy)bis(1-methoxy-2-methyl-2-propoxy)hafnium(IV)	413569-97-8	TLV	0.5 mg/m <sup>3</sup> as Hf TWA
NIOSH	Bis(tert-butoxy)bis(1-methoxy-2-methyl-2-propoxy)hafnium(IV)	413569-97-8	REL	0.5 mg/m <sup>3</sup> as Hf TWA
OSHA	Bis(tert-butoxy)bis(1-methoxy-2-methyl-2-propoxy)hafnium(IV)	413569-97-8	PEL	0.5 mg/m <sup>3</sup> as Hf TWA

**Engineering Controls:** 

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.

**Environmental Exposure Controls:** 

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual Protection Measures**

**Hygiene Measures:** 

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts or aerosols. Avoid contact with eyes and skin.

#### Section 8. **Exposure Controls/Personal Protection**

Hygiene Measures (cont.):

Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/Face Protection:** 

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI

Z87.1, or European Standard EN166.

**Skin Protection Hand Protection:** 

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemicalresistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. For full contact, wear Neoprene or nitrile rubber gloves.

**Other Skin Protection:** 

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory Protection:** 

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Ereztech HF9978 Page 7 of 13 Revision: 1.00

## Section 9. Physical and Chemical Properties

Solid. **Physical State:** White. **Color:** 

Odor: No date available. No data available. **Odor Threshold:** No data available. pH: No data available. **Melting Point:** No data available. **Boiling Point:** Flash Point: No data available. No data available. **Auto-ignition temperature:** No data available. Flammability: No data available. **Specific Gravity: Vapor Pressure:** No data available. No data available. Vapor Density: No data available. Water Solubility:

## Section 10. Stability and Reactivity

Reactivity:

**Chemical Stability:** 

**Conditions to Avoid:** 

**Incompatible Materials:** 

**Hazardous Decomposition Products** 

**Possibility of Hazardous Reactions:** 

No specific data available.

This product is stable when stored under a dry, inert atmosphere and away from heat. Nitrogen containing less than 5 ppm each moisture and air is recommended. This product is not sensitive to impact.

Exposure to air/water/moisture.

Air, water/moisture, compounds containing active hydrogen (alcohols, acids) and strong oxidizing agents.

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products formed under fire

conditions: carbon oxides and hafnium oxide fumes. Irritating fumes and organic acid vapors may be generated during exposure to elevated temperatures or

open flame. In the event of a fire: see section 5.

Under normal conditions of storage and use noted above, hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of

storage or use.

## Section 11. Toxicological Information

#### Information on Toxicological Effects

**Acute Toxicity** 

Irritation/Corrosion

**Sensitization** 

Germ Cell Mutagenicity

Carcinogenity

**IARC** 

**ACGIH** 

**NTP** 

**OSHA** 

**Reproductive Toxicity** 

**Teratogenicity** 

Specific Target Organ Toxicity (Single Exposure)

Specific Target Organ Toxicity (Repeat Exposure)
Aspiration Hazard

Information on the Likely Routes of Exposure

**Additional Information** 

: No specific data available.

: No specific data available. Product may cause skin

irritation and serious eye irritation.

: No specific data available.

: No effects known.

: No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

: No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by ACGIH.

: No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by NTP.

: No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by OSHA.

: This product is not expected to cause reproductive or

developmental effects.

: No specific data available.

: Respiratory tract irritation.

: No specific data available.

: No specific data available.

: Common routes of exposure: inhalation (failure to prevent dust formation), dermal (failure to use skin

protection), eye (failure to use safety eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking after handling product

without washing hands or using hand protection).

without washing rianus or using rianu protection).

: To the best of our knowledge, the chemical, physical and toxicological properties of this product have not

to a self-consider properties of this product have

been thoroughly investigated.

## Section 12. Ecological Information

**Numerical Measures of Toxicity** 

**Toxicity to Fish** 

**Toxicity to Daphnia and Other** 

**Aquatic Invertebrates** 

**Toxicity to Algae** 

Persistence and Degradability

**Biodegradability** 

**Bioaccumulative Potential** 

**Mobility in Soil** 

**Other Adverse Effects** 

: No specific data available.

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13. Disposal Considerations

**Waste Treatment Methods** 

**Product** 

**Contaminated Packaging** 

- : Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.
- : Empty containers retain product residue (dusts, vapors and gases) and can be dangerous. Dispose of as unused product.

## Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	Not regulated	Not regulated	Not regulated
UN Proper Shipping Name	-	-	-
Transport Hazard Classes	-	-	-
Packing Group	-	-	-
Environmental Hazards	-	-	-
Additional Information	-	-	-

Special Precautions for User

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transporting in Bulk According** to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

Ereztech HF9978 Page 10 of 13 Revision: 1.00

## Section 15. Regulatory Information

#### TSCA (Toxic Substance Control Act):

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard (Skin corrosion or irritation; Serious eye damage or eye irritation; Specific target organ toxicity, single exposure: respiratory irritation).

#### Massachusetts Right to Know Components

	CAS-No.	Revision Date
Hafnium	7440-58-6	
Pennsylvania Right to Know Components		
	CAS-No.	Revision Date
Hafnium	7440-58-6	
New Jersey Right to Know Components		
	CAS-No.	Revision Date
Hafnium	7440-58-6	

#### California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## Section 16. Other Information

#### National Fire Protection Association (U.S.A.)



Ereztech HF9978 Page 11 of 13 Revision: 1.00

### Section 16. Other Information

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright © 2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### **HMIS Rating**

HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	0

#### **History**

Date of Printing : 9/8/2020.

Date of Issue/Date of Revision : 9/8/2020.

Date of Previous Issue : None.

References : None available

#### **Abbreviations and Acronyms**

ACGIH: American Conference of Governmental Industrial Hygienists.

ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service (division of the American Chemical Society).

DOT: US Department of Transportation.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA).

IDLH: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and Safety (NIOSH)).

IMDG: International Maritime Code for Dangerous Goods.

NFPA: National Fire Protection Association.

NIOSH: National Institute of Occupational Safety and Health.

NTP: National Toxicology Program.

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limits.

**REL**: Recommended Exposure Limits.

SARA: Superfund Amendments and Reauthorization Act.

STOT: Specific Target Organ Toxicity.

### Section 16. Other Information

### Abbreviations and Acronyms (cont.)


TLV: Threshold Limit Values (ACGIH).

TWA: Time Weighted Average. VOC: Volatile Organic Compound.

#### **Disclaimer**

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Ereztech HF9978 Page 13 of 13 Revision: 1.00