



11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: http://ereztech.com

SAFETY DATA SHEET

Section 1. Identification

Product Name: Tris[N-N-bis(trimethylsilyl)amide]lanthanum(III)

Product Type: Solid

CAS Number: 175923-07-6

Product Number: LA3076

Product Manufacturer: Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

Product Information: (888) 658-1221

In case of an emergency: (888) 658-1221 (for spill, leak, fire or exposure)

*** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Hazards Identification

Classification: FLAMMABLE SOLIDS; - Category 2, H228

SUBSTANCE AND MIXTURES, WHICH IN CONTACT WITH WATER,

EMIT FLAMMABLE GASES; - Category 2, H261

SKIN CORROSION/IRRITATION; - Category 1B, H314

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1, H318

GHS label elements

Hazard pictograms:



Signal word: DANGER

Hazard statements: H228: Flammable solid.

H261: In contact with water releases flammable gas. H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

Precautionary statements

Prevention: P210: Keep away from heat/sparks/open flames/hot surfaces. –

No smoking.

Section 2. Hazards Identification

Prevention (cont.): P223: Keep away from any possible contact with water, because of

violent reaction and possible flash fire.

P231 + P232: Handle under inert gas. Protect from moisture.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/handling

equipment.

P260: Do not breathe dust.

P264: Wash skin thoroughly after handling.

P280: Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response: P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting.

P303 + P361 + P353: If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at

rest in a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present. Continue

rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P334 + P335: Brush off loose particles from skin. Immerse in cool

water/wrap in wet bandages.

P363: Wash contaminated clothing before reuse.

P370 + P378: In case of fire: Use alcohol-resistant foam, dry chemical or carbon dioxide for extinction. DO NOT USE WATER.

Storage: P402 + P404: Store in a dry place. Store in a closed container.

P405: Store locked up.

Disposal: P501: Dispose of contents/ container to an approved wasted

disposal plant.

OSHA/HCS status: This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Hazards not otherwise

classified:

Reacts violently with water.

Section 3. Composition/Information on Ingredients

Substances

| Ingredient Name | % | CAS Number |
|--|------|-------------|
| Tris[N-N-bis(trimethylsilyl)amide]lanthanum(III) | ≥ 99 | 175923-07-6 |

Section 3. Composition/Information on Ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice: Move out of dangerous area. Call a physician or POISON CONTROL CENTER

immediately. Show this safety data sheet to the doctor in attendance.

Eye Contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower eyelids. Check for and remove any contact lenses. Continue rinsing. Call

a physician or POISON CONTROL CENTER immediately.

Skin Contact: Take off contaminated clothing and shoes immediately. Wash off contaminated

skin with soap and plenty of water. Get immediate medical attention.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

waistband. Call a POISON CENTER or doctor/physician immediately.

Ingestion: Rinse mouth. Do NOT induce vomiting. Remove dentures if any. If vomiting

occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a

physician or POISON CONTROL CENTER immediately.

Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

Eye Contact: Causes serious eye damage. Symptoms may include watering, redness, pain and

temporary/permanent loss of vision.

Inhalation: Product is extremely corrosive to mucous membranes and tissues of the upper

respiratory tract. Symptoms may include coughing, shortness of breath,

difficulty in breathing, nausea and headaches.

Skin Contact: Skin contact with this product may be expected to cause (severe) chemical

burns. Symptoms may include burning, itching, pain, redness, swelling and

blistering with tissue necrosis.

Ingestion: Ingestion may be expected to result in burns of the mouth and throat and

potential perforation of the esophagus and stomach.

Section 4. First Aid Measures

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician: In case of inhalation of decomposition products in a fire,

symptoms may be delayed. The exposed person may need

to be kept under medical surveillance for 48 hours.

Specific Treatments: No specific treatment.

Protection of First Responders: No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire Fighting Measures

Suitable Extinguishing Media: THE MOST EFFECTIVE FIRE EXTINGUISHING AGENT IS DRY

CHEMICAL POWDER PRESSURIZED WITH NITROGEN. Vermiculite, sand, dry chemical or carbon dioxide (CO₂) may

also be used.

Unsuitable Extinguishing Media: DO NOT USE WATER OR FOAM as product reacts to produce

extremely flammable vapors upon contact with water.

Fire and Explosion Hazards: This material reacts with water and compounds containing

active hydrogen such as alcohols and acids. Do not cut, grind, drill or weld on or near the container (even empty) of this product because an explosion may result. Keep away from

heat, sparks and flame.

Product of Combustion: Carbon oxides (CO_x) , silicone oxide, nitrogen oxides (NO_x) ,

lanthanum oxides.

Protection of Firefighters: Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Avoid breathing dust or

vapors.

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in a positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-emergency Personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas.

Section 6. Accidental Release Measures

For Non-emergency Personnel (cont.):

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid inhalation of vapors, mists or gas. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment.

For Emergency Responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Environmental Precautions:

Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for Containment

Small Spill:

Eliminate all ignition sources. Move containers from spill area. Contain and collect spillage with non-combustible, dry absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Avoid allowing the spilled material to get wet or using water to clean up spillages or residues. Use spark-proof tools and explosion-proof equipment.

Large Spill:

Eliminate all ignition sources. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid allowing the spilled material to get wet or using water to clean up spillages or residues. Use spark-proof tools and explosion-proof equipment. Contain and collect spillage with non-combustible, dry absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and Storage

Precautions: Avoid contact with skin, eyes and clothing. Avoid inhalation of

dusts, vapors and mists. Do not ingest. Provide adequate ventilation. Keep away from sources of ignition – No smoking.

Protective Measures: Protect against electrostatic charges. Use explosion-proof

electrical/ventilating/lighting/handling equipment. Use only non-sparking tools and equipment. Put on appropriate personal protective equipment (see Section 8). Keep in the original container kept tightly closed when not in use. Empty

containers retain product residue and can be hazardous. Do not

reuse container.

General Occupational Hygiene: Eating, drinking and smoking should be prohibited in areas

where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking or smoking. Remove contaminated clothing and protective

equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Safe Storage Conditions: Product is moisture sensitive. Handle and store under an inert

gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep away from air, moisture, heat, sparks and open flames. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials noted above and food and drink. Keep container tightly closed and sealed until ready for

use. Store locked up.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks: These recommendations provide general guidance for handling

this product. Because work environments and material handling practices vary, safety procedures should be developed for each

intended application. While developing safe handling

procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should

be handled in accordance with Section 13.

Occupational Exposure Limits: Product contains no substances with occupational exposure

limit values.

Engineering Controls: Properly operating chemical fume hood designed for hazardous

chemicals and having an average face velocity of at least 100

feet per minute. Provide an eyewash/shower station.

Section 8. Exposure Controls/Personal Protection

Environmental Exposure Controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures

Hygiene Measures:

Avoid all unnecessary exposure. Wash all exposed skin (hands, forearms and face) thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts, vapors or mists. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to mists, vapors or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. For full contact, use Neoprene or nitrile rubber.

 Date of Issue: 6/13/18
 Page 7 of 13
 Revision: 1.00

Section 8. Exposure Controls/Personal Protection

Other Skin Protection: Appropriate footwear and any additional skin protection

measures should be selected based on the task being

performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory Protection: Where risk assessment shows air-purifying respirators are

appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator

cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Physical State: Solid.
Color: White.

Odor: No data available.
Odor Threshold: No data available.
pH: No data available.

Freezing Point: 149-152 °C (300-306 °F).

Boiling Point: No data available.

Flash Point: 2.2 °C (36.0 °F) – closed cup.

Flammability: Highly flammable. Contact with water releases extremely

flammable gases.

Auto-ignition temperature:No data available.Relative Density:No data available.Vapor Pressure:No data available.Vapor Density:No data available.

Water Solubility: Reacts violently with water to produce highly flammable gases.

Evaporation Rate:No data available.Viscosity:No data available.VOC Content:No data available.

VOCs are calculated following the requirements under 40 CFR, Part 59, Subpart C for Consumer Products and Subpart D for Architectural Coatings.

Section 10. Stability and Reactivity

Reactivity: This product reacts violently with water and compounds

containing active hydrogen such as alcohols and acids to produce a highly flammable gas. Auto ignition may occur.

 Date of Issue: 6/13/18
 Page 8 of 13
 Revision: 1.00

Section 10. Stability and Reactivity

Chemical Stability: This product is stable when stored under a dry, inert

atmosphere and away from heat. Nitrogen containing less than 5 ppm each moisture and air is recommended. This

product is not sensitive to impact.

Conditions to Avoid: Keep away from moisture, heat and sources of ignition.

Avoid extremes of temperature and direct sunlight.

Incompatible Materials: Water and compounds containing active hydrogen such as

alcohols and acids. Strong oxidizing agents.

Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous

decomposition products should not be produced. In contact with water, product releases a highly flammable

gas which may ignite spontaneously. Hazardous decomposition products formed under fire conditions: carbon oxides, nitrogen oxides, silicon oxide, and lanthanum oxide fumes. In the event of a fire: see

section 5.

Possibility of Hazardous Reactions: Under normal conditions of storage and use noted above,

hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of storage or use. In contact with water, product releases

extremely flammable gases which may ignite

spontaneously.

Section 11. Toxicological Information

Information on Toxicological Effects

Acute Toxicity : Ingestion will produce a strong corrosive effect on

mouth and throat with the danger of perforation of the

esophagus and stomach.

Irritation/Corrosion : No specific data available. Product causes thermal

and/or chemical burns to the skin, eyes and exposed

mucous membranes.

Sensitization : No specific data available.

Germ Cell Mutagenicity : No specific data available.

Carcinogenity

: No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

ACGIH : No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by ACGIH.

Date of Issue: 6/13/18 Page 9 of 13 Revision: 1.00

Section 11. Toxicological Information

Carcinogenity (cont.)

(repeated exposure)

NTP : No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by NTP.

OSHA : No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by OSHA.

Reproductive Toxicity : This product is not expected to cause reproductive or

developmental effects.

Teratogenicity : No specific data available.

Specific Target Organ Toxicity : Respiratory tract irritation/damage through thermal and

(single exposure) chemical burns.

Specific Target Organ Toxicity: No specific data available.

Aspiration Hazard : No specific data available.

Information on the likely : No specific data available.

routes of exposure

Additional Information : None

Section 12. Ecological Information

Numerical Measures of Toxicity

Toxicity to Fish : No specific data available.

Toxicity to daphnia and other : No specific data available. aquatic invertebrates

Toxicity to algae : No specific data available.

Persistence and Degradability

Biodegradability : No specific data available.

Bioaccumulative potential : No specific data available.

Mobility in soil : No specific data available.

Other Adverse Effects : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13. Disposal Considerations

Waste Treatment Methods

Product : Dispose of in accordance with local, state, and federal regulations.

Date of Issue: 6/13/18 Page 10 of 13 Revision: 1.00

Section 13. Disposal Considerations

Waste Treatment Methods Product (cont.)

Contaminated Packaging

- : Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.
- : Empty containers retain product residue (liquids, vapors and gases) and can be dangerous. DO NOT EXPOSE SUCH CONTAINERS TO MOISTURE, HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Section 14. Transport Information

| | DOT | IMDG | IATA |
|------------------|---------------------------|---------------------------|---------------------------|
| UN Number | UN 3396 | UN 3396 | UN 3396 |
| UN Proper | Organometallic | ORGANOMETALLIC | Organometallic |
| Shipping Name | substance, solid, water- | SUBSTANCE, SOLID, | substance, solid, water- |
| | reactive, flammable | WATER-REACTIVE, | reactive, flammable |
| | (Tris[N-N- | FLAMMABLE (Tris[N-N- | (Tris[N-N- |
| | bis(trimethylsilyl)amide] | bis(trimethylsilyl)amide] | bis(trimethylsilyl)amide] |
| | Lanthanum(III)) | Lanthanum(III)) | Lanthanum(III)) |
| Transport Hazard | 4.3 (4.1) | 4.3 (4.1) | 4.3 (4.1) |
| Classes | | | |
| Packing Group | П | П | H |
| Environmental | - | - | - |
| Hazards | | | |
| Additional | - | EMS-No: F-G, S-N | - |
| Information | | | |

Special Precautions for User

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act):

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard (Flammable), Reactivity Hazard (Water Reactive), Acute Health Hazard (Corrosive, Irritant).

Massachusetts Right to Know Components

No components are subject to Massachusetts Right to Know Act.

Pennsylvania Right to Know Components

No components are subject to Pennsylvania Right to Know Act.

New Jersey Right to Know Components

No components are subject to New Jersey Right to Know Act.

California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Section 16. Other Information

Copyright © 2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating

| HEALTH | 3 |
|-----------------|---|
| FLAMMABILITY | 3 |
| PHYSICAL HAZARD | 2 |

History

Date of printing : 6/13/18

Date of issue/Date of Revision : 6/13/18

Date of previous issue : None.

References : None available.

Abbreviations and Acronyms

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DOT: US Department of Transportation

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

HMIS: Hazardous Materials Identification System IARC: International Agency For Research on Cancer

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

IMDG: International Maritime Code for Dangerous Goods

NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration SARA: Superfund Amendments and Reauthorization Act

VOC: Volatile Organic Compound

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.