

11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

# SAFETY DATA SHEET

### Section 1. Identification

Bis(cyclopentadienyl)molybdenum dihydride **Product Name:** 

Liquid **Product Type: CAS Number:** 1291-40-3 **Product Number:** MO1403

**Product Manufacturer:** Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

**Product Information:** (888) 658-1221

In Case of an Emergency: CHEMTREC: 1-800-424-9300 (USA);

> +1 703-527-3887 (International); CCN836180 \*\*\* Contact manufacturer for all non-emergency calls.

### Section 2. Hazards Identification

Appearance/Odor: Yellow to green liquid, odor not determined.

SKIN CORROSION/IRRITATION - Category 2, H315 Classification:

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A, H319 SPECIFIC ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY

TRACT IRRITATION - Category 3, H335

**GHS Label Elements** 

**Signal Word:** DANGER

H315: Causes skin irritation. **Hazard Statements:** 

> H319: Causes serious eye irritation. H335: May cause respiratory irritation.

**Hazard Pictograms:** 



**Precautionary Statements** 

**Prevention:** P261: Avoid breathing sprays, mists, vapors and gases.

P264 + P265: Wash hands and skin thoroughly after handling. Do

not touch eyes.

P271: Use only outdoors or with adequate ventilation.

### Section 2. Hazards Identification

**Prevention (cont.):** P280: Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response: P302 + P352: IF ON SKIN: Wash with plenty of water.

P304 + P340: IF INHALED: Remove victim to fresh air and keep

comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P319: Get medical help if you feel unwell.

P332 + P317: If skin irritation occurs: Get medical help. P337 + P317: If eye irritation persists: Get medical help.

P362 + P364: Take off contaminated clothing and wash it before

reuse.

Storage: P403 + P233: Store in a well ventilated place. Keep container

tightly closed.

P405: Store locked up.

**Disposal:** P501: Dispose of contents/container in accordance with national,

federal, state and local regulations.

Product may be harmful if inhaled.

OSHA/HCS status: This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Hazards Not Otherwise Classified (HNOC):

## Section 3. Composition/Information on Ingredients

Synonyms :: Molybdocene dihydride; Bis(η5-

cyclopentadienyl)molybdenum(IV) hydride; Molybdenum bis(.eta.5-2,3-cyclopentadien-1-yl)dihydro-; (η5-Cp)2MoH2;

Molybdenum, bis(η5-2,4-cyclopentadien-1-yl)dihydro-.

Molecular Formula: C10H12M0Molecular Weight: 312.30 g/mol

Ingredient Name	%	<b>CAS Number</b>
Bis(cyclopentadienyl)molybdenum dihydride	> 97.5	1291-40-3

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First Aid Measures

#### **Description of Necessary First Aid Measures**

**General Advice:** Move out of dangerous area. Get medical help if symptoms develop and persist

or if you feel unwell. Show this safety data sheet to the doctor in attendance.

**Eye Contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower eyelids. Check for and remove any contact lenses. Continue rinsing. Get

medical help if eye irritation develops and persists.

**Skin Contact:** Wash off contaminated skin with plenty of water. Get medical help if irritation

develops and persists or if burns occur.

**Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical help immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical help if symptoms develop and persist or if you feel

unwell.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Remove dentures if any. If vomiting

occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Get

medical help if symptoms develop and persist or if you feel unwell.

Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

**Eye Contact:** Symptoms may include stinging, tearing, redness, swelling and blurred vision.

**Inhalation:** Product may be irritating to respiratory system. Symptoms may include

coughing, sore throat, nausea, headache, vomiting.

**Skin Contact:** Symptoms may include burning sensation, itching, reddening and swelling of

exposed skin.

**Ingestion:** Product may be irritating to mucous membranes. Symptoms may include

cramping, localized pain, headache, nausea and vomiting.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician: Treat symptomatically.

**Specific Treatments:** No specific treatment.

**Protection of First Responders:** No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

**See Toxicological Information (Section 11)** 

### Section 5. Fire Fighting Measures

General Hazards: None identified.

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide. Water spray may be used to cool sealed

containers.

Unsuitable Extinguishing Media:

Unusual Fire and Explosion Hazards:

None identified.

None identified.

**Product of Combustion:** 

Decomposition products include carbon oxides  $(CO_X)$  and molybdenum oxides. Irritating fumes and organic acid vapors may be generated during exposure to elevated temperatures

or open flame.

**Protection of Firefighters:** Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Avoid the formation and

inhalation of mists, sprays, vapors and gases.

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in a positive pressure mode.

### Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep

unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid the formation and inhalation of mists, sprays, vapors or gases. Provide adequate ventilation. Wear respiratory protection. Put on

appropriate personal protective equipment.

For Emergency Responders: If specialized clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency

Personnel".

**Environmental Precautions:** Do not allow dispersal of spilled material and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Ereztech MO1403 Page 4 of 13 Revision: 1.00

### Section 6. Accidental Release Measures

#### Methods for Containment

General: Move containers from spill area if safe to do so. Dispose of

collected spillage in accordance with national, federal, state and local regulations. Contaminated absorbent material may

pose the same hazard as the spilled product.

Small Spill: Collect spillage with an inert, absorbent material (e.g. sand,

earth, vermiculite or diatomaceous earth) and place in sealed

container for disposal.

Large Spill: Approach release from upwind. Prevent entry into sewers,

water courses, basements or confined areas. Contain and collect spillage with an inert, absorbent material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry,

sealed container for disposal.

Note: see Section 1 for emergency contact information and

Section 13 for waste disposal.

### Section 7. Handling and Storage

Precautions: Product is air sensitive; handle under a dry, inert gas. Nitrogen

with less than 5 ppm each of moisture and oxygen is

recommended. Keep container tightly sealed. Avoid contact with skin, eyes and clothing. Avoid the formation and

inhalation of sprays, mists, vapors and gases. Do not ingest.

Avoid prolonged exposure. Ensure adequate ventilation.

Protective Measures: Put on appropriate personal protective equipment (see Section

8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be

hazardous. Do not reuse container.

General Occupational Hygiene: Eating, drinking and smoking should be prohibited in areas

where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective

equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

**Safe Storage Conditions:** Product is air sensitive; store under an inert gas. Nitrogen with

less than 5 ppm each of moisture and oxygen is recommended. Store in original container protected from direct sunlight in a dry and well-ventilated area, away from incompatible materials noted above and food and drink. Keep container tightly closed

and sealed until ready for use. Store locked up.

### Section 8. Exposure Controls/Personal Protection

Introductory Remarks: These recommendations provide general guidance for handling

this product. Because work environments and material handling practices vary, safety procedures should be developed for each

intended application. While developing safe handling

procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should

be handled in accordance with Section 13.

Occupational Exposure Limits: Product contains no substances with occupational exposure

limit values.

**Engineering Controls:** Properly operating chemical fume hood designed for hazardous

chemicals and having an average face velocity of at least 100

feet per minute. Provide an eyewash/shower station.

**Environmental Exposure Controls:** Emissions from ventilation or work process equipment should

be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable

levels.

**Individual Protection Measures** 

**Hygiene Measures:** 

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Avoid the inhalation of sprays, mists, vapors and gases. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/Face Protection:** Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

**Skin Protection** 

Hand Protection: Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling

chemical products if a risk assessment indicates this is

necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still

retaining their protective properties.

#### **Exposure Controls/Personal Protection** Section 8.

Hand Protection (cont.):

It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. For full contact, use

Neoprene or nitrile rubber.

Other Skin Protection: Appropriate footwear and any additional skin protection

> measures should be selected based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

**Respiratory Protection:** 

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Section 9. Physical and Chemical Properties

Liquid. **Physical State:** 

Color: Yellow to green. No data available. Odor: No data available. **Odor Threshold:** No data available. pH: No data available. **Melting Point:** No data available. **Boiling Point:** Flash Point: No data available. No data available. **Auto-ignition temperature:** No data available. **Specific Gravity:** No data available. **Vapor Pressure:** 

Ereztech MO1403 Page 7 of 13 Revision: 1.00

### Section 9. Physical and Chemical Properties

Vapor Density:No data available.Water Solubility:No data available.Evaporation Rate:No data available.Viscosity:No data available.

### Section 10. Stability and Reactivity

Reactivity: Air sensitive.

Chemical Stability: This product is stable when stored under a dry, inert

atmosphere and away from heat. Nitrogen containing less

than 5 ppm each moisture and air is recommended.

Exposure to air, extremes of temperature and direct

sunlight.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous

decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: irritating fumes, organic acid vapors, carbon oxides  $(CO_X)$  and molybdenum oxide fumes. In the event of a fire: see section 5. Hazardous decomposition

products formed under fire conditions:

Possibility of Hazardous Reactions: Under normal conditions of storage and use noted above,

hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of

storage or use.

### Section 11. Toxicological Information

#### <u>Information on Toxicological Effects</u>

**Acute Toxicity** : No specific data available.

Irritation/Corrosion : Product may cause skin irritation and serious eye

irritation.

**Sensitization** : No specific data available.

Germ Cell Mutagenicity : No effects known.

**Carcinogenity** 

**Conditions to Avoid:** 

: No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

### Section 11. Toxicological Information

Carcin	nogei	nity (	(cont.)
		_	

**ACGIH** 

**NTP** 

**OSHA** 

**Reproductive Toxicity** 

**Teratogenicity** 

**Specific Target Organ Toxicity** (Single Exposure)

Specific Target Organ Toxicity (Repeated Exposure)

**Aspiration Hazard** 

Information on the Likely **Routes of Exposure** 

**Additional Information** 

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.

: This product is not expected to cause reproductive or developmental effects.

: No specific data available. : Respiratory tract irritation.

: No specific data available.

No specific data available.

: Common routes of exposure: inhalation, dermal (failure to use skin protection), eye (failure to use safety eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking or eating after handling product without washing hands or using hand protection).

: To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

#### Section 12. **Ecological Information**

**Numerical Measures of Toxicity** 

**Toxicity to Fish** 

**Toxicity to Daphnia and Other** 

**Aquatic Invertebrates** 

Persistence and Degradability

**Biodegradability** 

**Toxicity to Algae** 

**Bioaccumulative Potential** 

**Mobility in Soil** 

: No specific data available.

Ereztech MO1403 Page 9 of 13 Revision: 1.00

### Section 12. Ecological Information

**Other Adverse Effects** 

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### Section 13. Disposal Considerations

**Waste Treatment Methods** 

**Product** Dispose of in accordance with local, state, and federal

regulations. Refer to 40 CFR 260-299 for complete waste

disposal regulations. Consult your local, state, or federal agency

before disposing of any chemicals.

**Contaminated Packaging** Empty containers retain product residue (liquid and/or vapor)

and can be dangerous. Dispose of as unused product.

### Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	Not regulated.	Not regulated.	Not regulated.
UN Proper Shipping Name		-	-
Transport Hazard Classes			-
Packing Group			
Environmental Hazards	- / - / -		
Additional Information			

**Special Precautions for User** 

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

### Section 15. Regulatory Information

#### TSCA (Toxic Substance Control Act):

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### Section 15. Regulatory Information

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard (Skin Corrosion or Irritation; Serious eye damage or eye irritation; Specific target organ toxicity, single exposure: respiratory tract irritation).

#### Massachusetts Right to Know Components

No components are subject to Massachusetts Right to Know Act.

#### Pennsylvania Right to Know Components


No components are subject to Pennsylvania Right to Know Act.

#### **New Jersey Right to Know Components**

No components are subject to New Jersey Right to Know Act.

#### **California Proposition 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright © 1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety. Copyright © 2001, National Fire Protection Association, Quincy, MA 02269.

This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Ereztech MO1403 Page 11 of 13 Revision: 1.00

### Section 16. Other Information

#### **HMIS Rating**



#### **History**

Date of Issue/Date of Revision : 10/17/2023

Date of Previous Issue : None.

**References** : None available.

#### **Abbreviations and Acronyms**

ACGIH: American Conference of Governmental Industrial Hygienists.

ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling and Packaging (European Union (EU)).

DOT: US Department of Transportation.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System.

HNOC: Hazards Not Otherwise Classified.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA).

IDLH: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and Safety (NIOSH)).

IMDG: International Maritime Code for Dangerous Goods.

NFPA: National Fire Protection Association.

NIOSH: National Institute of Occupational Safety and Health.

NTP: National Toxicology Program.

OECD: Organization for Economic Co-Operation and Development.

OEL: Occupational Exposure Limit.

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limits.

**REL**: Recommended Exposure Limits.

SARA: Superfund Amendments and Reauthorization Act.

STEL (ST): Short Term Exposure Limit (ACGIH/NIOSH)

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limit Values (ACGIH).

TWA: Time Weighted Average. VOC: Volatile Organic Compound.

Ereztech MO1403 Page 12 of 13 Revision: 1.00

### Section 16. Other Information

#### **Disclaimer**

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

