

11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

SAFETY DATA SHEET

Section 1. Identification

Product Name: Cycloheptatriene molybdenum tricarbonyl

Product Type: Solid

CAS Number: 12125-77-8
Product Number: MO5778

Recommended Use: Laboratory chemicals, synthesis of substances.

Uses Advised Against: This product is being supplied under the TSCA R&D Exemption (40

CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless

appropriate consent is granted in writing by Ereztech LLC.

Product Manufacturer: Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

Product Information: (888) 658-1221

In Case of an Emergency: CHEMTREC: 1-800-424-9300 (USA);

+1 703-527-3887 (International); CCN836180
*** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Appearance/Odor: Orange to red powder or crystals, odor not determined.

Classification: ACUTE TOXICITY, ORAL – Category 4, H302

ACUTE TOXICITY, DERMAL – Category 4, H312 SKIN CORROSION/IRRITATION – Category 2, H315

SERIOUS EYE DAMAGE/EYE IRRITATION – Category 2A, H319

ACUTE TOXICITY, INHALATION - Category 4, H332

SPECIFIC ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY

TRACT IRRITATION – Category 3, H335

GHS Label Elements
Hazard Pictograms:



Section 2. Hazards Identification

Signal Word: WARNING

Hazard Statements: H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

Precautionary Statements

Prevention: P261: Avoid breathing dusts, aerosols, vapors and gases.

P264 + P265: Wash hands and exposed skin thoroughly after

handling. Do not touch eyes.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or with adequate ventilation.

P280: Wear protective gloves/protective clothing/eye protection/

face protection/hearing protection.

P301 + P317: IF SWALLOWED: Get medical help. Response:

P302 + P352: IF ON SKIN: Wash with plenty of water.

P304 + P340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P317: Get medical help.

P319: Get medical help if you feel unwell.

P330: Rinse mouth.

P332 + P317: If skin irritation occurs: Get medical help.

P337 + P317: If eye irritation persists: Get medical help.

P362 + P364: Take off contaminated clothing and wash it before

reuse.

P403 + P233: Store in a well ventilated place. Keep container Storage:

tightly closed.

P405: Store locked up.

P501: Dispose of contents/container in accordance with federal, **Disposal:**

state and local regulations.

This material is considered hazardous by the OSHA Hazard OSHA/HCS status:

Communication Standard (29 CFR 1910.1200).

None identified. **Hazards Not Otherwise**

Classified (HNOC):

Section 3. Composition/Information on Ingredients

Substance Type: Mono-constituent.

Ereztech MO5778 Page 2 of 15 Revision: 1.00

Section 3. Composition/Information on Ingredients

Synonyms: Tricarbonyl(cycloheptatriene)molybdenum(0);

Molybdenum, tricarbonyl[(1,2,3,4,5,6-eta)-1,3,5-

cycloheptatriene]-; Tricarbonyl(eta-1,3,5-

cycloheptatriene)molybdenum.

Molecular Formula: $C_{10}H_8MoO_3$ Molecular Weight:272.11 g/mol.EC No.:235-197-4

Component Name	%	CAS Number
Cycloheptatriene molybdenum tricarbonyl	≥ 99	12125-77-8

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice: Move out of dangerous area. Get medical help. Show this safety data sheet to

the doctor in attendance. If unconscious, place in recovery position and get medical help immediately. Maintain an open airway. Loosen tight clothing such

as a collar, tie, belt or waistband.

Eye Contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower eyelids. Check for and remove any contact lenses if easy to do. Continue rinsing. Get medical help if irritation develops and persists, if symptoms develop

or if you feel unwell.

Skin Contact: Take off contaminated clothing and shoes immediately. Wash off contaminated

skin with plenty of water. Get medical help.

Inhalation: Get medical help. Rescuer should wear a mask or self-contained breathing

apparatus if it is suspected that dusts, aerosols or gases are still present.

Remove person to fresh air and keep comfortable for breathing. If not

breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Do not use the mouth-to-mouth method of resuscitation if victim ingested or inhaled the product; give artificial respiration with the aid of a pocket mask equipped with a one-way valve

or other proper respiratory medical devices.

Ingestion: Get medical help. Rinse mouth, and then give water to drink (two glasses at

most). Do NOT induce vomiting. Remove dentures if any. If vomiting occurs, the

head should be kept low so that vomit does not enter the lungs. Never give

anything by mouth to an unconscious person.

Section 4. First Aid Measures

Ingestion (cont.): If person is not breathing, if breathing is irregular or if respiratory arrest

occurs, see the "Inhalation" first aid measures noted above.

Most Important Symptoms/Effects, Acute and Delayed Potential Acute Health Effects

Symptoms may include stinging, tearing, redness, swelling and blurred vision. **Eye Contact:**

Skin Contact: Symptoms may include reddening of skin, a burning or itching sensation and

pain. Extended exposure may be expected to produce symptoms similar to

those associated with inhalation of the product.

Symptoms may include a burning sensation, coughing, wheezing, shortness of Inhalation:

> breath/ difficulty in breathing (dyspnea), chest pain or tightness, blueness (cyanosis) of lips and skin, nausea, headaches, disorientation, general

weakness and loss of consciousness.

Initial symptoms may include headache, dizziness, nausea and recurrent Ingestion:

vomiting (emesis). Delay symptoms associated with the absorption of the

product into the blood stream from the digestive system may include

shortness of breath/ difficulty in breathing (dyspnea), chest pain or tightness, blueness (cyanosis) of lips and skin, nausea, headaches, disorientation,

general weakness and loss of consciousness.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Treat symptomatically. **Notes to Physician:** No specific treatment. **Specific Treatments:**

Protection of First Responders: No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person

providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

Section 5. Fire Fighting Measures

None identified. **General Hazards:**

Suitable Extinguishing Media: Use extinguishing measures and media that are appropriate to

the local circumstances and the surrounding environment.

Unsuitable Extinguishing Media: For this substance/mixture no limitations of extinguishing

agents are given.

Unusual Fire and Fire conditions may produce irritating, toxic and highly

flammable gases (carbon monoxide). **Explosion Hazards:**

Product of Combustion: Decomposition products include carbon oxides (CO_x) and

> molybdenum oxide fumes. Irritating/toxic fumes and organic acid vapors may be generated during exposure to elevated

temperatures or open flame.

Section 5. Fire Fighting Measures

Protection of Firefighters:

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Avoid the formation and inhalation of dusts, aerosols, vapors and gases.

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep

unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid the formation and inhalation of dusts, aerosols, vapors and gases. Provide adequate ventilation or wear respiratory protection. Put on

appropriate personal protective equipment.

For Emergency Responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency"

Personnel".

Environmental Precautions: Prevent spilled material and firefighting runoff from entering

the surrounding environment (soil contact, entry into drains, sewers and waterways). Inform the relevant authorities if the

product has caused environmental pollution (sewers,

waterways, soil or air).

Methods for Containment

General: Move containers from spill area if safe to do so. Avoid the

formation and inhalation of dusts, aerosols, vapors and gases. Dispose of collected spillage in accordance with federal, state and local regulations. Contaminated binding material may pose

the same hazard as the spilled product.

Small Spill: Collect spillage with a dry, binding material (e.g. dry sand,

vermiculite or diatomaceous earth) and place in dry, sealed

container for disposal.

Large Spill: Approach release from upwind. Prevent entry into sewers,

water courses, basements or confined areas.

Section 6. Accidental Release Measures

Large Spill (cont.):

Contain and collect spillage with a dry, binding material (e.g. dry sand, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal.

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and Storage

Precautions:

Product is air sensitive; handle under a dry, inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep container tightly sealed. Avoid contact with skin, eyes and clothing. Avoid the formation and inhalation of dusts, aerosols, vapors and gases. Do not ingest. Avoid prolonged exposure. Ensure adequate ventilation.

Protective Measures:

Put on appropriate personal protective equipment (see Section 8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

General Occupational Hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Safe Storage Conditions:

Product is air sensitive; store under an inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

Revision: 1.00 Ereztech MO5778 Page 6 of 15

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits

Components	CAS-No.	List	Type	Value
Cycloheptatriene molybdenum tricarbonyl	12125-77-8	ACGIH	TLV	10 mg/m ³ Mo TWA (inhalable particulate matter) 3 mg/m ³ Mo TWA (respirable particulate matter)
		CA Title 8	Article 107	10 mg/m ³ Mo TWA (inhalable particulate matter) 3 mg/m ³ Mo TWA (respirable particulate matter)
		NIOSH	REL	5000 mg/m³ Mo IDLH
		OSHA	PEL	15 mg/m³ Mo TWA (total dust)

Engineering Controls:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.

Environmental Exposure Controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures

Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts/aerosols/vapors/gases. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to dusts and aerosols. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Section 8. Exposure Controls/Personal Protection

Skin Protection

Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. For full contact, use Neoprene or nitrile

rubber.

Other Skin Protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Physical State: Solid (powder or crystals).

Orange to red. Color: No data available. Odor: **Odor Threshold:** No data available. No data available. pH:

150 - 170 °C (212 - 213.8 °F). **Melting Point:**

Boiling Point: No data available.

Ereztech MO5778 Page 8 of 15 Revision: 1.00

Section 9. Physical and Chemical Properties

Flash Point: No data available. No data available. **Auto-ignition temperature:**

 1.81 g/cm^3 . **Density:**

No data available. **Vapor Pressure:** No data available. Vapor Density:

Insoluble. Water Solubility:

Evaporation Rate: Not applicable. **Viscosity:** Not applicable.

Section 10. Stability and Reactivity

Reactivity: Based on available information, no reactivity hazards have been identified for this product.

This product is stable when stored under a dry, inert Chemical Stability: atmosphere and away from heat. Nitrogen containing less

than 5 ppm each moisture and air is recommended.

Conditions to Avoid: Exposure to air, extremes of temperature, direct sunlight and incompatible products.

Incompatible Materials: Strong oxidizing agents.

Hazardous decomposition products formed under fire **Hazardous Decomposition Products:**

conditions: carbon oxides (CO_X) and molybdenum oxide fumes. Irritating fumes and organic acid vapors may be generated during exposure to elevated temperatures or

open flame. In the event of a fire: see Section 5.

Under normal conditions of storage and use noted above, **Possibility of Hazardous Reactions:**

> hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of

storage or use.

Section 11. Toxicological Information

Information on Toxicological Effects

No specific data available. Product is harmful if **Acute Toxicity:**

swallowed, inhaled and in contact with skin.

Irritation/Corrosion: Product may cause skin irritation, eye irritation and

respiratory irritation if inhaled.

Sensitization: No specific data available.

Germ Cell Mutagenicity: No specific data available.

Section 11. Toxicological Information

Carcinogenicity

Component	CAS No	ACGIH	IARC	NTP	OSHA
Cycloheptatriene molybdenum tricarbonyl	12125-77-8	A3 (Animal carcinogen)	Not listed	Not listed	Not listed

No specific data available.

Reproductive Toxicity: No specific data available. Teratogenicity: No specific data available. Specific Target Organ Toxicity: Respiratory tract irritation.

(Single Exposure)

Specific Target Organ Toxicity:

(Repeated Exposure)

No specific data available. **Aspiration Hazard:**

Information on the Likely Common routes of exposure: inhalation, dermal (failure

Routes of Exposure: to use skin protection), eye (failure to use safety

> eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking or eating after handling product without washing hands or using

hand protection).

Additional Information: Product may cause adverse effects on the bone marrow

and blood forming systems of body.

To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been

thoroughly investigated.

Section 12. Ecological Information

Ecotoxicity: The impact of this product on the environment has not

been tested.

No specific data available. **Numerical Measures of Toxicity:**

Persistence and Degradability

Biodegradability: No specific data available. **Bioaccumulative Potential:** No specific data available. No specific data available. **Mobility in Soil:**

Results of PBT and vPvB Assessment: PBT/vPvB assessment not available as chemical safety

assessment not required/not conducted.

Endocrine Disrupting Properties: No specific data available.

Other Adverse Effects: An environmental hazard cannot be excluded in the event

of unprofessional handling or disposal.

Page 10 of 15 Revision: 1.00 Ereztech MO5778

Section 13. Disposal Considerations

Waste Treatment Methods

Dispose of in accordance with local, state, and federal **Product:**

regulations. Refer to 40 CFR 260-299 for complete waste

disposal regulations. Consult your local, state, or federal agency

before disposing of any chemicals.

Empty containers retain product residue (liquid and/or vapor) and **Contaminated Packaging:**

can be dangerous. Dispose of as unused product.

Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	UN3466	UN3466	UN3466
UN Proper Shipping Name	Metal carbonyls, solid, n.o.s. (Cycloheptatriene molybdenum tricarbonyl)	METAL CARBONYLS, SOLID, N.O.S. (Cycloheptatriene molybdenum tricarbonyl)	Metal carbonyls, solid, n.o.s. (Cycloheptatriene molybdenum tricarbonyl)
Transport Hazard Classes	6.1	6.1	6.1
Packing Group	III	III	HI
Environmental Hazards			
Additional Information		F-A, S-A	

Special Precautions for User:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory Information

Toxic Substance Control Act (TSCA)

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

This product as supplied is not subject to the TSCA Significant New Use Rule.

This product as supplied is not subject to TSCA 12(b) export notification requirements.

SARA 302 Components

This product does not contain any components which are subject to the reporting requirements of SARA Title III, Section 302 EHS TPQ.

Section 15. Regulatory Information

SARA 304 Components

This product does not contain any components which are subject to the reporting requirements of SARA Title III. Section 304 RQ.

SARA 311/312 Hazards

Acute Health Hazard (Acute Toxicity (Oral, Dermal, Inhalation); Skin Corrosion or Irritation; Serious eye damage or eye irritation; Specific target organ toxicity, single exposure: respiratory tract irritation).

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Water Act

Not applicable.

Clean Air Act

Not applicable.

CERCLA Reportable Quantity

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US Department of Homeland Security (DHS)

This product does not contain any DHS chemicals.

US Department of Transportation (DOT)

Component R I D G I N G C	Reportable	DOT Marine	DOT Severe
	Quantity	Pollutant	Marine Pollutant
Cycloheptatriene molybdenum tricarbonyl	No	No	No

US State Right-to-Know Listings

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Cycloheptatriene molybdenum	-	-	-	-	-
tricarbonyl					

[&]quot;X" - Listed.

US State Chemicals of High Concern Listings

Component	Maine	Vermont	Washington
Cycloheptatriene molybdenum tricarbonyl	-	-	-

[&]quot;X" - Listed.

California Proposition 65 Components

This product does not contain any Proposition 65 chemicals.

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright © 2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating

HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	0

History

Date of Issue/Date of Revision: 5/31/2025.

Date of Previous Issue: 10/3/2023.

References: None available.

Abbreviations and Acronyms

ACGIH : American Conference of Governmental Industrial Hygienists.

AIHA : American Industrial Hygiene Association.

ATE : Acute Toxicity Estimate (per Chapter 3.1 of GHS 10 standard).

BEI : Biological Exposure Indices (ACGIH).

CAS : Chemical Abstracts Service (division of the American Chemical Society).

CHRIS : Chemical Hazards Response Information System (US DOT).

CLP : Classification, Labeling and Packaging (European Union (EU)).

DOT : US Department of Transportation.

EC-No. : The EC Inventory (EINECS, ELINCS and the NLP-list is the source of the seven digit

EC number, an identifier of substances commercially available with the EU (European

Union).

Section 16. Other Information

Abbreviations and Acronyms (cont.)

EINECS : European Inventory of Existing Commercial Chemical Substances.

EHS : Extremely Hazardous Substance.

ELINCS : European List of Notified Chemical Substances.

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

HAP : Hazardous Air Pollutants (Clean Air Act).HMIS : Hazardous Materials Identification System.

HNOC : Hazards Not Otherwise Classified.

IARC : International Agency for Research on Cancer.

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulations by the "International Air Transport Association"

(IATA).

IDLH : Immediately Dangerous to Life or Health (US National Institute for Occupation Health

and Safety (NIOSH)).

IMDG : International Maritime Code for Dangerous Goods.

IP : Intraperitoneal.
IV : Intravenous.

NFPA : National Fire Protection Association.

NIOSH : National Institute of Occupational Safety and Health.

NSRL : No Significant Risk Levels.
NTP : National Toxicology Program.

ODS : Ozone Depleting Substances (US Clean Air Act).

OECD : Organization for Economic Co-Operation and Development.

OEL : Occupational Exposure Limit.

OSHA: Occupational Safety and Health Administration.

PBT : Persistent Bioaccumulative and Toxic.

PEL : Permissible Exposure Limits.
REL : Recommended Exposure Limits.

RQ : Reportable Quantity.

SARA : Superfund Amendments and Reauthorization Act.

STEL (ST) : Short Term Exposure Limit (ACGIH/NIOSH)

STOT : Specific Target Organ Toxicity.
TLV : Threshold Limit Values (ACGIH).
TPQ : Threshold Planning Quantity.
TWA : Time Weighted Average.
VOC : Volatile Organic Compound.

vPvB : Very Persistent and Very Bioaccumulative.

WEEL: Workplace Environmental Exposure Level (AIHA).

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Section 16. Other Information

Disclaimer (cont.)

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



<u>Ereztech MO5778</u>

Page 15 of 15

Revision: 1.00