



11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

SAFETY DATA SHEET

Section 1. Identification

Product Name: <u>Methylcyclopentadienylmolybdenum tricarbonyl dimer</u>

Product Type: Solid

CAS Number: 33056-03-0
Product Number: MO6030

Recommended Use: Laboratory chemicals, synthesis of substances.

Product Manufacturer: Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

Product Information: (888) 658-1221

In Case of an Emergency: CHEMTREC: 1-800-424-9300 (USA);

+1 703-527-3887 (International); CCN836180
*** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Appearance/Odor: Burgundy crystalline powder, odor not determined.

Classification: ACUTE TOXICITY, ORAL - Category 4, H302
ACUTE TOXICITY, DERMAL - Category 4, H312

ACUTE TOXICITY, INHALATION - Category 4, H332

GHS label elements

Hazard Pictograms:



Signal Word: WARNING

Hazard Statements: H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H332: Harmful if inhaled.

Precautionary Statements

Prevention: P261: Avoid breathing dusts, aerosols, vapors or gases.

P264: Wash hands and skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

Section 2. Hazards Identification

Prevention (cont.): P280: Wear protective gloves/ protective clothing/ eye protection/

face protection.

P301 + P330 + P331: IF SWALLOWED: Get medical help. Response:

P302 + P352: IF ON SKIN: Wash with plenty of water.

P304 + P340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P317: Get medical help. P330: Rinse mouth.

P362 + P364: Take off contaminated clothing and wash it before

reuse.

No applicable statements. Storage:

P501: Dispose of contents/ container in accordance with local, Disposal:

state and federal regulations.

OSHA/HCS status: This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Hazards Not Otherwise Classified [HNOC]:

None identified.

Section 3. Composition/Information on Ingredients

: Carbon monoxide methylcyclopentane **Synonyms**

molybdeniomolybdenum.

Formula $: C_{18}H_6O_6Mo_2$ **Molecular Weight** : 518.18 g/mol

Ingredient Name	%	CAS Number
Methylcyclopentadienylmolybdenum tricarbonyl dimer	≥ 97	33056-03-0

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

General Advice: Move out of dangerous area. Get medical help. Show this safety data sheet to

> the doctor in attendance. If unconscious, place in recovery position and get medical help immediately. Maintain an open airway. Loosen tight clothing such

as a collar, tie, belt or waistband.

Immediately flush eyes with plenty of water, occasionally lifting the upper and **Eye Contact:**

> lower eyelids. Check for and remove any contact lenses after initial rinse period and continue rinsing for an additional 15 minutes. Keep eyes wide open during

rinsing process. If eye irritation develops and persists, get medical help.

Section 4. First Aid Measures

Skin Contact: Remove all contaminated clothing and shoes. Wash off contaminated skin with

plenty of water. In the event of complaints or symptoms, avoid further

exposure. Get medical help.

Inhalation: Remove person to fresh air and keep comfortable for breathing. Rescuer should

wear a mask or self-contained breathing apparatus if it is suspected that dusts, aerosols or fumes are still present. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-

mouth resuscitation. Get medical help.

Ingestion: Do NOT induce vomiting. Rinse mouth. Remove dentures if any. If vomiting

occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Get medical help.

Most Important Symptoms/Effects, Acute and Delayed Potential Acute Health Effects

Eye Contact: Product may cause eye irritation. Symptoms may include watering, redness and

blurred vison.

Inhalation: Product is harmful if inhaled and may cause respiratory tract irritation.

Symptoms may include a burning sensation, coughing, wheezing, laryngitis, shortness of breath/ difficulty in breathing (dyspnea), blueness (cyanosis) of lips and skin, nausea, headaches, disorientation, general weakness and loss of

consciousness.

Skin Contact: Product is harmful in contact with the skin and may cause skin irritation.

Symptoms may include reddening of skin, a burning or itching sensation,

shortness of breath/ difficulty in breathing (dyspnea), blueness (cyanosis) of lips

and skin, nausea, headaches, disorientation, general weakness and loss of

consciousness.

Ingestion: Product is harmful if ingested. Symptoms may include shortness of breath/

difficulty in breathing (dyspnea), blueness (cyanosis) of lips and skin, nausea,

headaches, disorientation, general weakness and loss of consciousness.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician: Treat symptomatically.

Specific Treatments: No specific treatment.

Protection of First Responders: No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

Section 5. Fire Fighting Measures

General Hazards: None identified.

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable Extinguishing Media: None identified.

Unusual Fire and Explosion Hazards: None identified.

Product of Combustion: Products of combustion include carbon monoxide, carbon

dioxide and molybdenum oxide fumes.

Protection of Firefighters: Promptly isolate the scene by removing all persons from the

> vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in a positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep

unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid the formation

and inhalation of dusts and aerosols. Provide adequate

ventilation. Wear respiratory protection. Put on appropriate

personal protective equipment.

If specialized clothing is required to deal with the spillage, take For Emergency Responders:

> note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency

Personnel".

Environmental Precautions: Do not allow dispersal of spilled material and contact with soil,

> waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Methods for Containment

Move containers from spill area if safe to do so. Dispose of General:

> collected spillage in accordance with national, federal, state and local regulations. Contaminated absorbent material may

pose the same hazard as the spilled product.

Section 6. Accidental Release Measures

Collect spillage with a dry binding material (e.g. sand, earth, **Small Spill:**

vermiculite or diatomaceous earth) and place in sealed

container for disposal (see Section 13).

Large Spill: Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and

collect spillage with a dry binding material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in sealed

container for disposal (see Section 13).

Note: see Section 1 for emergency contact information and

Section 13 for waste disposal.

Section 7. Handling and Storage

Avoid formation and inhalation of dusts and aerosols. Ensure Precautions:

adequate ventilation. Keep container tightly sealed. Avoid

contact with skin, eyes and clothing. Do not ingest.

Put on appropriate personal protective equipment (see Section **Protective Measures:** 8). Keep in the original container kept tightly closed when not

in use. Empty containers retain product residue and can be

hazardous. Do not reuse container.

Eating, drinking and smoking should be prohibited in areas **General Occupational Hygiene:** where this material is handled, stored and processed. Workers

should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective

equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Store in original container protected from direct sunlight in a **Safe Storage Conditions:**

dry and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed

until ready for use.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling

procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should

be handled in accordance with Section 13.

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits: Product contains no substances with occupational exposure

limit values.

Engineering Controls: Properly operating chemical fume hood designed for hazardous

chemicals and having an average face velocity of at least 100

feet per minute. Provide an eyewash/shower station.

Environmental Exposure Controls: Emissions from ventilation or work process equipment should

be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable

levels.

Individual Protection Measures

Hygiene Measures: Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Avoid the formation and inhalation of dusts, aerosols, vapors or gases. Avoid contact with eyes and skin. Do not ingest. Ensure that

eyewash stations and safety showers are close to the

workstation location.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to dusts, aerosols and gases. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR

1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection

Hand Protection: Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant

gloves.

Exposure Controls/Personal Protection Section 8.

Gloves must be inspected prior to use. Use proper glove **Hand Protection (cont.):**

> removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. For full contact, use

Neoprene or nitrile rubber.

Other Skin Protection: Appropriate footwear (closed toe) and any additional skin

> protection measures should be selected based on the task being performed and the risks involved and should be approved

by a specialist before handling this product.

Where risk assessment shows air-purifying respirators are **Respiratory Protection:**

appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator

cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Physical State: Solid (crystalline powder).

Burgundy (deep red). Color:

No data available. Odor: **Odor Threshold:** No data available.

No data available. pH: **Melting Point:** 150 °C (302 °F).

No data available. **Boiling Point:**

Flash Point: Not applicable.

No data available. **Auto-ignition temperature:**

No data available. **Relative Density:**

No data available. **Vapor Pressure:** No data available. **Vapor Density:**

No data available. Water Solubility:

Section 10. Stability and Reactivity

No data available. Reactivity:

Ereztech MO6030 Page 7 of 12 Revision: 1.00

Section 10. Stability and Reactivity

Stable under recommended storage conditions. **Chemical Stability:**

None identified. **Conditions to Avoid:**

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products: Hazardous decomposition products formed under fire

> conditions: carbon monoxide, carbon dioxide and molybdenum oxide fumes. Irritating fumes and organic acid vapors may be generated during exposure to elevated temperatures or open flame. In the event of a

fire: see section 5.

Possibility of Hazardous Reactions: Under normal conditions of storage and use, hazardous

reactions will not occur.

Section 11. Toxicological Information

Information on Toxicological	Fffocte

Acute Toxicity : Product is harmful in contact with skin, if inhaled or

ingested.

: No specific data available. Product may cause irritation Irritation/Corrosion

to eyes and exposed skin.

Sensitization : No specific data available.

Germ Cell Mutagenicity : No specific data available.

Carcinogenity

IARC : No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

ACGIH : No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by ACGIH.

NTP : No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by NTP.

OSHA : No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by OSHA.

: This product is not expected to cause reproductive or **Reproductive Toxicity**

developmental effects.

Teratogenicity : No specific data available.

Specific Target Organ Toxicity : Product may cause respiratory tract irritation.

(Single Exposure)

Section 11. Toxicological Information

Specific Target Organ Toxicity (Repeated Exposure)

Aspiration Hazard

Information on the Likely **Routes of Exposure**

Additional Information

: No specific data available.

: No specific data available.

: Common routes of exposure: inhalation (failure to prevent dust formation), dermal (failure to use skin protection), eye (failure to use safety eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking after handling product without washing hands or using hand protection).

: To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated. The toxicity classifications of this product are based upon professional judgement.

Section 12. Ecological Information

Numerical Measures of Toxicity

Toxicity to Fish

Toxicity to Daphnia and Other **Aquatic Invertebrates**

Toxicity to Algae

Persistence and Degradability

Biodegradability

Bioaccumulative Potential

Mobility in Soil

Other Adverse Effects

No specific data available.

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13. Disposal Considerations

Waste Treatment Methods

Product Dispose of in accordance with local, state, federal and national

> regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency

before disposing of any chemicals.

Contaminated Packaging Empty containers retain product residue (solids, dusts, vapors,

gases) and can be dangerous. Dispose of as unused product.

Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	Not regulated	Not regulated	Not regulated
UN Proper	-	-	-
Shipping Name			
Transport	-	-	-
Hazard Classes			
Packing Group	-	-	-
Environmental	-	-	-
Hazards			
Additional	-	-	-
Information			

Special Precautions for User

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act):

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard (Acute toxicity (dermal, ingestion, inhalation)).

Massachusetts Right to Know Components

No components are subject to Massachusetts Right to Know Act.

Pennsylvania Right to Know Components

No components are subject to Pennsylvania Right to Know Act.

New Jersey Right to Know Components

No components are subject to New Jersey Right to Know Act.

Section 15. Regulatory Information

California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright © 2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating



<u>History</u>

Date of Issue/Date of Revision : 9/20/2023

Date of Previous Issue : None

References : None available

Abbreviations and Acronyms

ACGIH: American Conference of Governmental Industrial Hygienists.

ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling and Packaging (European Union (EU)).

DOT: US Department of Transportation.

Section 16. Other Information

Abbreviations and Acronyms (cont.)

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System.

HNOC: Hazards Not Otherwise Classified.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA).

IDLH: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and Safety (NIOSH)).

IMDG: International Maritime Code for Dangerous Goods.

NFPA: National Fire Protection Association.

NIOSH: National Institute of Occupational Safety and Health.

NTP: National Toxicology Program.

OECD: Organization for Economic Co-Operation and Development.

OEL: Occupational Exposure Limit.

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limits.
REL: Recommended Exposure Limits.

SARA: Superfund Amendments and Reauthorization Act. STEL (ST): Short Term Exposure Limit (ACGIH/NIOSH)

STOT: Specific Target Organ Toxicity. TLV: Threshold Limit Values (ACGIH).

TWA: Time Weighted Average. VOC: Volatile Organic Compound.

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.