



11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

SAFETY DATA SHEET

Section 1. Identification

Bis(cyclopentadienyl)nickel **Product Name:**

Solid **Product Type:**

CAS Number: 1271-28-9 **Product Number:** NI1289

Product Manufacturer: Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

Product Information: (888) 658-1221

In Case of an Emergency: CHEMTREC: 1-800-424-9300 (USA);

> +1 703-527-3887 (International); CCN836180 *** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Appearance/Odor: Green to dark green crystals, odor not determined.

FLAMMABLE SOLIDS - Category 1, H228 Classification:

ACUTE TOXICITY, ORAL - Category 4, H302 SENSITIZATION, SKIN - Category 1, H317 CARCINOGENICITY - Category 1A, H350

GHS Label Elements

Hazard Pictograms:



DANGER Signal Word:

H228: Flammable solid. **Hazard Statements:**

H302: Harmful if swallowed.

H317: May cause an allergic skin reaction.

H350: May cause cancer.

Precautionary Statements

Prevention: P203: Obtain, read and follow all safety instructions before use.

P210: Keep away from heat/sparks/open flames/hot surfaces – No

smoking.

Section 2. Hazards Identification

Prevention (cont.): P240: Ground/Bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting

equipment.

P261: Avoid breathing dusts/aerosols/gases.

P264: Wash skin, hands and face thoroughly after handling. P270: Do not eat, drink or smoke when using this product.

P272: Contaminated work clothing should not be allowed out of

the workplace.

P280: Wear protective gloves/ protective clothing/ eye protection/

face protection.

P301 + P317: IF SWALLOWED: Get medical help. Response:

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P318: If exposed or concerned, get medical advice.

P330: Rinse mouth.

P333 + P317: If skin irritation or rash occurs: Get medical help.

P362 + P364: Take off contaminated clothing and wash it before

P370 + P378: In case of fire: Use a dry chemical powder

pressurized with nitrogen to extinguish. Water spray (fog), alcohol-resistant foam, dry chemical or carbon dioxide (CO₂)

may also be used.

P405: Store locked up. Storage:

P501: Dispose of contents/container in accordance with federal, Disposal:

state and local regulations (e.g. US: 40 CFR Part 261).

General: None.

OSHA/HCS Status: This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Hazards Not Otherwise Classified [HNOC]:

None identified.

Section 3. Composition/Information on Ingredients

Substances

: Nickelocene; Ni(Cp)2; Di(cyclopentadienyl)nickel(II). **Synonyms**

Formula : C₁₀H₁₀Ni **Molecular Weight** : 188.88

Ingredient Name	%	CAS Number
Bis(cyclopentadienyl)nickel	≥ 98	1271-28-9

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice: Show this safety data sheet to the doctor in attendance. Move out of dangerous

area. Call a POISON CENTER or doctor/physician immediately if symptoms

develop or if you feel unwell.

Immediately flush eyes with plenty of water, occasionally lifting the upper and **Eye Contact:**

lower eyelids. Check for and remove any contact lenses. Continue rinsing. Get

medical help if eye irritation develops and persists.

Take off contaminated clothing and shoes immediately. Wash off contaminated **Skin Contact:**

skin with soap and plenty of water. Get medical help if irritation develops and

persists, if symptoms develop or if you feel unwell.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for

> breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical help if symptoms develop or if you feel unwell.

Ingestion: Rinse mouth. Do NOT induce vomiting. Remove dentures if any. If vomiting

> occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open

airway. Loosen tight clothing such as a collar, tie, belt or waistband. Get

medical help if symptoms develop or if you feel unwell.

Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

Eye Contact: Symptoms may include stinging, tearing, redness, swelling and blurred vision.

Inhalation: Symptoms may include difficulty in breathing, coughing, sneezing, sore throat,

nausea, headache, vomiting.

Product may cause an allergic skin reaction. Symptoms may include an itching or **Skin Contact:**

burning sensation, reddening/rash, swelling, trouble breathing, tingling of the

hands and feet, dizziness, chest pain and muscle pain.

Product is harmful if ingested. Symptoms may include cramping, localized pain, Ingestion:

headache, diarrhea, nausea and vomiting.

Chronic Symptoms of overexposure may include headache, dizziness, tiredness, nausea

Symptoms: and vomiting.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician: Treat symptomatically. **Specific Treatments:** No specific treatment.

Protection of First Responders: No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

Section 5. Fire Fighting Measures

General Hazards: Flammable solid. If product is heated or involved in a fire, a

> pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Fire may produce irritating

and potentially toxic gases.

THE MOST EFFECTIVE FIRE EXTINGUISHING AGENT IS DRY **Suitable Extinguishing Media:**

> CHEMICAL POWDER PRESSURIZED WITH NITROGEN. Water spray (fog), foam or carbon dioxide (CO₂) may also be used. Fight larger fires with water spray or alcohol resistant foam.

None identified. **Unsuitable Extinguishing Media:**

Unusual Fire and Explosion

Hazard:

None identified.

Product of Combustion: Carbon oxides (CO_x) and potentially toxic nickel oxide fumes.

> Irritating fumes and organic acid vapors may be generated during exposure to elevated temperatures or open flame.

Promptly isolate the scene by removing all persons from the **Protection of Firefighters:**

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Avoid the formation and

inhalation of dusts, aerosols, vapors and gases.

Eliminate all local and distant ignition sources. Move containers from fire area if process can be accomplished without risk to firefighters. To reduce the possibility of explosion, use a water spray or fog to reduce direct vapors and to cool unopened containers. Do not cut, grind, drill or weld on or near product containers (even empty) of this

product because an explosion may result.

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in a positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

No action shall be taken involving any personal risk or without For Non-Emergency Personnel: suitable training. Evacuate surrounding areas. Keep

unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid the formation

and inhalation of dusts and aerosols. Provide adequate ventilation. Wear respiratory protection. Put on appropriate

personal protective equipment.

Section 6. Accidental Release Measures

For Emergency Responders: If specialized clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency

Personnel".

Environmental Precautions: Do not allow dispersal of spilled material and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Methods for Containment

General: Eliminate all local and distant ignition sources. Move containers

from spill area if safe to do so. Use spark-proof tools and explosion-proof equipment. Avoid the formation and inhalation

of dusts and aerosols. Dispose of collected product in

accordance with local, state and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Contaminated absorbent material may pose the same hazard

as the spilled product.

Small Spill: Contain and collect spillage with a non-combustible, binding material (e.g. sand, earth, vermiculite or diatomaceous earth)

and place in dry, sealed container for disposal according to

local regulations (see Section 13).

Large Spill: Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and

collect spillage with a non-combustible, binding material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations

(see Section 13).

Note: see Section 1 for emergency contact information and

Section 13 for waste disposal.

Section 7. Handling and Storage

Precautions:

Product is air/light sensitive; handle under a dry, inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Avoid formation and inhalation of dusts and aerosols. Keep container tightly sealed. Avoid contact with skin, eyes and clothing. Do not ingest. Avoid prolonged exposure. Ensure adequate ventilation.

Ereztech NI1289 Page 5 of 14 Revision: 1.00

Section 7. Handling and Storage

Protective Measures: Put on appropriate personal protective equipment (see Section

> 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid the formation and inhalation of dusts and aerosols. Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous.

Do not reuse container.

General Occupational Hygiene: Eating, drinking and smoking should be prohibited in areas

> where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Product is air/light sensitive; store under an inert gas. Nitrogen Safe Storage Conditions:

with less than 5 ppm each of moisture and oxygen is

recommended. Store in original container protected from direct

sunlight in a dry and well-ventilated area, away from

incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

Occupational Exposure Limits

List	Components	CAS-No.	Type	Value
NIOSH	Bis(cyclopentadienyl)nickel	1271-28-9	IDLH	10 mg/m³ IDLH 0.015 mg/m³ TWA
OSHA	Bis(cyclopentadienyl)nickel	1271-28-9	PEL	1 mg/m³ (Vacated)

Engineering Controls:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.

Section 8. Exposure Controls/Personal Protection

Environmental Exposure Controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures

Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts/aerosols/gases/vapors. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to dust and aerosols. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection

Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. For full contact, wear Neoprene or nitrile rubber gloves.

Section 8. Exposure Controls/Personal Protection

Other Skin Protection: Appropriate footwear and any additional skin protection

measures should be selected based on the task being

performed and the risks involved and should be approved by a

specialist before handling this product.

Where risk assessment shows air-purifying respirators are **Respiratory Protection:**

> appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator

cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Solid (crystals or powder). **Physical State:**

Color: Green to dark green.

No data available. Odor:

No data available. **Odor Threshold:**

No data available. pH: 173 °C (343 °F).

Melting Point: No data available. **Boiling Point:**

Flash Point: No data available.

Product is a Category 1 flammable solid. Flammability:

No data available. **Relative Density:** No data available. **Vapor Pressure:** No data available. Vapor Density:

Water Solubility: Insoluble.

Section 10. Stability and Reactivity

Reactivity: Air/light sensitive.

This product is stable when stored under a dry, inert **Chemical Stability:**

atmosphere and away from heat. Nitrogen containing less

than 5 ppm each moisture and air is recommended.

Conditions to Avoid: Exposure to air, extremes of temperature and direct

sunlight.

Strong oxidizing agents. **Incompatible Materials:**

Section 10. Stability and Reactivity

Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous

> decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: carbon oxides (CO_X), irritating fumes, organic acid vapors and potentially toxic nickel oxide fumes. In

the event of a fire: see section 5.

Under normal conditions of storage and use, hazardous **Possibility of Hazardous Reactions:**

reactions will not occur. Hazardous reactions or instability may occur under certain conditions of storage or use.

Section 11. Toxicological Information

Information on Toxicological Effects

Acute Toxicity

(Single Exposure)

(Repeated Exposure)

Component	CAS No	Result	Species	Dose	Exposure
Bis(cyclopentadienyl)nickel	1271-28-9	LD50 Oral	Rat	490 mg/kg	-

Irritation/Corrosion : No specific data available.

Sensitization : May cause sensitization by skin contact.

: No specific data available. **Germ Cell Mutagenicity**

Carcinogenity

IARC : Group 1: Carcinogenic to humans (Bis(cyclopentadienyl)nickel).

: No component of this product present at levels greater ACGIH

than 0.1% is identified as probable, possible or

confirmed human carcinogen by ACGIH.

: Known to be carcinogenic to humans **NTP** (Bis(cyclopentadienyl)nickel).

: No component of this product present at levels greater **OSHA**

than 0.1% is identified as probable, possible or

confirmed human carcinogen by OSHA.

Reproductive Toxicity : No specific data available.

: No specific data available. **Teratogenicity**

Specific Target Organ Toxicity : No specific data available.

Specific Target Organ Toxicity : No specific data available.

: No specific data available. **Aspiration Hazard**

Section 11. Toxicological Information

Information on the Likely Routes of Exposure

: Common routes of exposure: inhalation (failure to prevent dust formation), dermal (failure to use skin protection), eye (failure to use safety eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking after handling product without washing hands or using hand protection).

Additional Information

: To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

Section 12. Ecological Information

Numerical Measures of Toxicity

Toxicity to Fish

Toxicity to Daphnia and Other Aquatic Invertebrates

Toxicity to Algae

Persistence and Degradability

Biodegradability

Bioaccumulative Potential

Mobility in Soil

Other Adverse Effects

: No specific data available.

: No specific data available.

: No specific data available.

: Insoluble in water; may persist.

: No specific data available.

: Product is not likely mobile in the environment due to its low water solubility.

David at a solubility

: Product may cause long lasting harmful effects to aquatic life. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13. Disposal Considerations

Waste Treatment Methods

Product

: Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.

Contaminated Packaging

: Empty containers retain product residue (dusts and/or aerosols) and can be dangerous. Dispose of as unused product. DO NOT EXPOSE OPENED/EMPTY CONTAINERS TO MOISTURE/WATER, HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Ereztech NI1289 Page 10 of 14 Revision: 1.00

Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	UN 1325	Un 1325	UN 1325
UN Proper	Flammable solids,	FLAMMABLE SOLID,	Flammable solid, organic,
Shipping Name	organic, n.o.s.	ORGANIC, N.O.S.	n.o.s.
	(Bis(cyclopentadienyl)	(Bis(cyclopentadienyl)	(Bis(cyclopentadienyl)
	nickel)	nickel)	nickel)
Transport Hazard	4.1	4.1	4.1
Classes			
Packing Group	П	П	П
Environmental	-	-	-
Hazards			
Additional		EMS-No: F-A, S-G	
Information			

Special Precautions for User

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act):

This product is listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory).

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Compound CAS-No. **Revision Date** 1271-28-9 4/24/1993 Bis(cyclopentadienyl)nickel

CWA (Clean Water Act)

The following component has been identified as a Toxic Pollutant under the Clean Water Act:

CAS-No. Compound **Revision Date** Bis(cyclopentadienyl)nickel 1271-28-9 4/24/1993

SARA 311/312 Hazards

Fire Hazard (Flammable Solid), Acute Health Hazard (Acute Toxicity, oral; Skin sensitization); Chronic Health Hazard (Carcinogenicity).

Section 15. Regulatory Information

Massachusetts Right to Know Components Compound	CAS-No.	Revision Date	
Bis(cyclopentadienyl)nickel	1271-28-9	4/24/1993	
Pennsylvania Right to Know Components Compound Bis(cyclopentadienyl)nickel	<u>CAS-No.</u> 1271-28-9	Revision Date 4/24/1993	
New Jersey Right to Know Components <u>Compound</u> Bis(cyclopentadienyl)nickel	<u>CAS-No.</u> 1271-28-9	Revision Date 4/24/1993	
California Proposition 65 Components This product contains a chemical known to State of California to cause cancer.			

Compound CAS-No. **Revision Date** Bis(cyclopentadienyl)nickel 1271-28-9 9/28/2007

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright © 1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright © 2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals.

The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Section 16. Other Information

HMIS Rating



History

: 5/1/2023 Date of Issue/Date of Revision **Date of Previous Issue** : None.

: None available. References

Abbreviations and Acronyms

ACGIH: American Conference of Governmental Industrial Hygienists.

ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service (division of the American Chemical Society).

DOT: US Department of Transportation.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System.

HNOC: Hazards Not Otherwise Classified.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA).

IDLH: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and Safety (NIOSH)).

IMDG: International Maritime Code for Dangerous Goods.

NFPA: National Fire Protection Association.

NIOSH: National Institute of Occupational Safety and Health.

NTP: National Toxicology Program.

OECD: Organization for Economic Co-Operation and Development.

OEL: Occupational Exposure Limit.

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limits.

REL: Recommended Exposure Limits.

SARA: Superfund Amendments and Reauthorization Act.

STEL (ST): Short Term Exposure Limit (ACGIH/NIOSH)

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limit Values (ACGIH).

TWA: Time Weighted Average.

VOC: Volatile Organic Compound.

Section 16. Other Information

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

