

11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

# SAFETY DATA SHEET

### Section 1. Identification

Product Name: Silicon(IV) iodide

Product Type: Solid

CAS Number: 13465-84-4
Product Number: SI5844

**Recommended Use:** Laboratory chemicals, synthesis of substances.

Product Manufacturer: Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

**Product Information:** (888) 658-1221

In Case of an Emergency: CHEMTREC: 1-800-424-9300 (USA);

+1 703-527-3887 (International); CCN836180
\*\*\* Contact manufacturer for all non-emergency calls.

### Section 2. Hazards Identification

Appearance/Odor: Off-white powder or crystals, odor

Classification:

Off-white powder or crystals, odor not determined.

ACUTE TOXICITY, ORAL - Category 3, H301

ACUTE TOXICITY, DERMAL - Category 3, H311 SKIN CORROSION/IRRITATION - Category 1B, H314

SKIN SENSITIZATION - Category 1, H317

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1, H318

RESPIRATORY SENSITIZATION - Category 1, H334 REPRODUCTIVE TOXICITY - Category 1B, H360

**GHS Label Elements** 

**Hazard Pictograms:** 



Signal Word: DANGER

Hazard Statements: H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

### Section 2. Hazards Identification

**Hazard Statements (cont.):** H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H334: May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H360: May damage fertility or the unborn child.

### **Precautionary Statements**

**Prevention:** P203: Obtain, read and follow all safety instructions before use.

P233: Keep container tightly closed.

P260: Do not breathe dusts, aerosols, vapors or gases.

P262: Do not get in eyes, on skin or on clothing.

P264 + P265: Wash hands and skin thoroughly after handling. Do not touch eyes.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or with adequate ventilation.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

P284: In case of inadequate ventilation wear respiratory protection.

P301 + P316: IF SWALLOWED: Get emergency medical help immediately.

P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302 + P352: IF ON SKIN: Wash with plenty of water.

P302 + P361 + P354: IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.

P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P354 + P338: IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P316: Get emergency medical help immediately.

P318: If exposed or concerned, get medical advice.

P330: Rinse mouth.

P333 + P317: If skin irritation or rash occurs: Get medical help.

P342 + P316: If experiencing respiratory symptoms: Get emergency medical help immediately.

P361 + P364: Take off immediately all contaminated clothing and wash it before reuse.

Response:

Ereztech SI5844 Page 2 of 14 Revision: 1.00

### Section 2. Hazards Identification

**Storage:** P403: Store in a well ventilated place.

P405: Store locked up.

**Disposal:** P501: Dispose of contents/container in accordance with federal,

state and local regulations.

OSHA/HCS Status: This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Hazards Not Otherwise Classified (HNOC):

Reacts rapidly/violently with water.

## Section 3. Composition/Information on Ingredients

Substance Type : Mono-constituent

Synonyms : Silicon tetraiodide; Tetraiodosilane; Silicon iodide.

Formula : Sil<sub>4</sub>

Molecular Weight : 535.70 g/mol

Ingredient Name	%	CAS Number
Silicon(IV) iodide	≥ 99	13465-84-4

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First Aid Measures

#### **Description of Necessary First Aid Measures**

General Advice: Move out of dangerous area. Get immediate medical help. Show this safety

data sheet to the doctor in attendance. If unconscious, place in recovery position and get medical help immediately. Maintain an open airway. Loosen

tight clothing such as a collar, tie, belt or waistband.

**Eye Contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower eyelids. Rinse for a minimum of 15 minutes. Check for and remove any contact lenses after initial rinse period and continue rinsing for an additional 15 minutes. Keep eyes wide open during rinsing process. Get immediate medical

help.

**Skin Contact:** Remove all contaminated clothing and shoes. Wash off contaminated skin with

plenty of water for a minimum of 15 minutes. Thoroughly clean and dry contaminated clothing before reuse. In the event of complaints or symptoms,

avoid further exposure. Get immediate medical help.

### Section 4. First Aid Measures

**Inhalation:** Get medical help immediately. Remove person to fresh air and keep comfortable

for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Do not use mouth-to-mouth method if victim ingested or inhaled the product; give artificial respiration with the aid of a pocket mask equipped with a one-way valve

or other proper respiratory medical device.

Ingestion: Get medical help immediately. Rinse mouth, and then give water to drink (two

glasses at most). Do NOT induce vomiting. Remove dentures if any. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

Never give anything by mouth to an unconscious person.

Most Important Symptoms/Effects, Acute and Delayed Potential Acute Health Effects

**Eye Contact:** Causes serious eye damage. Symptoms may include watering, redness, pain,

swelling of the eyelids, inability to keep eye open, blurred vison and

temporary/permanent loss of vision.

**Skin Contact:** Product is toxic in contact with skin and may be expected to cause (severe)

chemical burns. Symptoms may include reddening of skin, a burning or itching

sensation, pain, blistering and tissue necrosis.

**Inhalation:** Product is extremely corrosive to mucous membranes and tissues of the upper

respiratory tract. Symptoms may include a burning sensation, coughing, coughing up blood (hemoptysis), wheezing, laryngitis, shortness of breath/difficulty in breathing (dyspnea), blueness (cyanosis) of lips and skin, nausea, hand also a disprise to the control of the control

headaches, disorientation, general weakness and loss of consciousness and

death.

**Ingestion:** Product is toxic if ingested and may be expected to cause burns of the mouth

and throat and potential perforation of the esophagus and stomach. Symptoms

may include pain when swallowing (odynophagia), difficulty swallowing

(dysphagia), fever, nausea, recurrent vomiting (emesis) and vomiting of blood (hematemesis). Severe burns which may be accompanied by perforation of the

esophagus and stomach may present additional symptoms of abdominal

pain/rigidity, chest and/or back pain.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

**Notes to Physician:** Treat symptomatically.

**Specific Treatments:** No specific treatment.

Protection of First Responders: No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

## Section 5. Fire Fighting Measures

General Hazards: None identified.

Suitable Extinguishing Media: THE MOST EFFECTIVE FIRE EXTINGUISHING AGENT IS DRY

CHEMICAL POWDER PRESSURIZED WITH NITROGEN. Vermiculite, dry sand, dry chemical or carbon dioxide (CO<sub>2</sub>) may also be used. Fight larger fires with alcohol resistant

foam.

Unsuitable Extinguishing Media: Water.

**Unusual Fire and Explosion Hazards:** 

None identified.

**Product of Combustion:** Products of combustion include hydrogen iodide and silicon

dioxide. Irritating/toxic/corrosive fumes and gases may be generated during exposure to elevated temperatures or open

flame.

**Protection of Firefighters:** Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Prevent contact with skin or eyes. Do not breathe dusts,

aerosols, vapors and gases.

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in a positive pressure mode.

### Section 6. Accidental Release Measures

#### Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep

unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Prevent the formation and inhalation of dusts, aerosols, gases and vapors. Provide adequate ventilation. Wear respiratory protection. Put on

appropriate personal protective equipment.

For Emergency Responders: If specialized clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency

Personnel".

**Environmental Precautions:** Do not allow dispersal of spilled material and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

### Section 6. Accidental Release Measures

#### **Methods for Containment**

**General:** Move containers from spill area if safe to do so. Prevent the

formation and inhalation of dusts and aerosols. Dispose of collected spillage in accordance with federal, state and local regulations. Contaminated absorbent material may pose the

same hazard as the spilled product.

Small Spill: Collect spillage with a dry, binding material (e.g. dry sand,

vermiculite or diatomaceous earth) and place in dry, sealed

container for disposal.

Large Spill: Approach release from upwind. Prevent entry into sewers,

water courses, basements or confined areas. Contain and collect spillage with a dry, binding material (e.g. dry sand, vermiculite or diatomaceous earth) and place in dry, sealed

container for disposal.

Note: see Section 1 for emergency contact information and

Section 13 for waste disposal.

## Section 7. Handling and Storage

Precautions: Product reacts rapidly/vio

Product reacts rapidly/violently with water; handle under a dry, inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep container tightly sealed.

Prevent contact with skin, eyes and clothing. Prevent the

formation and inhalation of dusts, aerosols, vapors and gases. Do not ingest or inhale. Avoid prolonged exposure. Ensure

adequate ventilation.

Protective Measures: Put on appropriate personal protective equipment (see Section

8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be

hazardous. Do not reuse container.

General Occupational Hygiene: Eating, drinking and smoking should be prohibited in areas

where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and

smoking. Remove contaminated clothing and protective

equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Safe Storage Conditions: Product reacts rapidly/violently with water; store under an inert

gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Store in original container protected from direct sunlight in a dry and well-ventilated area, away

from incompatible materials and food and drink.

### Section 7. Handling and Storage

Safe Storage Conditions (cont.): Keep container tightly closed and sealed until ready for use.

Store locked up.

### Section 8. Exposure Controls/Personal Protection

Introductory Remarks: These recommendations provide general guidance for handling

this product. Because work environments and material handling practices vary, safety procedures should be developed for each

intended application. While developing safe handling

procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should

be handled in accordance with Section 13.

Occupational Exposure Limits: Product contains no substances with occupational exposure

limit values.

**Engineering Controls:** Properly operating chemical fume hood designed for hazardous

chemicals and having an average face velocity of at least 100

feet per minute. Provide an eyewash/shower station.

**Environmental Exposure Controls:** Emissions from ventilation or work process equipment should

be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable

levels.

**Individual Protection Measures** 

Hygiene Measures: Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts, aerosols, vapors or gases. Prevent contact with eyes and skin. Ensure that eyewash stations and safety showers are

close to the workstation location.

**Eye/Face Protection:** Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or aerosols. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR

1910.133, ANSI Z87.1, or European Standard EN166.

## Section 8. Exposure Controls/Personal Protection

**Skin Protection** 

**Hand Protection:** 

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. For full contact, use Neoprene or nitrile rubber.

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Other Skin Protection:

**Respiratory Protection:** 

### Section 9. Physical and Chemical Properties

Physical State: Solid (powder or crystals).

Color: Off-white.

Odor: Acrid, hydrogen iodide.

Odor Threshold: No data available. PH: No data available.

**Melting Point:** 120.5 °C (248.9 °F) - lit.

<u>Ereztech SI5844</u>

Page 8 of 14

Revision: 1.00

Date of Issue: 12/26/2023

#### Physical and Chemical Properties Section 9.

287.4 °C (549.3 °F). **Boiling Point:** > 110 °C (230 °F). Flash Point: No data available. **Auto-ignition temperature:** 

4.198 g/cm<sup>3</sup>. **Density:** 

< 1 mm Hg @ 25 °C. **Vapor Pressure:** 

>1. Relative Vapor Density (25 °C):

Water Solubility: Reacts rapidly/violently with water.

## Section 10. Stability and Reactivity

This product reacts rapidly/violently with moisture in air, Reactivity: water and protic solvents liberating hydrogen iodide.

This product is stable when stored under a dry, inert **Chemical Stability:** atmosphere and away from heat. Nitrogen containing less

than 5 ppm each moisture and air is recommended.

Conditions to Avoid: Keep away from moisture, water and protic solvents. Magnesium, zinc, ammonia, aluminum, strong bases, **Incompatible Materials:** 

oxidizing agents.

**Hazardous Decomposition Products:** Under normal conditions of storage and use, hazardous

decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: hydrogen iodide, iodine and silicone dioxide. Irritating and potentially toxic fumes may be generated during exposure to elevated temperatures or open flame.

In the event of a fire: see section 5.

**Possibility of Hazardous Reactions:** Under normal conditions of storage and use noted above,

hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of

storage or use.

## Section 11. Toxicological Information

**Information on Toxicological Effects** 

**Acute Toxicity** : Product is toxic if ingested and in contact with skin.

LD50 Dermal – 300 mg/kg.

Irritation/Corrosion : No specific data available. Product causes thermal

and/or chemical burns to the skin, eyes and exposed

mucous membranes.

Sensitization : No specific data available.

### Section 11. Toxicological Information

Germ Cell Mutagenicity

**Carcinogenity** 

**IARC** 

**ACGIH** 

**NTP** 

**OSHA** 

**Reproductive Toxicity** 

**Teratogenicity** 

Specific Target Organ Toxicity (Single Exposure)

Specific Target Organ Toxicity (Repeated Exposure)

**Aspiration Hazard** 

Information on the Likely Routes of Exposure

**Additional Information** 

: No specific data available.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.

: Product is suspected of damaging fertility and the unborn child.

: No specific data available.

: Respiratory tract irritation/damage through thermal and chemical burns. Inhalation of large amounts is expected to cause necrosis of tracheal epithelium, bronchitis and interstitial pneumonia.

: No specific data available.

: No specific data available.

: Common routes of exposure: inhalation (failure to prevent dust formation), dermal (failure to use skin protection), eye (failure to use safety eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking after handling product without washing hands or using hand protection).

 Prolonged absorption of iodides may produce skin rashes, anemia, loss of weight and depression.
 To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

Ereztech SI5844 Page 10 of 14 Revision: 1.00

### Section 12. Ecological Information

**Numerical Measures of Toxicity** 

: No specific data available.

Persistence and Degradability

Biodegradability

: No specific data available.

**Bioaccumulative Potential** 

: No specific data available.

**Mobility in Soil** 

: No specific data available.

**Other Adverse Effects** 

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### Section 13. Disposal Considerations

**Waste Treatment Methods** 

**Product:** Dispose of in accordance with local, state, and federal

regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency

before disposing of any chemicals.

**Contaminated Packaging:** 

Empty containers retain product residue (liquids, vapors, gases) and can be dangerous. Dispose of as unused product.

## Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	UN3260	UN3260	UN3260
UN Proper Shipping Name	Corrosive solid, acidic, inorganic, n.o.s. (Silicon tetraiodide)	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Silicon tetraiodide)	Corrosive solid, acidic, inorganic, n.o.s. (Silicon tetraiodide)
Transport Hazard Classes	8	8	8
Packing Group	II	H	П
Environmental Hazards	-	-	-
Additional Information	-	EMS-No: F-A, S-B	-

**Special Precautions for User** 

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

Ereztech SI5844 Page 11 of 14 Revision: 1.00

## Section 15. Regulatory Information

#### TSCA (Toxic Substance Control Act):

This product is listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory).

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard (Acute Toxicity (Oral, Dermal); Skin corrosion or irritation; Serious eye damage or eye irritation; Respiratory or Skin Sensitization), Chronic Health Hazard (Reproductive Toxicity).

#### **Massachusetts Right to Know Components**

No components are subject to Massachusetts Right to Know Act.

#### Pennsylvania Right to Know Components

No components are subject to Pennsylvania Right to Know Act.

#### **New Jersey Right to Know Components**

No components are subject to New Jersey Right to Know Act.

#### **California Proposition 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### Section 16. Other Information

#### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

### Section 16. Other Information

Copyright © 2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### **HMIS Rating**

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	2

#### **History**

Date of Issue/Date of Revision : 12/26/2023

Date of Previous Issue : None.

References : None available.

#### **Abbreviations and Acronyms**

ACGIH: American Conference of Governmental Industrial Hygienists.

ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling and Packaging (European Union (EU)).

DOT: US Department of Transportation.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System.

HNOC: Hazards Not Otherwise Classified.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA).

IDLH: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and Safety (NIOSH)).

IMDG: International Maritime Code for Dangerous Goods.

NFPA: National Fire Protection Association.

NIOSH: National Institute of Occupational Safety and Health.

NTP: National Toxicology Program.

OECD: Organization for Economic Co-Operation and Development.

OEL: Occupational Exposure Limit.

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limits.

**REL**: Recommended Exposure Limits.

SARA: Superfund Amendments and Reauthorization Act.

STEL (ST): Short Term Exposure Limit (ACGIH/NIOSH)

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limit Values (ACGIH).

TWA: Time Weighted Average.

### Section 16. Other Information

#### Abbreviations and Acronyms (cont.)

VOC: Volatile Organic Compound.

#### **Disclaimer**

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



<u>Freztech SI5844</u> Page 14 of 14 Revision: 1.00