

11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

## SAFETY DATA SHEET

#### Section 1. Identification

Tris(isopropylcyclopentadienyl)samarium(III) **Product Name:** 

**Product Type:** Solid

Not assigned. **CAS Number:** 

**Product Number:** SM0001

**Recommended Use:** Laboratory chemicals, synthesis of substances.

This product is being supplied under the TSCA R&D Exemption (40 **Uses Advised Against:** 

> CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless

appropriate consent is granted in writing by Ereztech LLC.

Ereztech LLC **Product Manufacturer:** 

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

**Product Information:** (888) 658-1221

CHEMTREC: 1-800-424-9300 (USA); In Case of an Emergency:

> +1 703-527-3887 (International); CCN836180 \* Contact manufacturer for all non-emergency calls.

#### Section 2. Hazards Identification

Appearance/Odor: White powder, odor not determined.

Classification: FLAMMABLE SOLIDS - Category 2, H228

SKIN CORROSION/IRRITATION - Category 2, H315

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2, H319 SPECIFIC ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY

TRACT IRRITATION – Category 3, H335

**GHS Label Elements** 

**Hazard Pictograms:** 



WARNING. **Signal Word:** 

#### Section 2. Hazards Identification

**Hazard Statements:** H228: Flammable solid.

H315: Causes skin irritation.

H319: Causes serious eye irritation. H335: May cause respiratory irritation.

**Precautionary Statements** 

Prevention: P210: Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P240: Ground and bond container and receiving equipment.

P241: Use explosion proof electrical/ventilating/lighting/processing

equipment.

P261: Avoid breathing dusts, aerosols, vapors and gases.

P264: Wash hands and exposed skin thoroughly after handling.

P271: Use only outdoors or with adequate ventilation.

P280: Wear protective gloves/protective clothing/eye protection/

face protection/hearing protection.

P302 + P352: IF ON SKIN: Wash with plenty of water. Response:

P304 + P340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P319: Get medical help if you feel unwell.

P332 + P317: If skin irritation occurs: Get medical help.

P337 + P313: If eye irritation persists: Get medical help.

P362 + P364: Take off contaminated clothing and wash it before

reuse.

P370 + P378: In case of fire: Use CO<sub>2</sub> or dry chemical to

extinguish.

P403 + P233: Store in a well ventilated place. Keep container Storage:

tightly closed.

P405: Store locked up.

P501: Dispose of contents/container in accordance with federal, Disposal:

state and local regulations.

**OSHA/HCS Status:** This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

**Hazards Not Otherwise** Classified (HNOC):

Product reacts with water.

### Section 3. Composition/Information on Ingredients

Mono-constituent. **Substance Type:** Synonyms: (iPrCp)3Sm. Formula:  $C_{24}H_{33}Sm$ 

Ereztech SM0001 Page 2 of 15 Revision: 1.00

#### Section 3. Composition/Information on Ingredients

Molecular Weight: 462.44 g/mol.

Component Name	%	CAS Number
Tris(isopropylcyclopentadienyl)samarium(III)	≥ 98	Not assigned

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First Aid Measures

#### **Description of Necessary First Aid Measures**

Move out of dangerous area. If unconscious, place in recovery position and get General Advice:

> medical help immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical help if symptoms develop or if you feel unwell. Show this safety data sheet to the doctor in attendance.

**Eye Contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower eyelids. Check for and remove any contact lenses if easy to do. Continue

rinsing. Get medical help if eye irritation develops and persists.

Take off contaminated clothing and shoes immediately. Wash off contaminated Skin Contact:

skin with plenty of water. Get medical help if irritation develops and persists, if

symptoms develop or if you feel unwell.

Inhalation: Remove person to fresh air and keep comfortable for breathing. If not

> breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person

providing aid to give mouth-to-mouth resuscitation. Get medical help if

symptoms develop or if you feel unwell.

Rinse mouth. Do NOT induce vomiting. Remove dentures if any. If vomiting Ingestion:

> occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Get medical help if

symptoms develop or if you feel unwell.

Most Important Symptoms/Effects, Acute and Delayed Potential Acute Health Effects

**Eye Contact:** Symptoms may include stinging, tearing, redness, swelling and blurred vision.

Product may be irritating to respiratory system. Symptoms may include Inhalation:

coughing, sneezing with phlegm production, sore throat, nausea, headache,

vomiting.

**Skin Contact:** Symptoms may include an itching or burning sensation, reddening, swelling and

blistering with tissue necrosis.

Product may be expected to be irritating to mucous membranes. Symptoms may Ingestion:

include cramping, localized pain, headache, nausea and vomiting.

### Section 4. First Aid Measures

<u>Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary</u>

Notes to Physician: Treat symptomatically.

Specific Treatments: No specific treatment.

**Protection of First Responders:** No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

### Section 5. Fire Fighting Measures

General Hazards: None identified.

Suitable Extinguishing Media: THE MOST EFFECTIVE FIRE EXTINGUISHING AGENT IS DRY

CHEMICAL POWDER PRESSURIZED WITH NITROGEN.

Carbon dioxide (CO<sub>2</sub>) may also be used.

**Unsuitable Extinguishing Media:** Water or foam.

Unusual Fire and Explosion Hazards:

This material reacts with water and protic solvents to produce flammable gases which may form explosive mixtures with air at elevated temperatures. Product runoff to sewer may create a fire or explosion hazard. Vapors and gases produced are heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to an ignition source and flashback.

**Product of Combustion:** Decomposition products include carbon oxides (CO<sub>X</sub>) and

samarium oxides. Irritating fumes and organic acid vapors may be generated during exposure to elevated temperatures

or open flame.

**Protection of Firefighters:** Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Avoid the formation and

inhalation of dusts, aerosols, vapors and gases.

Eliminate all local and distant ignition sources. Take action to prevent static discharges. Move containers from fire area if process can be accomplished without risk to firefighters. To reduce the possibility of explosion, use a water spray or fog to reduce direct vapors and to cool unopened containers. Do not cut, grind, drill or weld on or near product containers (even empty) of this product because an explosion may

result.

### Section 5. Fire Fighting Measures

**Protection of Firefighters (cont.):** 

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full facepiece operated in a positive pressure mode.

#### Section 6. Accidental Release Measures

#### Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid the formation and inhalation of dusts, aerosols, vapors and gases. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment.

For Emergency Responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency Personnel".

**Environmental Precautions:** 

Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods for Containment

Eliminate all local and distant ignition sources. Take action to prevent static discharges. Move containers from spill area if safe to do so. Avoid the formation and inhalation of dusts, aerosols, vapors and gases. Avoid allowing the spilled material to get wet or using water to clean up spillages or residues. Use spark-proof tools and explosion-proof equipment. Dispose of collected spillage in accordance with federal, state and local regulations. Contaminated binding material may pose the same hazard as the spilled product.

**Small Spill:** 

Collect spillage with a dry, non-combustible, binding material (e.g. dry sand, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal.

Large Spill:

Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with a dry, non-combustible, binding material (e.g. dry sand, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal.

Ereztech SM0001 Page 5 of 15 Revision: 1.00

#### Section 6. Accidental Release Measures

Large Spill (cont.):

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

#### Section 7. Handling and Storage

**Precautions:** 

Product reacts with water to release isopropylcyclopentadiene; handle under a dry, inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep away from all sources of ignition – NO SMOKING. Avoid formation and inhalation of dusts and aerosols. Keep container tightly sealed. Avoid contact with skin, eyes and clothing. Do not ingest. Avoid prolonged exposure. Ensure adequate ventilation.

**Protective Measures:** 

Put on appropriate personal protective equipment (see Section 8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

**General Occupational Hygiene:** 

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Safe Storage Conditions:

Product reacts with water to release isopropylcyclopentadiene; store under an inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep away from all sources of ignition – NO SMOKING. Store in original container protected from direct sunlight in a dry and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

### Section 8. Exposure Controls/Personal Protection

**Introductory Remarks:** 

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

Ereztech SM0001 Page 6 of 15 Revision: 1.00

### Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits: Product, as supplied, does not contain any hazardous materials

with occupational exposure limits established by the region-

specific regulatory bodies.

**Engineering Controls:** Properly operating explosion-proof, chemical fume hood

designed for hazardous chemicals and having an average face

velocity of at least 100 feet per minute. Provide an

eyewash/shower station.

**Environmental Exposure Controls:** Emissions from ventilation or work process equipment should

be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable

levels.

**Individual Protection Measures** 

**Hygiene Measures:** 

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts or aerosols. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/Face Protection:** 

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to dusts or aerosols. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection

Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

### Section 8. Exposure Controls/Personal Protection

Hand Protection (cont.): If contact is possible, the following protection should be worn,

unless the assessment indicates a higher degree of protection:

Chemical-resistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. For full contact,

wear Neoprene or nitrile rubber gloves.

**Other Skin Protection:** Appropriate footwear and any additional skin protection

measures should be selected based on the task being

performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity discharges, wear anti-static, flame retardant protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls,

boots and gloves.

**Respiratory Protection:** Where risk assessment shows air-purifying respirators are

appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air

respirator. Use respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU).

#### Section 9. Physical and Chemical Properties

Powder. **Physical State:** White. Color:

No data available. Odor: **Odor Threshold:** No data available. :Ha No data available. No data available. **Melting Point:** No data available. **Boiling Point:** Flash Point: No data available.

Product is a Category 2 flammable solid. Flammability:

No data available. **Relative Density:** No data available. Vapor Pressure:

### Section 9. Physical and Chemical Properties

Vapor Density: No data available.

Water Solubility: Reacts to release isopropylcyclopentadiene.

### Section 10. Stability and Reactivity

**Reactivity:** Reacts with water to release isopropylcyclopentadiene.

Chemical Stability: This product is stable when stored under a dry, inert

atmosphere and away from heat. Nitrogen containing less

than 5 ppm each moisture and air is recommended.

Conditions to Avoid: Exposure to water/moisture, sources of ignition (heat,

flames, sparks, electrostatic discharges), extremes of

temperature and direct sunlight.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous

decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: carbon oxides  $(CO_X)$  and samarium oxide fumes. Irritating fumes and organic acid vapors may be generated during exposure to elevated temperatures or

open flame. In the event of a fire: see Section 5.

Under normal conditions of storage and use noted above, hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of storage or use. In contact with water, product releases

flammable vapors.

## Section 11. Toxicological Information

**Information on Toxicological Effects** 

**Possibility of Hazardous Reactions:** 

**Acute Toxicity:** No specific data available.

Irritation/Corrosion: Product causes skin irritation and serious eye irritation.

Sensitization: No specific data available.

**Germ Cell Mutagenicity:**No specific data available.

**Carcinogenicity** 

ACGIH No component of this product present at levels greater

than 0.1% is identified as probable, possible or confirmed

human carcinogen by ACGIH.

No component of this product present at levels greater

than 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

### Section 11. Toxicological Information

Carcinogenicity (cont.)

NTP No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by NTP.

OSHA No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by OSHA.

**Reproductive Toxicity:**No specific data available. **Teratogenicity:**No specific data available.

Specific Target Organ Toxicity: Inhalation – May cause respiratory tract irritation.

(Single Exposure)

**Specific Target Organ Toxicity:** No specific data available.

(Repeated Exposure)

**Aspiration Hazard:** No specific data available.

Information on the Likely

**Routes of Exposure:** 

Common routes of exposure: inhalation (failure to prevent dust formation), dermal (failure to use skin protection), eye (failure to use safety eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking after handling product without washing hands or using hand protection).

Additional Information: To the best of our knowledge, the chemical, physical and toxicological properties of this product have not

been thoroughly investigated.

### Section 12. Ecological Information

**Ecotoxicity:** Product contains no substances that have been

identified as being harmful to the environment.

Numerical Measures of Toxicity: No specific data available.

Persistence and Degradability

Biodegradability: No specific data available.

Bioaccumulative Potential: No specific data available.

Mobility in Soil: No specific data available.

Results of PBT and vPvB Assessment: PBT/vPvB assessment not available as chemical safety

assessment not required/not conducted.

**Endocrine Disrupting Properties:** No specific data available.

Other Adverse Effects:

An environmental hazard cannot be excluded in the

event of unprofessional handling or disposal.

### Section 13. Disposal Considerations

**Waste Treatment Methods** 

Dispose of in accordance with local, state, and federal **Product:** 

regulations. Refer to 40 CFR 260-299 for complete waste

disposal regulations. Consult your local, state, or federal agency

before disposing of any chemicals.

Empty containers retain product residue (dusts, aerosols, vapors **Contaminated Packaging:** 

> and gases) and can be dangerous. Dispose of as unused product. DO NOT EXPOSE OPENED/EMPTY CONTAINERS TO

MOISTURE/WATER, HEAT, FLAME, SPARKS, STATIC

ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY

EXPLODE AND CAUSE INJURY OR DEATH.

### Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	UN3181	UN3181	UN3181
UN Proper Shipping Name	Metal salts of organic compounds, flammable, n.o.s. (Tris(isopropylcyclopentadienyl)samarium (III))	METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S. (Tris(isopropylcyclopentadienyl)samarium (III))	Metal salts of organic compounds, flammable, n.o.s. (Tris(isopropylcyclopentadienyl)samarium (III))
Transport Hazard Classes	4.1	4.1	4.1
Packing Group	III	III	III
Environmental Hazards	-	-	-
Additional Information	-	EMS-No: F-A, S-G	-

**Special Precautions for User:** 

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### Section 15. Regulatory Information

#### **TSCA (Toxic Substance Control Act)**

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only.

### Section 15. Regulatory Information

#### TSCA (Toxic Substance Control Act)(cont.)

This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

This product as supplied is not subject to the TSCA Significant New Use Rule.

This product as supplied is not subject to TSCA 12(b) export notification requirements.

#### **SARA 302 Components**

This product does not contain any components which are subject to the reporting requirements of SARA Title III, Section 302 EHS TPQ.

#### **SARA 304 Components**

This product does not contain any components which are subject to the reporting requirements of SARA Title III, Section 304 RQ.

#### SARA 311/312 Hazards

Fire Hazard (Flammable solid), Acute Health Hazard (Skin corrosion or irritation; Serious eye damage or eye irritation; Specific target organ toxicity, single exposure: respiratory irritation).

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Water Act

Not applicable.

#### Clean Air Act

Not applicable.

#### **CERCLA Reportable Quantity**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### **US Department of Homeland Security (DHS)**

This product does not contain any DHS chemicals.

#### **US Department of Transportation (DOT)**

Component	Reportable Quantity	DOT Marine Pollutant	DOT Severe Marine Pollutant
Tris(isopropylcyclo- pentadienyl)samarium (III)	No	No	No

### Section 15. Regulatory Information

#### **US State Right-to-Know Listings**

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Tris(isopropylcyclo- pentadienyl)samarium (III)	-	-	1	-	-

<sup>&</sup>quot;X" - Listed.

#### **US State Chemicals of High Concern Listings**

Component	Maine	Vermont	Washington
Tris(isopropylcyclopentadienyl)samarium (III)	-	-	-

<sup>&</sup>quot;X" - Listed.

#### California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## Section 16. Other Information National Fire Protection Association (U.S.A.) **Flammabilty** 0 **Instability/Reactivity** Health **Special**

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Ereztech SM0001 Page 13 of 15 Revision: 1.00

#### Section 16. Other Information

#### **HMIS Rating**

HEALTH	2
FLAMMABILITY	2
PHYSICAL HAZARD	0

#### **History**

4/22/2025. Date of Issue/Date of Revision: **Date of Previous Issue:** None.

References: None available.

#### **Abbreviations and Acronyms**

: American Conference of Governmental Industrial Hygienists. ACGIH

: American Industrial Hygiene Association. AIHA

: Acute Toxicity Estimate (per Chapter 3.1 of GHS 10 standard). ATE

BEI : Biological Exposure Indices (ACGIH).

: Chemical Abstracts Service (division of the American Chemical Society). CAS

CHRIS : Chemical Hazards Response Information System (US DOT). CLP : Classification, Labeling and Packaging (European Union (EU)).

DOT : US Department of Transportation.

: The EC Inventory (EINECS, ELINCS and the NLP-list is the source of the seven digit EC-No.

EC number, an identifier of substances commercially available with the EU (European

: European Inventory of Existing Commercial Chemical Substances. **EINECS** 

Extremely Hazardous Substance. FHS

**ELINCS** : European List of Notified Chemical Substances.

Globally Harmonized System of Classification and Labeling of Chemicals. GHS

: Hazardous Air Pollutants (Clean Air Act). HAP Hazardous Materials Identification System. **HMIS** 

**HNOC** : Hazards Not Otherwise Classified.

: International Agency for Research on Cancer. IARC

IATA International Air Transport Association.

Dangerous Goods Regulations by the "International Air Transport Association" IATA-DGR

(IATA).

**IDLH** : Immediately Dangerous to Life or Health (US National Institute for Occupation Health

and Safety (NIOSH)).

International Maritime Code for Dangerous Goods. **IMDG** 

Intraperitoneal. IΡ IV : Intravenous.

NFPA National Fire Protection Association.

NIOSH National Institute of Occupational Safety and Health.

No Significant Risk Levels. NSRL NTP National Toxicology Program.

Ozone Depleting Substances (US Clean Air Act). ODS

Organization for Economic Co-Operation and Development. OECD

#### Section 16. Other Information

#### Abbreviations and Acronyms (cont.)

OEL : Occupational Exposure Limit.

OSHA : Occupational Safety and Health Administration.

PBT : Persistent Bioaccumulative and Toxic.

PEL : Permissible Exposure Limits.
REL : Recommended Exposure Limits.

RQ : Reportable Quantity.

SARA : Superfund Amendments and Reauthorization Act.

STEL (ST) : Short Term Exposure Limit (ACGIH/NIOSH)

STOT : Specific Target Organ Toxicity.
TLV : Threshold Limit Values (ACGIH).
TPQ : Threshold Planning Quantity.
TWA : Time Weighted Average.
VOC : Volatile Organic Compound.

vPvB : Very Persistent and Very Bioaccumulative.

WEEL : Workplace Environmental Exposure Level (AIHA).

#### **Disclaimer**

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

<u>Ereztech SM0001</u> Page 15 of 15 Revision: 1.00