

11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

SAFETY DATA SHEET

Section 1. Identification

Product Name: Tetraethoxytantalum isopropoxyethoxide

Product Type: Liquid

CAS Number: 667460-70-8

Product Number: TA0708

Product Manufacturer: Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

Product Information: (888) 658-1221

In Case of an Emergency: CHEMTREC: 1-800-424-9300 (USA);

+1 703-527-3887 (International); CCN836180
*** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Appearance/Odor: Clear liquid, alcohol-like odor.

Classification: FLAMMABLE LIQUIDS - Category 3, H226

SKIN CORROSION/IRRITATION; - Category 2, H315

SERIOUS EYE DAMAGE/EYE IRRITATION – Category 2A, H319 SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY TRACT IRRITATION – Category 3, H335 SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE;

NARCOTIC EFFECTS - Category 3, H336

GHS Label Elements
Hazard Pictograms:

Signal Word: WARNING.

Hazard Statements: H226: Flammable liquid and vapor.

H315: Causes skin irritation.

H319: Causes serious eye irritation.H335: May cause respiratory irritation.H336: May cause drowsiness or dizziness.

Ereztech TA0708 Page 1 of 15 Revision: 1.10

Section 2. Hazards Identification

Precautionary Statements

Prevention:

P210: Keep away from heat/sparks/open flame/hot surfaces. – No smoking.

P233: Keep container tightly closed.

P240: Ground/Bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/handling equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P261: Avoid breathing sprays/mists/gases/fumes. P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/ protective clothing/ eye protection/

face protection.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present. Continue

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P332 + P313: If skin irritation occurs: Get medical advice/attention.

P337 + P313: If eye irritation persists: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse. P370 + P378: In case of fire: Use water spray/alcohol-resistant foam, carbon dioxide, dry chemical.

P403 + P233 + P235: Store in a well-ventilated place. Keep

container tightly closed. Keep cool.

P405: Store locked up.

P501: Dispose of contents/ container to an approved wasted

disposal plant.

OSHA/HCS Status: This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

None identified.

Response:

Storage:

Disposal:

Hazards Not Otherwise Classified:

Section 3. Composition/Information on Ingredients

Substances

CAS-No. : 667460-70-8

Ingredient Name	%	CAS Number
Tetraethoxytantalum isopropoxyethoxide	≥ 97	667460-70-8

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice: Move out of dangerous area. Show this safety data sheet to the doctor in

attendance.

Eye Contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower eyelids. Check for and remove any contact lenses. Continue rinsing. Seek

medical advice/attention if eye irritation develops and persists.

Take off contaminated clothing and shoes immediately. Wash off contaminated **Skin Contact:**

skin with soap and plenty of water. Seek medical advice/attention if skin

irritation develops and persists or if burns occur.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for

> breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

waistband. Seek medical advice/attention if you feel unwell or if symptoms

develop.

Ingestion: Rinse mouth. Do NOT induce vomiting. Remove dentures if any. If vomiting

> occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in

recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Seek

medical advice/attention if you feel unwell or if symptoms develop.

Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

Eye Contact: Causes serious eye irritation. Symptoms may include itching, watering, redness

and blurred vision.

Inhalation: Symptoms may include coughing, shortness of breath, difficulty in breathing,

drowsiness, dizziness, nausea and headaches.

Section 4. First Aid Measures

Inhalation: Symptoms may include coughing, shortness of breath, difficulty in breathing,

drowsiness, dizziness, nausea and headaches.

Skin Contact: Symptoms may include burning, itching, redness and swelling of exposed tissue.

Ingestion: No specific data available.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician: Treat symptomatically.

Specific Treatments: No specific treatment.

Protection of First Responders: No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

Section 5. Fire Fighting Measures

General Hazards: None identified.

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable Extinguishing Media: None identified.

Unusual Fire and

Explosion Hazards:

This material reacts slowly with water and compounds containing active hydrogen such as alcohols and acids to produce ethanol. Product runoff to sewer may create a fire or

explosion hazard. Ethanol vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to an ignition source and flashback. Do not cut, grind, drill or weld

on or near the container (even empty) of this product because an explosion may result. Keep away from heat, sparks and flame.

Product of Combustion: Carbon oxides (CO_x) and tantalum oxides.

Protection of Firefighters: Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Avoid breathing dusts,

aerosols, vapors and gases.

Eliminate all local and distant ignition sources. Move containers from fire area if process can be accomplished without risk to firefighters. To reduce the possibility of explosion, use a water spray or fog to reduce direct vapors

and to cool unopened containers.

Section 5. Fire Fighting Measures

Protection of Firefighters (cont.):

Do not cut, grind, drill or weld on or near product containers (even empty) of this product because an explosion may result.

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid inhalation of sprays, mists, aerosols, vapors and gases. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment.

For Emergency Responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Environmental Precautions:

Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for Containment

General:

Eliminate all local and distant ignition sources. Move containers from spill area if safe to do so. Use spark-proof tools and explosion-proof equipment.

Small Spill:

Contain and collect spillage with non-combustible, dry absorbent material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor.

Large Spill:

Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, dry absorbent material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local

regulations (see Section 13).

Section 6. Accidental Release Measures

Large Spill (cont.):

Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and Storage

Precautions:

Product is moisture sensitive; handle under a dry, inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep away from all sources of ignition – NO SMOKING. Keep container tightly sealed. Avoid contact with skin, eyes and clothing. Avoid the formation and inhalation of sprays, mists, vapors and gases. Do not ingest. Avoid prolonged exposure. Ensure adequate ventilation.

Protective Measures:

Put on appropriate personal protective equipment (see Section 8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

General Occupational Hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking or smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Safe Storage Conditions:

Product is moisture sensitive; store under an inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Store refrigerated at 2 – 8 °C. Keep away from all sources of ignition - NO SMOKING. Store in original container protected from direct sunlight in a dry and wellventilated area, away from incompatible materials noted above and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application.

Revision: 1.10 Ereztech TA0708 Page 6 of 15

Section 8. Exposure Controls/Personal Protection

Introductory Remarks (cont.):

While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

Occupational Exposure Limits:

List	Components	CAS-No.	Type	Value
OSHA	Tantalum	6074-84-6	PEL	5 mg/ m ³ (TWA - Ta metal)
OSHA	Ethanol	64-17-5	PEL	1900 mg/ m³ (TWA)
NIOSH			REL	1900 mg/ m³ (TWA)
NIOSH			IDLH	3300 ppm (10% LEL)

Engineering Controls:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.

Environmental Exposure Controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures

Hygiene Measures:

Avoid all unnecessary exposure. Wash all exposed skin (hands, forearms and face) thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale mists, sprays, aerosols, vapors or gases. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to aerosols, vapors, sprays or mists. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection

Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Revision: 1.10 Ereztech TA0708 Page 7 of 15

Section 8. **Exposure Controls/Personal Protection**

Hand Protection (cont.):

Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemicalresistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. For full contact, use

Neoprene or nitrile rubber.

Other Skin Protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Physical State: Liquid. Color: Clear.

Alcohol-like. Odor:

Odor Threshold: No data available. No data available. pH: No data available. **Freezing Point: Boiling Point:** No data available. Flash Point: No data available. No data available. Flammability:

Ereztech TA0708 Page 8 of 15 Revision: 1.10

Section 9. Physical and Chemical Properties

No data available. **Auto-ignition temperature: Relative Density:** No data available. **Vapor Pressure:** No data available. No data available. Vapor Density:

Reacts slowly with water to release ethanol. Water Solubility:

Section 10. Stability and Reactivity

Reacts slowly with water and moist air to produce Reactivity:

ethanol.

This product is stable when stored under a dry, inert **Chemical Stability:**

> atmosphere and away from heat. Nitrogen containing less than 5 ppm each moisture and air is recommended. This

product is not sensitive to impact.

Conditions to Avoid: Exposure to water/moisture, sources of ignition (heat,

flames, sparks, electrostatic discharge), extremes of

temperature and direct sunlight.

Water, compounds containing active hydrogen (alcohols, **Incompatible Materials:**

acids) and strong oxidizing agents.

Hazardous Decomposition Products: Hazardous decomposition products formed under fire

conditions: ethanol vapors/gases, carbon oxides and titanium oxide fumes. In the event of a fire: see section

5.

Possibility of Hazardous Reactions: Under normal conditions of storage and use noted above,

hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of

storage or use.

Section 11. Toxicological Information

: No specific data available.

Information on Toxicological Effects

Acute Toxicity

Irritation/Corrosion : No specific data available.

Sensitization : No specific data available.

: No specific data available. **Germ Cell Mutagenicity**

Carcinogenity

IARC : No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

Section 11. Toxicological Information

: No component of this product present at levels greater **ACGIH**

than 0.1% is identified as probable, possible or

confirmed human carcinogen by ACGIH.

NTP : No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by NTP.

: No component of this product present at levels greater **OSHA**

than 0.1% is identified as probable, possible or

confirmed human carcinogen by OSHA.

Reproductive Toxicity

Teratogenicity

Specific Target Organ Toxicity

(Single Exposure)

Specific Target Organ Toxicity

(Repeated Exposure)

Aspiration Hazard

Information on the Likely

Routes of Exposure

Additional Information

: No specific data available.

: To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

Section 12. **Ecological Information**

Numerical Measures of Toxicity

Toxicity to Fish

Toxicity to Daphnia and Other

Aquatic Invertebrates

Toxicity to Algae

Persistence and Degradability

Biodegradability

Bioaccumulative Potential

Mobility in Soil

Other Adverse Effects

: No specific data available.

: An environmental hazard cannot be excluded in the

event of unprofessional handling or disposal.

Ereztech TA0708 Page 10 of 15 Revision: 1.10

Section 13. Disposal Considerations

Waste Treatment Methods

Product

: Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.

Contaminated Packaging

: Empty containers retain product residue (liquid, vapors and gases) and can be dangerous. Dispose of as unused product. DO NOT EXPOSE SUCH CONTAINERS TO MOISTURE, HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	UN 1993	UN 1993	UN 1993
UN Proper	Flammable liquids, n.o.s.	FLAMMABLE LIQUIDS,	Flammable liquids, n.o.s.
Shipping Name	(Tetraethoxytantalum	N.O.S.	(Tetraethoxytantalum
	isopropoxyethoxide)	(Tetraethoxytantalum	isopropoxyethoxide)
		isopropoxyethoxide)	
Transport Hazard	3	3	3
Classes			
Packing Group	HI	HI	H
Environmental	-	-	+
Hazards			
Additional	D G I N G C I	EMS-No: F-E, S-D	GAPS
Information			

Special Precautions for User

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act):

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

Section 15. Regulatory Information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard (Flammable liquid), Acute Health Hazard (Skin corrosion or irritation; Serious eye damage or eye irritation; Specific target organ toxicity, single exposure: respiratory tract irritation; Specific target organ toxicity, single exposure: narcotic effects).

Massachusetts Right to Know Components

No components are subject to Massachusetts Right to Know Act.

Pennsylvania Right to Know Components

No components are subject to Pennsylvania Right to Know Act.

New Jersey Right to Know Components

No components are subject to New Jersey Right to Know Act.

California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Ereztech TA0708 Page 12 of 15 Revision: 1.10

Section 16. Other Information

Copyright © 2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating

HEALTH	2
FLAMMABILITY	2
PHYSICAL HAZARD	1

History

Date of Printing : 3/20/2020 Date of Issue/Date of Revision : 3/20/2020 **Date of Previous Issue** : 12/28/19

: None available. References

Abbreviations and Acronyms

ACGIH: American Conference of Governmental Industrial Hygienists.

ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service (division of the American Chemical Society).

DOT: US Department of Transportation.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA).

IDLH: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and Safety (NIOSH)).

IMDG: International Maritime Code for Dangerous Goods.

NFPA: National Fire Protection Association.

NIOSH: National Institute of Occupational Safety and Health.

NTP: National Toxicology Program.

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limits. **REL**: Recommended Exposure Limits.

SARA: Superfund Amendments and Reauthorization Act.

STOT: Specific Target Organ Toxicity. TLV: Threshold Limit Values (ACGIH).


TWA: Time Weighted Average. VOC: Volatile Organic Compound.

Section 16. Other Information

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.





<u>Ereztech TA0708</u> Page 15 of 15 Revision: 1.10