



SAFETY DATA SHEET

Section 1. Identification

Product Name:	Vanadium(V) triisopropoxide oxide.
Product Type:	Liquid
CAS Number:	5588-84-1
Product Number:	V8841
Product Manufacturer:	Ereztech LLC 11555 Medlock Bridge Road, Suite 100 Johns Creek, GA 30097
Product Information:	(888) 658-1221
<u>In case of an emergency:</u>	(888) 658-1221 (for spill, leak, fire or exposure) *** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Emergency Overview

Appearance/Odor: Colorless to yellow-green to gold or orange liquid, odor not determined.

Classification: FLAMMABLE LIQUIDS; - Category 3, H226
SKIN CORROSION/IRRITATION; - Category 2, H315
SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A, H319
SPECIFIC ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY TRACT IRRITATION; - Category 3, H335

GHS Label Elements

Signal word: WARNING

Hazard statements: H226: Flammable liquid and vapor.
H315: Causes skin irritation.
H319: Causes serious eye irritation.
H335: May cause respiratory irritation.

Hazard pictograms:



Vanadium(V) Triisopropoxide Oxide

Safety Data Sheet

Section 2. Hazards Identification

Precautionary statements

Prevention:

P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P233: Keep container tightly closed.
P240: Ground/bond container and receiving equipment.
P241: Use explosion-proof electrical/ventilating/lighting/handling equipment.
P242: Use only non-sparking tools.
P243: Take precautionary measures against static discharge.
P261: Avoid breathing fumes/gas/mist/vapor/spray.
P264: Wash skin thoroughly after handling.
P271: Use only outdoors or in a well-ventilated area.
P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P303 + P361 + P353: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present. Continue rinsing.
P312: Call a POISON CENTER or doctor/physician if you feel unwell.
P332 + P313: If skin irritation occurs: Get medical advice/attention.
P337 + P313: If eye irritation persists: Get medical advice/attention.

Storage:

P362: Take off contaminated clothing and wash before reuse.
P370 + P378: In case of fire: Use alcohol-resistant foam, dry chemical or carbon dioxide for extinction. DO NOT USE WATER.
P403 + P233 + P235: Store in a well ventilated place. Keep container tightly closed. Keep cool.
P405: Store locked up.

Disposal:

P501: Dispose of contents/ container to an approved wasted disposal plant.

General:

None.

OSHA/HCS status:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Hazards not otherwise classified:

None known.

Vanadium(V) Triisopropoxide Oxide

Safety Data Sheet

Section 3. Composition/Information on Ingredients

Substances

Structural Formula	: OV[OCH(CH ₃) ₂] ₃
Molecular Formula	: VO ₄ C ₉ H ₂₁
Molecular weight	: 244.20 g/mol
CAS-No.	: 5588-84-1

Ingredient Name	%	CAS Number
Vanadium(V) triisopropoxide oxide.	>98	5588-84-1

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
Eye Contact:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue rinsing. Get immediate medical attention.
Skin Contact:	Wash off contaminated skin with soap and plenty of water. Get immediate medical attention.
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a POISON CENTER or doctor/physician immediately.
Ingestion:	Call a physician or POISON CONTROL CENTER immediately. Rinse mouth. Do NOT induce vomiting. Remove dentures if any. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Consult a physician.

Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

Eye Contact:	Symptoms may include stinging, tearing, redness, swelling and blurred vision.
Inhalation:	May be irritating to respiratory system. Symptoms may include coughing and sore throat. Additional symptoms may include nausea, headache, vomiting.

Vanadium(V) Triisopropoxide Oxide

Safety Data Sheet

Section 4. First Aid Measures

- Skin Contact:** Symptoms may include a burning sensation and rash.
- Ingestion:** Product may be expected to be irritating to mucous membranes.
- Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary**
- Notes to Physician:** Treat symptomatically.
- Specific Treatments:** No specific treatment.
- Protection of First Responders:** No action taken shall be taken involving any personal risk without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire Fighting Measures

- General Hazards:** Flammable liquid and vapors. Fire may produce irritating fumes and organic acid vapors.
- Suitable Extinguishing Media:** Use "alcohol" foam, dry chemical or carbon dioxide (CO₂). For large fires, use a water spray, fog or foam. Water spray may be used to cool sealed containers.
- Unsuitable Extinguishing Media:** Do not use water jet as an extinguisher as it may scatter and spread the fire.
- Specific Hazards:** Fire hazard. Vapor/air mixtures are explosive above flash point. Containers may explode when heated.
- Product of Combustion:** Decomposition products include carbon oxides (CO, CO₂) and vanadium oxides.
- Protection of Firefighters:** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

- For Non-emergency Personnel:** No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep unnecessary and unprotected personnel from entering.

Vanadium(V) Triisopropoxide Oxide

Safety Data Sheet

Section 6. Accidental Release Measures

For Non-emergency Personnel (cont.)

Do not touch or walk through spilled material. Avoid inhalation of vapors or mist. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment.

For Emergency Responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Environmental Precautions:

Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for Containment

Small Spill:

Keep away from ignition sources. Absorb with an inert dry liquid binding material (sand, diatomite, acid binders, universal binders) and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large Spill:

Keep away from ignition sources. Contain and collect spillage with non-combustible, dry absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in dry container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and Storage

Precautions:

Moisture sensitive. Handle under an inert gas. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapors or mist. Do not ingest. Provide adequate ventilation. Keep away from sources of ignition – No smoking.

Protective Measures:

Protect against electrostatic charges. Use explosion-proof electrical/ventilating/lighting/handling equipment. Use only non-sparking tools and equipment. Put on appropriate personal protective equipment (see Section 8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Vanadium(V) Triisopropoxide Oxide

Safety Data Sheet

Section 7. Handling and Storage

General Occupational Hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Safe Storage Conditions: Store under an inert gas. Keep away from heat, sparks and open flames. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (oxidizing agents) and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks: These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

Occupational Exposure Limits:

List	Components	CAS-No.	Type	Value
NIOSH	Vanadium(V) tri-isopropoxide oxide	5588-84-1	C	0.05 mg/m ³
OSHA	Vanadium pentoxide	1314-62-1	PEL	0.05 mg/m ³ (V ₂ O ₅)

Engineering Controls: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.

Environmental Exposure Controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures

Hygiene Measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Vanadium(V) Triisopropoxide Oxide

Safety Data Sheet

Section 8. Exposure Controls/Personal Protection

Hygiene Measures (cont.):

Remove all soiled and contaminated clothing immediately. Do not inhale gases/fumes/vapors. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection

Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Neoprene or nitrile rubber.

Other Skin Protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

Vanadium(V) Triisopropoxide Oxide

Safety Data Sheet

Section 8. Exposure Controls/Personal Protection

Respiratory Protection (cont.): If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Physical State:	Liquid.
Color:	Colorless to yellow-green to gold or orange.
Odor:	No data available.
Odor Threshold:	No data available.
pH:	No data available.
Melting Point:	-11 to -14 °C (12.2 - 6.8 °F).
Boiling Point:	80-82 °C (176-180 °F) @ 2 mmHg.
Flash Point:	45.0 °C (113 °F). (Closed cup).
Auto-ignition temperature:	No data available.
Specific Gravity:	1.029.
Vapor Pressure:	<1mm @ 25 °C.
Vapor Density:	No data available.
Water Solubility:	Reacts with water.
Evaporation Rate:	No data available.
Viscosity:	No data available.
VOC Content:	No data available.

VOCs are calculated following the requirements under 40 CFR, Part 59, Subpart C for Consumer Products and Subpart D for Architectural Coatings.

Section 10. Stability and Reactivity

Reactivity:	Moisture sensitive.
Chemical Stability:	Stable at normal ambient temperature and pressure and under recommended storage conditions.
Conditions to Avoid:	Keep away from heat and sources of ignition.
Incompatible Materials:	Moisture/water, oxidizing agents.
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: carbon oxides and metal oxide fumes. In the event of a fire: see section 5.

Vanadium(V) Triisopropoxide Oxide

Safety Data Sheet

Section 10. Stability and Reactivity

Possibility of Hazardous Reactions: Material reacts rapidly with water or moist air, liberating isopropanol and vanadium oxide gel.

Section 11. Toxicological Information

Information on Toxicological Effects

Acute Toxicity	: No specific data available.
Irritation/Corrosion	: May cause skin irritation. May cause eye irritation. May cause respiratory irritation if inhaled.
Sensitization	: No specific data available.
Germ Cell Mutagenicity	: No effects known.
Carcinogenicity	
IARC	: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.
NTP	: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.
OSHA	: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.
Reproductive Toxicity	: This product is not expected to cause reproductive or developmental effects.
Teratogenicity	: No specific data available.
Specific Target Organ Toxicity (single exposure)	: Respiratory tract irritation.
Specific Target Organ Toxicity (repeated exposure)	: No specific data available.
Aspiration Hazard	: No specific data available.
Information on the likely routes of exposure	: No specific data available.
Additional Information	: None

Vanadium(V) Triisopropoxide Oxide Safety Data Sheet

Section 12. Ecological Information

Numerical Measures of Toxicity

Toxicity to Fish : No specific data available.

Toxicity to daphnia and other aquatic invertebrates : No specific data available.

Toxicity to algae : No specific data available.

Persistence and Degradability

Biodegradability : No specific data available.

Bioaccumulative potential : No specific data available.

Mobility in soil : No specific data available.

Other Adverse Effects : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13. Disposal Considerations

Waste Treatment Methods

Product

Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.

Contaminated packaging

Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	UN 1993	UN 1993	UN 1993
UN Proper Shipping Name	FLAMMABLE LIQUID, N.O.S. (Vanadium(V) triisopropoxide oxide)	FLAMMABLE LIQUID, N.O.S. (Vanadium(V) triisopropoxide oxide)	FLAMMABLE LIQUID, N.O.S. (Vanadium(V) triisopropoxide oxide)
Transport Hazard Classes	3	3	3
Packing Group	III	III	III
Environmental Hazards	-	-	-
Additional Information	-	F-E, S-E	-

Vanadium(V) Triisopropoxide Oxide

Safety Data Sheet

Section 14. Transport Information

- Special Precautions for User** : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
- Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code** : Not applicable.

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act):

This product is listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory).

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313.

	CAS-No.	Revision Date
Vanadium(V) triisopropoxide oxide	7440-48-4	2007-07-01

SARA 311/312 Hazards

Acute Health Hazard. Fire Hazard.

Massachusetts Right To Know Components

No components are subject to Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

	CAS-No.	Revision Date
Vanadium(V) triisopropoxide oxide	7440-48-4	2007-07-01

New Jersey Right To Know Components

	CAS-No.	Revision Date
Vanadium(V) triisopropoxide oxide	7440-48-4	2007-07-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Vanadium(V) Triisopropoxide Oxide

Safety Data Sheet

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating

HEALTH	2
FLAMMABILITY	2
PHYSICAL HAZARD	1

History

Date of printing : 10/30/17

Date of issue/Date of Revision : 10/30/17

Date of previous issue : None.

References : None available.

Abbreviations and Acronyms

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DOT: US Department of Transportation

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

HMIS: Hazardous Materials Identification System

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association

Vanadium(V) Triisopropoxide Oxide

Safety Data Sheet

Section 16. Other Information

Abbreviations and Acronyms (cont.)

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DOT: US Department of Transportation

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

HMIS: Hazardous Materials Identification System

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

IMDG: International Maritime Code for Dangerous Goods

NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

SARA: Superfund Amendments and Reauthorization Act

VOC: Volatile Organic Compound

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.