

11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

SAFETY DATA SHEET

Section 1. Identification

Product Name: Yttrium(III) chloride anhydrous.

Product Type: Solid.

CAS Number: 10361-92-9

Product Number: Y1929

Recommended Use: Laboratory chemicals, synthesis of substances.

Product Manufacturer: Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

Product Information: (888) 658-1221

In Case of an Emergency: CHEMTREC: 1-800-424-9300 (USA);

+1 703-527-3887 (International); CCN836180
*** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Appearance/Odor: White powder, odor not determined.

Classification: SKIN CORROSION/IRRITATION – Category 2, H315

SKIN SENSITIZATION – Category 1B, H317

SERIOUS EYE DAMAGE/EYE IRRITATION – Category 1, H318
SPECIFIC ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY

TRACT IRRITATION – Category 3, H335

SERIOUS EYE DAMAGE/EYE IRRITATION – Category 1, H318 HAZARDOUS TO THE AQUATIC ENVIRONMENT, ACUTE HAZARD –

Category 1, H400

HAZARDOUS TO THE AQUATIC ENVIRONMENT, LONG-TERM

HAZARD – Category 1, H410

GHS Label Elements

Hazard Pictograms:



Signal Word: DANGER

Section 2. Hazards Identification

Hazard Statements: H315: Causes skin irritation.

> H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H335: May cause respiratory irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statements

Response:

Prevention: P261: Avoid breathing dusts, aerosols, vapors and gases.

P264 + P265: Wash hands and exposed skin thoroughly after

handling. Do not touch eyes.

P271: Use only outdoors or with adequate ventilation.

P272: Contaminated work clothing should not be allowed out of

the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves /eye protection/ face protection.

P302 + P352: IF ON SKIN: Wash with plenty of water.

P304 + P340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305 + P354 + P338: IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P317: Get medical help.

P319: Get medical help if you feel unwell.

P333 + P317: If skin irritation or rash occurs: Get medical help.

P362 + P364: Take off contaminated clothing and wash it before

reuse.

P391: Collect spillage.

P403 + P233: Store in a well ventilated place. Keep container Storage:

tightly closed.

P405: Store locked up.

P501: Dispose of contents/container in accordance with federal, Disposal:

state and local regulations.

This material is considered hazardous by the OSHA Hazard **OSHA/HCS Status:**

Communication Standard (29 CFR 1910.1200).

Hazards Not Otherwise

Classified (HNOC):

None identified.

Section 3. Composition/Information on Ingredients

Substance Type: Mono-constituent.

Yttrium trichloride; Trichloroyttrium; YCl₃. Synonyms:

Formula: CI_3Y 195.26 **Molecular Weight:**

Ereztech Y1929 Page 2 of 15 Revision: 1.30

Section 3. Composition/Information on Ingredients

EC-No.: 233-801-0

Component Name	%	CAS Number
Yttrium(III) chloride anhydrous	≥ 99.8	10361-92-9

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice: Move out of dangerous area. If unconscious, place in recovery position and get

> medical help immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Show this safety data sheet to the doctor in

attendance.

Immediately flush eyes with plenty of water, occasionally lifting the upper and **Eye Contact:**

lower eyelids. Rinse for a minimum of 15 minutes. Check for and remove any contact lenses after initial rinse period and continue rinsing for an additional 15

minutes. Keep eyes wide open during rinsing process. Get medical help.

Take off contaminated clothing and shoes immediately. Wash off contaminated **Skin Contact:**

skin with plenty of water. Get medical help if irritation develops and persists, if

symptoms develop or if you feel unwell.

Inhalation: Remove person to fresh air and keep comfortable for breathing. If not

> breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Do not use the mouth-tomouth method of resuscitation if victim ingested or inhaled the product; give artificial respiration with the aid of a pocket mask equipped with a one-way valve

or other proper respiratory medical devices. Get medical help if symptoms

develop or you feel unwell.

Ingestion: Rinse mouth, and then give water to drink (two glasses at most). Do NOT induce

> vomiting. Remove dentures if any. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If person is not breathing, if breathing is irregular or if respiratory arrest occurs, see the "Inhalation" first aid measures noted above.

Get medical help if symptoms develop or you feel unwell.

Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

Product causes serious eye damage. Symptoms may include watering, redness, **Eye Contact:**

pain, swelling of the eyelids, inability to keep eye open, blurred vison and

temporary/permanent loss of vision.

Section 4. First Aid Measures

Skin Contact: Product causes skin irritation and may cause an allergic reaction. Symptoms

may include an itching or burning sensation, reddening, swelling and blistering

with tissue necrosis.

Inhalation: Product may be irritating to respiratory system. Symptoms may include

coughing, sneezing with phlegm production, sore throat, nausea, headache,

vomiting.

Ingestion: Product may be expected to be irritating to mucous membranes. Symptoms may

include cramping, localized pain, headache, nausea and vomiting.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician: Treat symptomatically. No specific treatment.

Protection of First Responders: No action taken shall be taken involving any personal risk

> without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

Section 5. Fire Fighting Measures

General Hazards:

Specific Treatments:

Suitable Extinguishing Media:

None identified.

Product is not combustible. Use extinguishing measures and media that are appropriate to the local circumstances and the surrounding environment. Use a water spray/fog to suppress

aerosols, vapors and gases generated by ambient fire.

Unsuitable Extinguishing Media: For this substance/mixture no limitations of extinguishing

agents are given.

Unusual Fire and Explosion Hazards: None identified.

Product of Combustion: Decomposition products include hydrogen chloride gas and

yttrium oxides.

Promptly isolate the scene by removing all persons from the **Protection of Firefighters:**

> vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Avoid the formation and

inhalation of dusts, aerosols, vapors and gases.

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in a positive pressure mode.

Additional Information: Prevent fire extinguishing water from contaminating surface

waters or ground water systems.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid the formation and inhalation of dusts, aerosols, vapors and gases. Provide adequate ventilation.

For Emergency Responders: If specialized clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency

Personnel".

Environmental Precautions: Prevent spilled material and firefighting runoff from entering the

surrounding environment (soil contact, entry into drains, sewers and waterways). Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or

air).

Methods for Containment

General: Stop leak/spillage and move containers from spill area if safe to do so. Avoid the formation and inhalation of dusts, aerosols,

vapors and gases. Dispose of collected spillage in accordance with

federal, state and local regulations (see Section 13).

Contaminated binding material may pose the same hazard as the

spilled product.

Small Spill: Collect spillage with a dry, binding material (e.g. sand, earth,

vermiculite or diatomaceous earth) and place in dry, sealed

container for disposal.

Large Spill: Approach release from upwind. Prevent entry into sewers, water

courses, basements or confined areas. Contain and collect spillage with a dry, binding material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for

disposal.

Note: see Section 1 for emergency contact information and

Section 13 for waste disposal.

Section 7. Handling and Storage

Precautions: Product is strongly hygroscopic; handle under a dry, inert gas.

Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep container tightly sealed. Avoid the

formation and inhalation of dusts, aerosols, vapors and gases. Avoid contact with skin, eyes and clothing. Do not ingest. Avoid

prolonged exposure. Ensure adequate ventilation.

Section 7. Handling and Storage

Protective Measures: Put on appropriate personal protective equipment (see Section

8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be

hazardous. Do not reuse container.

General Occupational Hygiene: Eating, drinking and smoking should be prohibited in areas

where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective

equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Safe Storage Conditions: Product is strongly hygroscopic; store under an inert gas.

Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Store in original container protected from direct sunlight in a cool, dry and well-ventilated area, away from incompatible materials noted above and food and drink. Keep container tightly closed and sealed until ready for use. Store

locked up.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

Occupational Exposure Limits

Components	CAS-No.	List	Type	Value
Yttrium(III) chloride, anhydrous	10361-92-9	ACGIH	TLV	1 mg/m ³ Y TWA
		NIOSH	REL	1 mg/m ³ Y TWA

Engineering Controls: Properly operating chemical fume hood designed for hazardous

chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station in areas

where product is being used.

Environmental Exposure Controls: Emissions from ventilation or work process equipment should

be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable

levels.

Section 8. Exposure Controls/Personal Protection

Individual Protection Measures

Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts or aerosols. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to aerosols or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection

Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. For full contact, wear Neoprene or nitrile rubber gloves.

Other Skin Protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 8. Exposure Controls/Personal Protection

Respiratory Protection: Where risk assessment shows air-purifying respirators are

appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government

standards such as NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Physical State: Solid. White. Color:

No data available. Odor: **Odor Threshold:** No data available.

~ 4.51 @ 20 °C (68 °F). pH: 721 °C (1330 °F). **Melting Point:**

1507 °C (2745 °F) @ 1,013 hPa. **Boiling Point:**

No data available. Flash Point:

Product is not flammable. Flammability: 2.67 g/cm³ @ 25 °C (77 °F). Density:

1,136 g/l @ 25 °C (77 °F). Water Solubility:

Evaporation Rate: Not applicable. **Viscosity:** Not applicable.

Section 10. Stability and Reactivity

No data available. Reactivity:

Chemical Stability: This product is stable when stored under a dry, inert

atmosphere and away from heat. Nitrogen containing less than 5 ppm each moisture and air is recommended.

Product is strongly hygroscopic.

Exposure to water/moisture. **Conditions to Avoid:**

Strong oxidizing agents, acids, strong bases. **Incompatible Materials:**

Hazardous Decomposition Products: Hazardous decomposition products formed under fire

conditions: hydrogen chloride gas and yttrium oxide

fumes. In the event of a fire: see Section 5.

Section 10. Stability and Reactivity

Possibility of Hazardous Reactions:

Under normal conditions of storage and use noted above, hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of storage or use.

Section 11. Toxicological Information

Information on Toxicological Effects

Acute Toxicity

Component	CAS No	Result	Species	Dose	Exposure
Yttrium(III) chloride, anhydrous	10361-92-9	LD50	Rat (female)	≥ 2,000 mg/kg	-
		LD50 Dermal	Rat (male/ female)	> 2,000 mg/kg	-

Irritation/Corrosion:

Germ Cell Mutagenicity:

Sensitization:

Eyes – Bovine cornea

Result: Irreversible effects on eye – 4h

(OECD Test Guideline 437)

Maximization test - Guinea pig

Result: Positive.

(OECD Test Guideline 406)

Test type: Ames test

Test system: S typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: Negative

Test type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: Negative

Test type: Gene mutation test Test system: Mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: Negative

Carcinogenicity

Component	CAS No	ACGIH	IARC	NTP	OSHA
Yttrium(III) chloride, anhydrous	10361-92-9	Not listed	Not listed	Not listed	Not listed

Section 11. Toxicological Information

Reproductive Toxicity:No specific data available. **Teratogenicity:**No specific data available.

Specific Target Organ Toxicity: Inhalation – May cause respiratory tract irritation.

(Single Exposure)

Specific Target Organ Toxicity: No specific data available.

(Repeated Exposure)

Aspiration Hazard: No specific data available.

Information on the Likely Common routes of exposure: inhalation (failure to prevent dust formation), dermal (failure to use skin

prevent dust formation), dermal (failure to use skin protection), eye (failure to use safety eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking after handling product

without washing hands or using hand protection).

Additional Information: To the best of our knowledge, the chemical, physical

and toxicological properties of this product have not

been thoroughly investigated.

Section 12. Ecological Information

Ecotoxicity: Product is very toxic to aquatic organisms and may cause long-term adverse effects in the aquatic

environment.

Aquatic Toxicity

Component	CAS No	Test	Species	Dose	Exposure
Yttrium(III) chloride, anhydrous	10361-92-9	LC50	Oncorhynchus mykiss (rainbow trout)	0.62 mg/l	96 h
		EC50	Activate sludge	470 mg/l	3 h

Persistence and Degradability

Biodegradability: The methods for determining the biological degradability

are not applicable to inorganic substances.

Bioaccumulative Potential: No specific data available.

Mobility in Soil: No specific data available.

Results of PBT and vPvB Assessment: PBT/vPvB assessment not available as chemical safety

assessment not required/not conducted.

Endocrine Disrupting Properties: No specific data available.

Other Adverse Effects: An environmental hazard cannot be excluded in the

event of unprofessional handling or disposal.

Section 13. Disposal Considerations

Waste Treatment Methods

Product: Dispose of in accordance with local, state, and federal

regulations. Refer to 40 CFR 260-299 for complete waste

disposal regulations. Consult your local, state, or federal agency

before disposing of any chemicals.

Empty containers retain product residue (dusts, aerosols) and **Contaminated Packaging:**

can be dangerous. Dispose of as unused product.

Section 14. Transport Information

	DOT	IMDG	IATA	
UN Number	UN3077	UN3077	UN3077	
UN Proper Shipping Name	Environmentally hazardous substance, solid, n.o.s. (Yttrium(III) chloride, anhydrous)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Yttrium(III) chloride, anhydrous)	Environmentally hazardous substance, solid, n.o.s. (Yttrium(III) chloride, anhydrous)	
Transport Hazard Classes	9	9	9	
Packing Group		III	III	
Environmental Hazards	Yes	Yes	Yes	
Additional Information		EMS-No: F-G, S-F	-	

Special Precautions for User:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory Information

Toxic Substance Control Act (TSCA)

This product as supplied is listed as "Active" on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory).

This product as supplied is not subject to the TSCA Significant New Use Rule.

This product as supplied is not subject to TSCA 12(b) export notification requirements.

SARA 302 Components

This product does not contain any components which are subject to the reporting requirements of SARA Title III, Section 302 EHS TPQ.

Ereztech Y1929 Page 11 of 15 Revision: 1.30

Section 15. Regulatory Information

SARA 304 Components

This product does not contain any components which are subject to the reporting requirements of SARA Title III. Section 304 RQ.

SARA 311/312 Hazards

Acute Health Hazard (Skin corrosion or irritation; Respiratory or skin sensitization; Serious eye damage or eye irritation; Specific target organ toxicity, single exposure: respiratory irritation).

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Water Act

This product does not contain any chemicals regulated under the Clean Water Act.

Clean Air Act

This product does not contain any chemicals regulated under the Clean Air Act.

CERCLA Reportable Quantity

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US Department of Homeland Security (DHS)

This product does not contain any DHS chemicals.

US Department of Transportation (DOT)

Component	Reportable Quantity	DOT Marine Pollutant	DOT Severe Marine Pollutant
Yttrium(III) chloride, anhydrous	No	No	No

US State Right-to-Know Listings

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Yttrium(III) chloride, anhydrous	-	-	-	-	-

[&]quot;X" - Listed.

US State Chemicals of High Concern Listings

Component	Maine	Vermont	Washington
Yttrium(III) chloride, anhydrous	-	-	-

[&]quot;X" - Listed.

California Proposition 65 Components

This product does not contain any Proposition 65 chemicals.

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	1

History

Date of Issue/Date of Revision: 6/12/2025.

Date of Previous Issue: 3/12/2020.

References: None available.

Abbreviations and Acronyms

ACGIH : American Conference of Governmental Industrial Hygienists.

AIHA : American Industrial Hygiene Association.

ATE : Acute Toxicity Estimate (per Chapter 3.1 of GHS 10 standard).

BEI : Biological Exposure Indices (ACGIH).

CAS : Chemical Abstracts Service (division of the American Chemical Society).

CHRIS : Chemical Hazards Response Information System (US DOT).

CLP : Classification, Labeling and Packaging (European Union (EU)).

DOT : US Department of Transportation.

EC-No. : The EC Inventory (EINECS, ELINCS and the NLP-list is the source of the seven digit

EC number, an identifier of substances commercially available with the EU (European

Union).

Section 16. Other Information

Abbreviations and Acronyms (cont.)

EINECS : European Inventory of Existing Commercial Chemical Substances.

EHS : Extremely Hazardous Substance.

ELINCS : European List of Notified Chemical Substances.

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

HAP : Hazardous Air Pollutants (Clean Air Act).HMIS : Hazardous Materials Identification System.

HNOC : Hazards Not Otherwise Classified.

IARC : International Agency for Research on Cancer.

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulations by the "International Air Transport Association"

(IATA).

IDLH : Immediately Dangerous to Life or Health (US National Institute for Occupation Health

and Safety (NIOSH)).

IMDG : International Maritime Code for Dangerous Goods.

IP : Intraperitoneal.
IV : Intravenous.

NFPA : National Fire Protection Association.

NIOSH : National Institute of Occupational Safety and Health.

NSRL : No Significant Risk Levels.
NTP : National Toxicology Program.

ODS : Ozone Depleting Substances (US Clean Air Act).

OECD : Organization for Economic Co-Operation and Development.

OEL : Occupational Exposure Limit.

OSHA : Occupational Safety and Health Administration.

PBT : Persistent Bioaccumulative and Toxic.

PEL : Permissible Exposure Limits.
REL : Recommended Exposure Limits.

RQ : Reportable Quantity.

SARA : Superfund Amendments and Reauthorization Act.

STEL (ST) : Short Term Exposure Limit (ACGIH/NIOSH)

STOT : Specific Target Organ Toxicity.
 TLV : Threshold Limit Values (ACGIH).
 TPQ : Threshold Planning Quantity.
 TWA : Time Weighted Average.
 VOC : Volatile Organic Compound.

vPvB : Very Persistent and Very Bioaccumulative.

WEEL: Workplace Environmental Exposure Level (AIHA).

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Section 16. Other Information

Disclaimer (cont.)

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



<u>Ereztech Y1929</u> Page 15 of 15 Revision: 1.30