

EREZTECH LLC 11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA T: +1.888.658.1221 F: 1.678.619.2020 E: info@ereztech.com W: https://ereztech.com

SAFETY DATA SHEET

Section 1. Identification

Product Name: Product Type:	<u>Tris(cyclopentadienyl)ytterbium</u> Solid
CAS Number:	1295-20-1
Product Number:	YB5201
Recommended Use:	Laboratory chemicals, chemical synthesis.
Product Manufacturer:	Ereztech LLC 11555 Medlock Bridge Road, Suite 100 Johns Creek, GA 30097
Product Information:	(888) 658-1221
In Case of an Emergency:	CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International); CCN836180 *** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Appearance/Odor: Classification: Dark green crystalline powder, odor not determined. FLAMMABLE SOLID – Category 2, H228 SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES – Category 3, H261

GHS Label Elements Signal Word: Hazard Statements:

Hazard Pictograms:

Precautionary Statements Prevention: WARNING H228: Flammable solid. H261: In contact with water releases flammable gas.



- P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P231 + P232: Handle under inert gas. Protect from moisture.
- P240: Ground and bond container and receiving equipment.
- P241: Use explosion proof electrical/ventilating/lighting/processing equipment.

Section 2. Hazards Identification		
Prevention (cont.):	P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.	
Response:	P370 + P378: IN case of fire: Use CO ₂ , dry chemical or foam for extinction.	
Storage:	P402 + P404: Store in a dry place. Store in a closed container.	
Disposal:	P501: Dispose of contents/ container to an approved wasted disposal plant.	
OSHA/HCS Status:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).	
Hazards Not Otherwise Classified [HNOC]:	Reacts violently with water to release flammable liquids/gases.	

Section 3. Composition/Information on Ingredients

Synonyms	: Yb(Cp) ₃ , Tricyclopentadier cyclopentadienyl)ytterbiur cyclopentadienyl)ytterbiur	m(III); Tris(η5-	is(η5-
Formula	: C ₁₅ H ₁₅ Yb		
Molecular Weight	: 368.32 g/mol		
Ingredient Name		%	CAS Number
Tris(cyclopentadienyl)ytterbium		≥ 98	1295-20-1

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice: Move out of dangerous area. Get medical help immediately if symptoms develop or if you feel unwell. Show this safety data sheet to the doctor in attendance.

Eye Contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue rinsing. Get medical help if eye irritation develops and persists.

Skin Contact: Take off contaminated clothing and shoes immediately. Wash off contaminated skin with soap and plenty of water. Get medical help if irritation develops and persists or if you feel unwell.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

Section 4. First Aid Measures		
Inhalation: (cont.)	It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical help if symptoms develop or if you feel unwell.	
Ingestion:	Rinse mouth. Do NOT induce vomiting. Remove dentures if any. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical help if symptoms develop or if you feel unwell.	
Most Important Sy	mptoms/Effects, Acute and Delayed Potential Acute Health Effects	
Eye Contact:	The acute effects of the exposure of eye tissues to this product have not been determined.	
Inhalation:	The acute effects of inhalation of this product have not been determined.	
Skin Contact:	The acute effects of dermal contact of this product have not been determined.	
Ingestion:	The acute effects of ingestion of this product have not been determined.	
Indication of Imme	ediate Medical Attention and Special Treatment Needed, If Necessary	
Notes to Physician:	Treat symptomatically.	
Specific Treatment	s: No specific treatment.	
Protection of First	Responders: No action taken shall be taken involving any personal risk without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.	

See Toxicological Information (Section 11)

Section 5. Fire Fighting Measures

General Hazards:	Product reacts with moist air and water to produce a flammable gas.
Suitable Extinguishing Media:	THE MOST EFFECTIVE FIRE EXTINGUISHING AGENT IS DRY CHEMICAL POWDER PRESSURIZED WITH NITROGEN. Vermiculite, sand, dry chemical or carbon dioxide (CO2) may also be used. Water fog may be used to cool closed containers.
Unsuitable Extinguishing Media:	DO NOT USE WATER OR FOAM as product reacts to produce extremely flammable vapors upon contact with water.

Section 5. Fire Fighting Measures		
Unusual Fire and Explosion Hazards:	This material reacts with water and compounds containing active hydrogen such as alcohols and acids to produce flammable liquids and gases. Product runoff to sewer may create a fire or explosion hazard. Most vapors and gases produced under fire conditions are heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to an ignition source and flashback.	
Product of Combustion:	Decomposition products include carbon oxides (CO _x) and ytterbium oxides.	
Protection of Firefighters:	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Avoid the formation and inhalation of dusts, aerosols, vapors and gases. Eliminate all local and distant ignition sources. Move containers from fire area if process can be accomplished 	
	without risk to firefighters. To reduce the possibility of explosion, use a water spray or fog to reduce direct vapors and to cool unopened containers. Do not cut, grind, drill or weld on or near product containers (even empty) of this product because an explosion may result.	
	Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full	
	face-piece operated in a positive pressure mode.	

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel:

For Emergency Responders:

No action shall be taken involving any personal risk or without suitable training. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid the formation and inhalation of dusts and aerosols. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency Personnel".

Section 6.	Accidental Release Measures
Environmental Precautions:	Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for Containment	
General:	Eliminate all local and distant ignition sources. Move containers from spill area if safe to do so. Avoid allowing the spilled material to get wet or using water to clean up spillages or residues. Use spark-proof tools and explosion-proof equipment. Dispose of collected product in accordance with federal, state and local regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Contaminated absorbent material may pose the same hazard as the spilled product.
Small Spill:	Collect spillage with non-combustible, dry binding material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal (see Section 13).
Large Spill:	Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, dry binding material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal (see Section 13).
	Note: see Section 1 for Emergency Contact Information and

Section 7. Handling and Storage

Section 13 for Waste Disposal.

Precautions:

Protective Measures:

Product is air/moisture sensitive; handle under a dry, inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep away from all sources of ignition – NO SMOKING. Avoid the formation and inhalation of dusts and aerosols. Keep container tightly sealed. Avoid contact with skin, eyes and clothing. Do not ingest. Avoid prolonged exposure. Ensure adequate ventilation.

Protect against electrostatic charges. Use explosion-proof electrical/ventilating/lighting/handling equipment. Use only non-sparking tools and equipment. Put on appropriate personal protective equipment (see Section 8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Section 7. Handling and Storage

General Occupational Hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Safe Storage Conditions: Product is air/moisture sensitive; store under an inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Store refrigerated at 2 – 8 °C. Keep away from all sources of ignition - NO SMOKING. Store in original container protected from direct sunlight in a dry and wellventilated area, away from incompatible materials noted above and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

Section 8. Exposure Controls/Personal Protection **Introductory Remarks:** These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13. Product contains no substances with occupational exposure **Occupational Exposure Limits:** limit values. Properly operating explosion-proof, chemical fume hood **Engineering Controls:** designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station. Emissions from ventilation or work process equipment should **Environmental Exposure Controls:** be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 8. Exposure Controls/Personal Protection

Individual Protection Measures

Hygiene Measures:

Eye/Face Protection:

Skin Protection Hand Protection:

Other Skin Protection:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts or aerosols. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to aerosols or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves. For full contact, wear Neoprene or nitrile rubber gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 8. Exposure Controls/Personal Protection

Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Physical State:	Solid (crystalline powder).
Color:	Dark green.
Odor:	No data available.
pH:	No data available.
Melting Point:	277 °C (531 °F).277C.
Boiling Point:	No data available.
Flash Point:	85 °C (185 °F).
Flammability (solid):	Category 2 flammable solid.
Relative Density:	No data available.
Water Solubility:	Insoluble. Product reacts with water to produce a flammable
	liquid/gas.

Section 10. Stability and Reactivity

Reactivity:	This product reacts with water and compounds containing active hydrogen such as alcohols and acids to produce a flammable liquid/gas.
Chemical Stability:	This product is stable when stored under a dry, inert atmosphere and away from heat Nitrogen containing less than 5 ppm each moisture and air and a temperature range of 2 – 8 °C is recommended.
Conditions to Avoid:	Exposure to water/moisture, sources of ignition (heat, flames, sparks, electrostatic discharge), extremes of temperature and direct sunlight.
Incompatible Materials:	Air/water/moisture and strong oxidizing agents.

Section 10. Stability and Reactivity

Hazardous Decomposition Products:	In contact with water, product releases a highly flammable gas. Hazardous decomposition products formed under fire conditions: carbon oxides (CO _X), cyclopentadiene and yttrium oxide particles and fumes. In the event of a fire: see section 5.
Possibility of Hazardous Reactions:	Under normal conditions of storage and use noted above, hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of storage or use. Product reacts with moist air and water to produce a flammable liquid/gas.
Section 11.	Toxicological Information

Information on Toxicological Effects	
Acute Toxicity	: No specific data available.
Irritation/Corrosion	: No specific data available.
Sensitization	: No specific data available.
Germ Cell Mutagenicity	: No specific data available.
Carcinogenity	
IARC	: No component of this product present at levels greater
	than 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	: No component of this product present at levels greater
	than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.
ΝΤΡ	 No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.
OSHA	 No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.
Reproductive Toxicity	: This product is not expected to cause reproductive or developmental effects.
Teratogenicity	: No specific data available.
Specific Target Organ Toxicity (Single Exposure)	: No specific data available.
Specific Target Organ Toxicity (Repeated Exposure)	: No specific data available.
Aspiration Hazard	: No specific data available.

Section 11.	Toxicological Information
Information on the Likely Routes of Exposure	: Common routes of exposure: inhalation (failure to prevent dust formation), dermal (failure to use skin protection), eye (failure to use safety eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking after handling product without washing hands or using hand protection).
Additional Information	 To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

Section 12. Ecological Information

Numerical Measures of Toxicity	
Toxicity to Fish	: No specific data available.
Toxicity to Daphnia and Other Aquatic Invertebrates	: No specific data available.
Toxicity to Algae	: No specific data available.
Persistence and Degradability	
Biodegradability	: No specific data available.
Bioaccumulative Potential	: No specific data available.
Mobility in Soil	: No specific data available.
Other Adverse Effects	: An environmental hazard cannot be excluded in the
	event of unprofessional handling or disposal. Cyclopentadiene that is released when product is in contact with water is very toxic to aquatic life.

Section 13. Disposal Considerations

Waste Treatment Methods

Product

Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.

Empty containers retain product residue (dusts, aerosols and/or vapor) and can be dangerous. Dispose of as unused product. DO NOT EXPOSE SUCH CONTAINERS TO MOISTURE, HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Contaminated Packaging

Section 14. Transport Information

			-	
	DOT	IMDG	ΙΑΤΑ	
UN Number	UN 3396	UN 3396	UN 3396	
UN Proper Shipping	Organometallic	ORGANOMETALLIC	Organometallic	
Name	substance, solid,	SUBSTANCE, SOLID,	substance, solid,	
	water-reactive,	WATER-REACTIVE,	water-reactive,	
	flammable, n.o.s.	FLAMMABLE, N.O.S.	flammable, n.o.s.	
	(Tris(cyclopentadienyl)	(Tris(cyclopentadienyl)	(Tris(cyclopentadienyl)	
	Ytterbium)	ytterbium)	Ytterbium)	
Transport Hazard	4.3(4.1)	4.3(4.1)	4.3(4.1)	
Classes				
Packing Group	II	II	11	
Environmental Hazards	No	No	No	
Additional Information	-	EMS-No: F-G, S-N	-	

Special Precautions for User

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code : Not applicable.

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act):

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard (Flammable Solid), Reactive Hazard (In contact with water releases flammable gas).

Massachusetts Right to Know Components No components are subject to Massachusetts Right to Know Act.

Pennsylvania Right to Know Components

No components are subject to Pennsylvania Right to Know Act.

Section 15. Regulatory Information

New Jersey Right to Know Components

No components are subject to New Jersey Right to Know Act.

California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating			
HEALTH	1		
FLAMMABILITY	2		
PHYSICAL HAZARD	2		
<u>History</u>			
Date of Issue/Date of Revision		:	5/9/2023.
Date of Previous Issue		:	None.
References		:	None available.

Section 16. Other Information

Abbreviations and Acronyms

ACGIH: American Conference of Governmental Industrial Hygienists.

ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling and Packaging (European Union (EU)).

DOT: US Department of Transportation.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System.

HNOC: Hazards Not Otherwise Classified.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA). IDLH: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and Safety (NIOSH)).

IMDG: International Maritime Code for Dangerous Goods.

NFPA: National Fire Protection Association.

NIOSH: National Institute of Occupational Safety and Health.

NTP: National Toxicology Program.

OECD: Organization for Economic Co-Operation and Development.

OEL: Occupational Exposure Limit.

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limits.

REL: Recommended Exposure Limits.

SARA: Superfund Amendments and Reauthorization Act.

STEL (ST): Short Term Exposure Limit (ACGIH/NIOSH)

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limit Values (ACGIH).

TWA: Time Weighted Average.

VOC: Volatile Organic Compound.

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.